

# Banaras Hindu University

**Question Paper Name:** Nursing Officer 22nd Sep 2019 Shift 1  
**Subject Name:** Nursing Officer  
**Creation Date:** 2019-09-22 12:59:56  
**Duration:** 120  
**Total Marks:** 360  
**Display Marks:** Yes

## Nursing Officer

**Group Number :** 1  
**Group Id :** 543107100  
**Group Maximum Duration :** 0  
**Group Minimum Duration :** 120  
**Revisit allowed for view? :** No  
**Revisit allowed for edit? :** No  
**Break time:** 0  
**Group Marks:** 360

## Nursing Officer

**Section Id :** 543107183  
**Section Number :** 1  
**Section type :** Online  
**Mandatory or Optional:** Mandatory  
**Number of Questions:** 120  
**Number of Questions to be attempted:** 120  
**Section Marks:** 360  
**Display Number Panel:** Yes  
**Group All Questions:** No

**Sub-Section Number:** 1  
**Sub-Section Id:** 543107238  
**Question Shuffling Allowed :** Yes

**Question Number : 1 Question Id : 54310712293 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which one of the following occurs in allergy?

Options :

1. Neutrophilia

2. lymphocytosis

3. Monocytosis

4. Eosinophilia

Question Number : 2 Question Id : 54310712294 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Convert 40 degree celcius to Ferenheit

Options :

1. 100

2. 104

3. 102

4. 98

Question Number : 3 Question Id : 54310712295 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A child is to receive 60mg of Phenytoin. The medication is available as an oral suspension that contains 150 mg/ml. How many milliliters should the nurse administer?

Options :

1. 0.4 ml

2. 2ml

3. 2.2ml

4. 2.6ml

Question Number : 4 Question Id : 54310712296 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse inspects a 2 days old intravenous site & identifies erythemas, warmth, & mild edema. The client reports tenderness. What should the nurse do first?

Options :

1. Irrigate the IV tubing

2. Discontinue the infusion
3. Reduce the rate of the infusion
4. Change the infusion set

Question Number : 5 Question Id : 54310712297 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What should the nurse teach a client, who is taking antihypertensive, to minimize orthostatic hypotension?

Options :

1. Wear support hose continuously
2. Lie down for 15 minutes after taking medication
3. Avoid exercise
4. Sit for 5minutes before standing.

Question Number : 6 Question Id : 54310712298 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which nursing action is Most important while caring for a client after cardiac catheterization?

Options :

1. Provide rest
2. Administer oxygen
3. Check the pulse distal to the puncture site
4. Monitor electrocardiogram every 15minutes

Question Number : 7 Question Id : 54310712299 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse is performing cardiac compression on an adult client. How far must the nurse depress the lower sternum to maintain circulation until a defibrillator is available?

Options :

1.  $\frac{3}{4}$  to 1 inch
2.  $\frac{1}{2}$  to  $\frac{3}{4}$  inch
3. 1 to 1  $\frac{1}{2}$  inches
4. 2 to 2  $\frac{1}{2}$  inches

Question Number : 8 Question Id : 54310712300 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse repositions a client who is diagnosed with emphysema to facilitate breathing. Which position facilitates maximum air exchange?

Options :

1. Supine
2. Orthopneic
3. Low Fowler
4. Semi-Fowler

Question Number : 9 Question Id : 54310712301 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

During the first 36 hours after the insertion of chest tubes, while assessing the function of a chest drainage system, the nurse identifies that the water in the underwater seal tube is not moving. What INITIAL action should the nurse take?

Options :

1. Record patient's vital signs immediately
2. Turn the patient to the unaffected side
3. Inform the physician
4. Check the tube to ensure that it is not kinked

Question Number : 10 Question Id : 54310712302 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 36 years old multigravida who is at 14 weeks gestation is scheduled for an alpha-fetoprotein test. The alpha fetoprotein test is an indicator of:

Options :

1. Renal defects
2. Cardiac anomalies
3. Neural tube defects
4. G I defects

Question Number : 11 Question Id : 54310712303 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

How does a nurse identify true labor as opposed to false labor?

Options :

1. Cervical dilation is progressive
2. Contractions stop when the client walks around
3. Contractions progress only in a side lying position
4. Contractions occur immediately after the membranes ruptures

Question Number : 12 Question Id : 54310712304 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client is admitted to the birthing suite in early active labor. Which nursing action takes Priority during the admission process?

Options :

1. Auscultating the fetal heart
2. Obtaining the obstetric history
3. Determining when the last meal was taken

4. Ascertaining whether the membranes have ruptured.

Question Number : 13 Question Id : 54310712305 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse assesses the frequency of a client's contractions by timing them from the beginning of a contraction:

Options :

1. Until the uterus starts to relax
2. To the end of a second contraction
3. Until the uterus completely relaxes
4. To the beginning of the next contraction

Question Number : 14 Question Id : 54310712306 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client's membranes rupture while her labor is being augmented with an oxytocin infusion. A nurse observes variable decelerations in the fetal heart rate on the fetal monitor strip. What action should the nurse take next?

Options :

1. Change the client's position
2. Take the client's blood pressure
3. Stop the client's oxytocin infusion
4. Prepare the client for an immediate birth

Question Number : 15 Question Id : 54310712307 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The primary reason for rapid continuous rewarming of the area affected by frostbite is to:

Options :

1. Lessen the amount of cellular damage
2. Prevent the formation of blisters
3. Promote movement

4. Prevent pain and discomfort

Question Number : 16 Question Id : 54310712308 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse is caring for a primigravida during labor. What does the nurse observe that indicates birth is about to take place?

Options :

1. Bloody discharge from the vagina increases
2. Perineum begins to bulge with each contraction
3. Client becomes irritable & stops following instructions
4. Contractions occur more frequently, are stronger, & last longer

Question Number : 17 Question Id : 54310712309 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client at 38 weeks' gestation is admitted for induction of labor. Her membranes ruptured 12 hours ago. There are no other signs of labor. Which medication does the nurse anticipate will be prescribed?

Options :

1. Oxytocin
2. Estrogen
3. Magnesium Sulfate
4. Dinoprostone

Question Number : 18 Question Id : 54310712310 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client is receiving magnesium sulfate therapy for severe preeclampsia. What initial sign of toxicity should alert the nurse to intervene?

Options :

1. Hyperactive sensorium

2. Increase in respiratory rate
3. Lack of knee jerk reflex
4. Development of a cardiac dysrhythmia

Question Number : 19 Question Id : 54310712311 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client arrives at the hospital at 38 weeks' gestation with profuse vaginal bleeding. She states that it occurred suddenly without any contractions. Which condition may the client be experiencing that requires immediate notification of the health care provider?

Options :

1. Placenta previa
2. Placenta accreta
3. Ruptured uterus
4. Concealed abruption

Question Number : 20 Question Id : 54310712312 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For a patient with a history of road traffic accident following is true:

Options :

1. Tracheal intubation is contraindicated
2. Blood transfusion is first line of treatment
3. Cervical spine injury is to be suspected
4. Patient should immediately be put in lateral position

Question Number : 21 Question Id : 54310712313 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

How chest compression is given in a newborn?

**Options :**

1. Using palm on the lower third of sternum
2. Using two thumbs on the lower third of sternum
3. Using two fingers on the middle third of sternum
4. Using three fingers on the lower third of sternum

**Question Number : 22 Question Id : 54310712314 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The optimal indication of phototherapy in a neonatal jaundice is:

**Options :**

1. Bilirubin level rise above 5mg/dl
2. Bilirubin level rise above 10mg/dl
3. Bilirubin level rise above 15mg/dl
4. Bilirubin level rise above 20mg/dl

**Question Number : 23 Question Id : 54310712315 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What room temperature should be maintained during the period of phototherapy?

**Options :**

1. 24-26°C
2. 26-28°C
3. 28-30°C
4. 30-32°C

**Question Number : 24 Question Id : 54310712316 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

How much distance should be maintained from bililight to neonate?

**Options :**

1. Not less than 15cm
2. Not less than 25cm
3. Not less than 35cm
4. Not less than 45cm

Question Number : 25 Question Id : 54310712317 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

How many times baby should pass the urine during phototherapy?

Options :

1. 1-3 times/day
2. 4-6 times/day
3. 7-9 times/day
4. 10-12 times/day

Question Number : 26 Question Id : 54310712318 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A patient is receiving parenteral therapy. The IV orders are 400ml D5W to run over 8 hours. At what rate should the nurse maintain the infusion?

Options :

1. 30 ml/hour
2. 40 ml/hour
3. 50ml/hour
4. 60ml/hour

Question Number : 27 Question Id : 54310712319 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A nurse is caring for an infant who has intractable vomiting. The MOST important likely complication is:

**Options :**

1. Acidosis
2. Alkalosis
3. Hyperkalemia
4. Hybernremia

**Question Number : 28 Question Id : 54310712320 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A 4years old child with nephritic syndrome is being treated with corticosteroid therapy. A nurse reviews the laboratory reports of the child's urine to evaluate if the treatment has been effective. Which of the following should decrease?

**Options :**

1. Polyuria
2. Hematuria
3. Glycosuria
4. Proteinuria

**Question Number : 29 Question Id : 54310712321 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Vitamin A supplementation is given to children from the age of 1 to 6 years for every:

**Options :**

1. 3 months
2. 6months
3. 9 months
4. 12 months

**Question Number : 30 Question Id : 54310712322 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Reattribution therapy is used in:

Options :

1. Mania
2. Depression
3. Somatoform disorder
4. Psychosis

Question Number : 31 Question Id : 54310712323 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A young lady presents with repeated episodes of exercise & eating followed by purging by use of laxatives. Which is the diagnosis?

Options :

1. Hyperphagia
2. Bulimia nervosa
3. Schizophrenia
4. Mania

Question Number : 32 Question Id : 54310712324 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 34 years old female has 3 months history of disturbed sleep with early morning awakening, decreased appetite, lethargy, multiple body pains, feelings low, & worthlessness. Most appropriate treatment in this case will be:

Options :

1. Antipsychotics
2. Antidepressants
3. Anxiolytics
4. Hypnotosedatives

Question Number : 33 Question Id : 54310712325 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An 11 year old boy is restless & hardly ever sits on his seat & roams around the hall, & whole of the class has difficulty to concentrate. This boy is suffering from:

Options :

1. Attention deficit hyperactivity disorder
2. Conduct disorder
3. Depression disorder
4. Schizophrenia

Question Number : 34 Question Id : 54310712326 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 16 years old male on IQ testing has a mental age of 9 years. He has:

Options :

1. Mild mental retardation
2. Moderate mental retardation
3. Severe mental retardation
4. Profound mental retardation

Question Number : 35 Question Id : 54310712327 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The alcohol sensitizing drug that is used for the treatment of alcoholism is:

Options :

1. Phenobarbitone
2. Disulfiram
3. Carbamazepine
4. Haloperidol

Question Number : 36 Question Id : 54310712328 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the recommended position for ventilated patients to prevent Ventilator Associated Pneumonia?

Options :

1. Supine position
2. Semi recumbent position
3. Lateral position
4. Prone position

Question Number : 37 Question Id : 54310712329 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

How often oral care be provided to ventilated patients?

Options :

1. Every 1-3 hours
2. Every 4-6 hours
3. Every 7-9 Hours
4. Above 9 hours

Question Number : 38 Question Id : 54310712330 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What should be the duration of suctioning to ventilated patients?

Options :

1. 5-10 seconds
2. 10-15 seconds
3. 15-20 seconds
4. 20-25 seconds

Question Number : 39 Question Id : 54310712331 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which micro-organism is associated with cervical cancer?

Options :

1. Human Papilloma virus
2. Cytomegalovirus
3. Micobacteriumavium
4. Pneumocysticcarinii

Question Number : 40 Question Id : 54310712332 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is not required for clot formation:

Options :

1. Vitamin K
2. Calcium
3. Plasmin
4. Fibrinogen

Question Number : 41 Question Id : 54310712333 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the natural pacemaker of the heart?

Options :

1. SA node
2. AV node
3. Bundle of His
4. Mitral valve

Question Number : 42 Question Id : 54310712334 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In human body pituitary gland is situated in?

Options :

1. Neck
2. Brain
3. Kidney
4. Abdomen

Question Number : 43 Question Id : 54310712335 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In human body glycogen is mainly stored in:

Options :

1. Thyroid gland
2. Kidney
3. Liver
4. Intestine

Question Number : 44 Question Id : 54310712336 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Concentration of oxygen in expired air is about?

Options :

1. 0%
2. 10%
3. 12%
4. 16%

Question Number : 45 Question Id : 54310712337 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Intraaortic balloon pump is used for:

Options :

1. Systolic increase in blood pressure
2. Diastolic increase in blood pressure
3. Mitral valvotomy
4. Removal of aortic thrombus

Question Number : 46 Question Id : 54310712338 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The appendix is located in?

Options :

1. The left anti cubital fossa
2. The right anti cubital fossa
3. The left iliac fossa
4. The right iliac fossa

Question Number : 47 Question Id : 54310712339 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For a chronic obstructive pulmonary disease patient in ICU, following is preferred device for oxygen supplementation:

Options :

1. Nasal cannula
2. Medium concentration mask
3. Venturi mask
4. Oxygen tent

Question Number : 48 Question Id : 54310712340 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The purpose of cuff in endotracheal tube is to:

Options :

1. Prevent dislocation
2. Provide airtight seal in trachea
3. Avoiding damage to the trachea
4. Make radiological location easy

Question Number : 49 Question Id : 54310712341 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

For tracheal tube insertion in a newborn following is the combination of tube and laryngoscope blade:

Options :

1. Cuffed tube with curved blade
2. Cuffed tube with straight blade
3. Uncuffed tube with straight blade
4. Uncuffed tube with curved blade

Question Number : 50 Question Id : 54310712342 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A patient presents to the emergency department with a complaint of watery diarrhea for the past three days. Assessment findings include blood pressure - 100/60, pulse - 98, and dry mucous membranes. The healthcare provider would anticipate intravenous therapy administration with which of the following fluids?

Options :

1. Hypertonic crystalloid
2. Isotonic crystalloid
3. Hypotonic crystalloid
4. Colloid solution

Question Number : 51 Question Id : 54310712343 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which type of insulin can never be mixed with another?

Options :

1. Regular
2. Long-acting
3. Intermediate
4. Rapid-acting

Question Number : 52 Question Id : 54310712344 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The earliest identifying sign for a developing pressure sore at skin is a localized:

Options :

1. change in color
2. coolness to touch
3. edema
4. loss of sensation

Question Number : 53 Question Id : 54310712345 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which intervention should the nurse implement to help prevent atelectasis in a client with fractured ribs as a result of chest trauma?

Options :

1. Apply a thoracic binder for support
2. Encourage coughing & deep breathing
3. Stop pain medication the first day after injury
4. Position the client face-down on a soft matters

Question Number : 54 Question Id : 54310712346 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The Arterial Blood Gases of a patient with chronic obstructive pulmonary disease (COPD) deteriorate, & respiratory failure is impending. For which clinical indicator should the nurse assess FIRST?

Options :

1. Cyanosis
2. Bradycardia
3. Mental confusion
4. Distended neck vein

Question Number : 55 Question Id : 54310712347 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client is scheduled for a sigmoidoscopy. What instruction should the nurse provide the client in preparation for this diagnostic procedure?

Options :

1. Have an enema at morning of the test
2. A chalklike substance will have to be swallowed
3. Withhold food for twenty-four hours before the test
4. A sterile container will be provided for the stool specimen collection

Question Number : 56 Question Id : 54310712348 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The antidote of magnesium sulfate is:

Options :

1. Calcium gluconate
2. Diazepam
3. Calcium chloride
4. Nalorphine hydrochloride

Question Number : 57 Question Id : 54310712349 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following drugs is used to reverse the action of skeletal muscle relaxants:

Options :

1. Neostigmine
2. Pyridostigmine
3. Physostigmine
4. Atropine

Question Number : 58 Question Id : 54310712350 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Mechanisms of Type II hypersensitivity includes all EXCEPT

Options :

1. Immune Complex disease
2. Opsonization and phagocytosis
3. Complement and Fc- receptor mediated inflammation
4. Antibody mediated cellular dysfunction.

Question Number : 59 Question Id : 54310712351 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The content of ORS includes

Options :

1. NaCl, KCl, Trisodium citrate, Glycogen, Water
2. NaCl, HCl, Trisodium citrate, Glucose, Water
3. NaCl, KCl, Trisodium citrate, Glucose, Water
4. Na<sub>2</sub>CO<sub>3</sub>, KCl, Trisodium citrate, Glucose, Water

Question Number : 60 Question Id : 54310712352 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is the recommended protocol for collection of urine for routine and microscopic examination?

Options :

1. Random sample collection
2. Early morning mid- stream urine sample
3. Early morning initial- stream urine sample
4. Mid-day mid- stream urine sample

Question Number : 61 Question Id : 54310712353 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Hemophilia A is characterized by the deficiency of:

Options :

1. Factor VIII
2. Factor IX
3. von Willebrand factor
4. gpIIb / IIIa

Question Number : 62 Question Id : 54310712354 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is an essential fatty acid:

Options :

1. Lanolin
2. Linoleic acid
3. Triglyceride
4. Cholesterol

Question Number : 63 Question Id : 54310712355 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is correct concerning fetal hemoglobin (HbF):

Options :

1. HbF is composed of two alpha and two gamma subunits
2. HbF has decreased oxygen carrying capacity
3. HbF is present only in fetal life
4. HbF is composed of two alpha and two beta subunits

Question Number : 64 Question Id : 54310712356 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Number of chromatids at metaphase is:

Options :

1. Two in mitosis and four in meiosis
2. One in both mitosis and meiosis
3. Two in both mitosis and meiosis
4. One in mitosis and two in meiosis

Question Number : 65 Question Id : 54310712357 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A 25 years female presents with repeated vomiting and several episodes of low grade fever. On examination, she was icteric and had right upper quadrant pain. She also gives history of recently returning from the area where she had poor hygienic and sanitary conditions. What is the most likely diagnosis?

Options :

1. Enteric fever
2. Hepatitis A infection
3. Tuberculosis
4. Osteomyelitis

Question Number : 66 Question Id : 54310712358 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Immunoglobulin that can cross the placental barrier and reach the fetal circulation is

Options :

1. IgG
2. IgA
3. IgM
4. IgD

Question Number : 67 Question Id : 54310712359 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Granulomatous orchitis is the term applied for inflammation of

Options :

1. Lung
2. Ovary
3. Testis
4. Omentum

Question Number : 68 Question Id : 54310712360 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Hydrophobia is clinical feature of:

Options :

1. Plague
2. Rabies
3. Anthrax
4. Filaria

Question Number : 69 Question Id : 54310712361 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Intradermal injection is given at:

Options :

1. 15° angle
2. 30° angle
3. 45° angle
4. 90° angle

Question Number : 70 Question Id : 54310712362 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

While taking temperature from rectal route in children thermometer should be inserted about:

Options :

1. 0.5 inch
2. 1 inch
3. 1.5 inch
4. 2 inch

Question Number : 71 Question Id : 54310712363 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Post-operative wound is observed for:

Options :

1. Staining
2. Bleeding and discharge
3. Drainage
4. Pressure sore

Question Number : 72 Question Id : 54310712364 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

When a nurse is performing a surgical hand hygiene, she must keep hands:

Options :

1. Above elbows
2. Below elbows
3. At 45 degree angle
4. In a comfortable position

Question Number : 73 Question Id : 54310712365 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Fetal heart rate can be auscultated with a fetoscope at:

Options :

1. 5 weeks gestation
2. 10 weeks gestation
3. 20 weeks gestation
4. 25 weeks gestation

Question Number : 74 Question Id : 54310712366 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The agent used to disinfect the bed linen of HIV positive patient is:

Options :

1. Soap water
2. Alcohol
3. Chlorhexidine
4. Sodium hypochlorite

Question Number : 75 Question Id : 54310712367 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following antihypertensive drug is contraindicated in pregnancy:

Options :

1. Alpha methyldopa
2. Metoprolol
3. Hydralazine
4. Enalapril

Question Number : 76 Question Id : 54310712368 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The drug of choice for methicillin resistant staphylococcus aureus (MRSA) is:

Options :

1. Clindamycin
2. Erythromycin
3. Gentamycin
4. Vancomycin

Question Number : 77 Question Id : 54310712369 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is normal position of uterus:

Options :

1. Anteverted and anteflexed
2. Retroverted and retroflexed
3. Retroverted and reflected
4. Retroverted and anteflexed

Question Number : 78 Question Id : 54310712370 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following vitamins is involved in blood clotting:

Options :

1. Vitamin K
2. Vitamin E
3. Vitamin A
4. Vitamin D

**Question Number : 79 Question Id : 54310712371 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Lactose is composed of following two sugars:

Options :

1. Glucose and Galactose
2. Glucose and Fructose
3. Glucose and Mannose
4. Glucose and Sucrose

**Question Number : 80 Question Id : 54310712372 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is a side effect of Phenytoin:

Options :

1. Alopecia
2. Gum hypertrophy
3. Hypoglycemia
4. Gynaecomastia

**Question Number : 81 Question Id : 54310712373 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

After giving BCG, scar gets formed in:

Options :

1. 3 days

2. 2 weeks
3. 1 month
4. 2 months

**Question Number : 82 Question Id : 54310712374 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is the colour of peripheral venous cannula of 16G:

Options :

1. Pink
2. Green
3. Yellow
4. Grey

**Question Number : 83 Question Id : 54310712375 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Vector of Kala Azar is:

Options :

1. Housefly
2. Tsetse fly
3. Sandfly
4. Mosquito

**Question Number : 84 Question Id : 54310712376 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Antidote for heparin is:

Options :

1. Vitamin K
2. Protamine sulphate
3. Aminocaproic acid
4. Amiodarone

Question Number : 85 Question Id : 54310712377 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following is used to assess the level of consciousness:

Options :

1. APGAR score
2. Braden scale
3. Glassgow coma scale
4. Snellens chart

Question Number : 86 Question Id : 54310712378 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Endoscopic instruments are sterilized by:

Options :

1. Autoclaving
2. Hot air oven
3. 2% gluteraldehyde
4. Boiling

Question Number : 87 Question Id : 54310712379 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Heimlich maneuver is used for

**Options :**

1. Removal of foreign body from trachea
2. Removal of urethral stone
3. Facilitate vaginal delivery
4. Terminate cardiac arrhythmia

**Question Number : 88 Question Id : 54310712380 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

For tracheal intubation of a child of 6 years uncuffed tracheal tube of following size would be appropriate:

**Options :**

1. 3 mm ID
2. 4 mm ID
3. 5.5 mm ID
4. 6.5 mm ID

**Question Number : 89 Question Id : 54310712381 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Treatment of choice in heat stroke is:

**Options :**

1. Tepid water sponging
2. Ice cold water sponging
3. Intravenous paracetamol
4. Intravenous tramadol

**Question Number : 90 Question Id : 54310712382 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

What is the ratio of chest compression to breaths in adult resuscitation?

Options :

1. 1:1
2. 3:1
3. 3:2
4. 5:1

**Sub-Section Number:** 2  
**Sub-Section Id:** 543107239  
**Question Shuffling Allowed :** Yes

**Question Number : 91 Question Id : 54310712383 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

A client who had several episodes of chest pain is scheduled for an exercise electrocardiogram. Which of the following statement is important in counseling the client:

Options :

1. This is non-invasive test to check your heart's response to physical activity.
2. This test is the definitive method to identify the actual cause of your chest pain.
3. The findings of this test will be of minimal assistance in the treatment of angina.
4. The finding from this minimally invasive test will show how your body reacts to exercise.

**Question Number : 92 Question Id : 54310712384 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

An exploratory laparotomy is performed on a client with melena, & gastric cancer is discovered. A partial gastrectomy is performed & a jejunostomy tube is surgically implanted. A nasogastric tube to suction is in place. What should the nurse expect regarding the client's nasogastric tube drainage during the first 24 hours after surgery?

Options :

1. Green & viscid

2. Contain some blood & clots
3. Contain large amounts of frank blood
4. Similar to coffee grounds in color & consistency

Question Number : 93 Question Id : 54310712385 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which of the following statement about Antimicrobial Resistance (AMR) is FALSE.

Options :

1. Antimicrobial resistance happens when microorganisms change when they are exposed to antimicrobial drugs
2. The medicines become ineffective and infections persist in the body, increasing the risk of spread to others.
3. Poor infection control, inadequate sanitary conditions and inappropriate food-handling discourage the spread of antimicrobial resistance.
4. New resistance mechanisms are emerging and spreading globally, threatening the treatment of common infection, resulting in prolonged illness, disability, and death.

Question Number : 94 Question Id : 54310712386 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A client's membranes spontaneously rupture during active labor. The nurse inspects the perineum & determines that the umbilical cord is not visible. What is the next nursing action?

Options :

1. Auscultate the FHR
2. Record the time of contraction
3. Call the physician
4. Obtain the maternal vital signs

Question Number : 95 Question Id : 54310712387 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A parent tells the nurse in the emergency department, "My 3 year old baby has had fever for several days & has been vomiting." After instituting ordered measures to reduce the fever, what nursing action is MOST important?

Options :

1. Preventing shivering
2. Restrict oral fluids
3. Measuring output hourly
4. Monitor vital signs 6 hourly

Question Number : 96 Question Id : 54310712388 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

A patient with a history of atrial fibrillation for three days is admitted to the cardiac unit. Besides initiating an anti-dysrhythmia medication, which order should the nurse anticipate?

Options :

1. Obtain consent for AV node ablation
2. Set up for a cardioversion procedure
3. Immediately give atropine by IV push
4. Prepare a heparin infusion

Question Number : 97 Question Id : 54310712389 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Birthdate of Florence Nightingale is:

Options :

1. 12 May, 1820
2. 14 June, 1820
3. 20 May, 1820
4. 12 June, 1820

Question Number : 98 Question Id : 54310712390 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

The capital of Uttarakhand is:

**Options :**

1. Masoorie
2. Dehra Dun
3. Nainital
4. None of these

**Question Number : 99 Question Id : 54310712391 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

World Trade Organization came into existence in the year:

**Options :**

1. 1992
2. 1993
3. 1994
4. 1995

**Question Number : 100 Question Id : 54310712392 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Panchayati Raj comes under:

**Options :**

1. Residual list
2. Concurrent list
3. State list
4. Union list

**Question Number : 101 Question Id : 54310712393 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes**

**Correct Marks : 3 Wrong Marks : 1**

Question Label : Multiple Choice Question

Which of the following is the largest and the deepest ocean of the world?

Options :

1. Arctic
2. Atlantic
3. Pacific
4. Indian

Question Number : 102 Question Id : 54310712394 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

The first speaker of Lok Sabha was:

Options :

1. K.M. Munshi
2. C.D. Deshmukh
3. G.V. Mavalankar
4. H.J. Kania

Question Number : 103 Question Id : 54310712395 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

On May 24, 2019 the WHO certified which of the following countries as Malaria-free.

Options :

1. Algeria
2. Vietnam
3. South Africa
4. Uganda

Question Number : 104 Question Id : 54310712396 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which one of the following medical doctors has won 'Global Asian of the year 2018-19' award.

Options :

1. Dr RS Mehta
2. DrAnup Singh
3. Dr Rakesh Kapoor
4. Dr. HemaDiwakar

Question Number : 105 Question Id : 54310712397 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

'Sasakawa Award 2019' for Disaster Risk Reduction was conferred to:

Options :

1. VimalJalan
2. Pramod Kumar Mishra
3. K. Sivan
4. Sunil Lamba

Question Number : 106 Question Id : 54310712398 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In May 2019 the US President Donald Trump awarded 'Presidential Medal of Freedom' to:

Options :

1. Tiger Woods
2. Serena Willams
3. Venous Willams
4. GS Laxmi

Question Number : 107 Question Id : 54310712399 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

On April 25, 2019 WHO released new guidelines on:

Options :

1. Investigations after suspected CVA in elderly.
2. Treatment protocols for hypertension with renal diseases
3. Physical activity, sedentary and sleep for children under 5 years
4. Diagnosis of sepsis based on SOFA score

Question Number : 108 Question Id : 54310712400 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Recently launched 'Yogo locator app' is to help people locate:

Options :

1. Cycle track with free cycle
2. Yoga centre
3. Affordable hotel
4. Yoghurt centre

Question Number : 109 Question Id : 54310712401 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In May 2019 the following country unveiled 'well-being budget' for improving mental health services and removing poverty:

Options :

1. New Zealand
2. Australia
3. England
4. Mauritius

Question Number : 110 Question Id : 54310712402 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

'Universal Health Converge: Leaving no one behind' is the theme of:

Options :

1. Ayushman Bharat
2. Janani Suraksha Yojana
3. 72<sup>nd</sup> session of WHO
4. RashtriyaBal Suraksha Karyakram

Question Number : 111 Question Id : 54310712403 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Who is Lt. Governor of Delhi?

Options :

1. Anil Baijal
2. Shashikant Das
3. RaghuramRajan
4. Ajit Doval

Question Number : 112 Question Id : 54310712404 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

BajrangPunia of India is associated with:

Options :

1. Hockey
2. Football
3. Wrestling
4. Boxing

Question Number : 113 Question Id : 54310712405 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

In India Santosh Trophy is associated with the following game:

Options :

1. Football
2. Hockey
3. Badminton
4. Tennis

Question Number : 114 Question Id : 54310712406 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Between 2010 and 2019, India's population grew at an average annual rate of:

Options :

1. 0.5%
2. 1.2%
3. 2%
4. 5%

Question Number : 115 Question Id : 54310712407 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

People who are born deaf are usually unable to talk. The most important reason for this is:

Options :

1. People learn to talk by hearing sounds and language.
2. The ear and throat are connected
3. They are born that way.
4. They cannot hear themselves speak

Question Number : 116 Question Id : 54310712408 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Tina, who is 16 years old, is 4 times as old as her brother. How old will she be when she is twice as old as he?

Options :

1. 42
2. 23
3. 24
4. 32

Question Number : 117 Question Id : 54310712409 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which word is of different class:

Options :

1. Circle
2. Square
3. Triangle
4. Rectangle

Question Number : 118 Question Id : 54310712410 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

What is  $\frac{1}{3}$  of  $\frac{3}{5}$ ?

Options :

1. 0.1
2. 0.2
3. 0.3
4. 0.4

Question Number : 119 Question Id : 54310712411 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes  
Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load :  
No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

Which comes FIRST in the dictionary?

Options :

1. Apple
2. Arrow
3. Axe
4. Always

Question Number : 120 Question Id : 54310712412 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical Allowed Progression : Yes Number of Replay : 999 Play On Load : No Control Enable : Yes

Correct Marks : 3 Wrong Marks : 1

Question Label : Multiple Choice Question

An electric train is running at the speed of 50 km per hour from Mumbai to Delhi. What would be the direction of the smoke?

Options :

1. East
2. North
3. West
4. None of the above