

**BTSC
Staff Nurse**

Previous Year Paper

03 Aug, 2025 Shift 2



**Test
Prime**

By Adda247

ALL EXAMS, ONE SUBSCRIPTION



Test. Analyze. Improve. Repeat.



Don't just *prepare*. *Perform*.

Test Prime — built only for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year Papers



800+
Exam Covered



500% Refund
on Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Job Alerts
Stay Updated

- Multilingual
- Detailed Solution
- Strong and Weak Areas



**All India
Rankings**

Compete with lakhs.
Rank. Improve. Repeat.



← Adda247 test prime

Rating ▾

Editors' choice

New



Adda247 Test Prime
Adda Education • Education
Installed



DOWNLOAD THE APP





Bihar Technical Service Commission

बिहार तकनीकी सेवा आयोग

Roll No	
Participant Name	
Test Center Name	
Test Date	03/08/2025
Test Time	3:00 PM - 5:00 PM
Post Name	Staff Nurse (23/2025)
Application Seq. no	

Section : Domain Knowledge

Q.1 Which type of audit compares care against predefined standards?

- Ans
- 1. Patient-focused
 - 2. Incident-based
 - 3. Concurrent
 - 4. Structure audit

Question Type : MCQ

Question ID : 4410091073575

Option 1 ID : 4410094231766

Option 2 ID : 4410094231765

Option 3 ID : 4410094231764

Option 4 ID : 4410094231763

Status : Not Attempted and
Marked For Review

Chosen Option : --

Q.2 The main purpose of an MLC record is:

- Ans
- 1. to track the number of patients seen in the emergency room
 - 2. to document medical findings relevant to legal proceedings
 - 3. to provide a detailed history of the patient's illness
 - 4. to replace the patient's routine medical record

Question Type : MCQ

Question ID : 4410091068647

Option 1 ID : 4410094220091

Option 2 ID : 4410094220089

Option 3 ID : 4410094220088

Option 4 ID : 4410094220090

Status : Answered

Chosen Option : 2

Q.3 When does the 'halo effect' occur in performance appraisals of employees?

- Ans 1. When a manager rates an employee high on all traits because of one outstanding trait
2. When a manager focuses only on the most recent performance of an employee
3. When a manager avoids giving negative feedback to an employee
4. When a manager rates an employee low on all traits due to one negative trait

Question Type : MCQ

Question ID : 4410091047851

Option 1 ID : 4410094140385

Option 2 ID : 4410094140388

Option 3 ID : 4410094140387

Option 4 ID : 4410094140386

Status : **Not Attempted and
Marked For Review**

Chosen Option : --

Q.4 What is the most effective way to prevent infectious diseases?

- Ans 1. Reducing sugar in diets
2. Vaccination
3. Annual physical examination
4. Drinking herbal tea

Question Type : MCQ

Question ID : 4410091068786

Option 1 ID : 4410094220645

Option 2 ID : 4410094220643

Option 3 ID : 4410094220644

Option 4 ID : 4410094220646

Status : **Answered**

Chosen Option : 2

Q.5 Which method helps achieve complete sterilisation?

- Ans 1. Autoclaving at 121°C
2. 70% alcohol wiping
3. UV light exposure
4. Chlorine disinfection

Question Type : MCQ

Question ID : 4410091049375

Option 1 ID : 4410094146600

Option 2 ID : 4410094146599

Option 3 ID : 4410094146601

Option 4 ID : 4410094146602

Status : **Answered**

Chosen Option : 4

Q.6 Which type of IV fluid is used for a patient experiencing cellular dehydration?

- Ans
- 1. Hypertonic
 - 2. Blood products
 - 3. Hypotonic
 - 4. Isotonic

Question Type : MCQ

Question ID : 4410091048796

Option 1 ID : 4410094144292

Option 2 ID : 4410094144294

Option 3 ID : 4410094144293

Option 4 ID : 4410094144291

Status : Answered

Chosen Option : 4

Q.7 What is the normal length of the cervix before effacement begins?

- Ans
- 1. 2-4 cm
 - 2. 1-2 cm
 - 3. 0.5-1 cm
 - 4. 5-6 cm

Question Type : MCQ

Question ID : 4410091047970

Option 1 ID : 4410094140851

Option 2 ID : 4410094140850

Option 3 ID : 4410094140849

Option 4 ID : 4410094140852

Status : Answered

Chosen Option : 1

Q.8 Which of the following is NOT a measure to maintain health?

- Ans
- 1. Establish a regular sleep schedule and create a relaxing bedtime routine.
 - 2. Aim for at least 30 minutes of moderate-intensity exercise most days of the week.
 - 3. Limit intake of fruits, vegetables, lean proteins and whole grains.
 - 4. Drink plenty of water throughout the day if there are no contraindications.

Question Type : MCQ

Question ID : 4410091027165

Option 1 ID : 4410094060226

Option 2 ID : 4410094060225

Option 3 ID : 4410094060224

Option 4 ID : 4410094060227

Status : Answered

Chosen Option : 1

Q.9 Which of the following is a primary principle of atraumatic care in paediatric nursing?

- Ans
- 1. Avoiding the use of play therapy and use of toys in hospital premises
 - 2. Using physical, chemical or mechanical restraints whenever necessary
 - 3. Minimising physical and psychological stress for the child
 - 4. Ignoring the child's emotional needs and the family's involvement

Question Type : MCQ

Question ID : 4410091048635

Option 1 ID : 4410094143654

Option 2 ID : 4410094143652

Option 3 ID : 4410094143651

Option 4 ID : 4410094143653

Status : Answered

Chosen Option : 3

Q.10 Which of the following is NOT the main intestinal enzyme?

- Ans
- 1. Lactase
 - 2. Proteases
 - 3. Amylase
 - 4. Lingual lipase

Question Type : MCQ

Question ID : 4410091027103

Option 1 ID : 4410094059977

Option 2 ID : 4410094059978

Option 3 ID : 4410094059976

Option 4 ID : 4410094059979

Status : Answered

Chosen Option : 4

Q.11 The recommended minimum space for an individual ICU room (excluding ancillary spaces) to ensure adequate patient care and workflow is:

- Ans
- 1. 150 ft²
 - 2. 100 ft²
 - 3. 50 ft²
 - 4. 250 ft²

Question Type : MCQ

Question ID : 4410091048833

Option 1 ID : 4410094144437

Option 2 ID : 4410094144436

Option 3 ID : 4410094144435

Option 4 ID : 4410094144438

Status : Answered

Chosen Option : 4

Q.12 Which congenital anomaly requires immediate surgery?

- Ans 1. Single palmer crease
 2. Cleft earlobe
 3. Minor birthmark
 4. Gastroschisis

Question Type : MCQ
 Question ID : 4410091069871
 Option 1 ID : 4410094223635
 Option 2 ID : 4410094223636
 Option 3 ID : 4410094223633
 Option 4 ID : 4410094223634
 Status : Answered
 Chosen Option : 4

Q.13 Which of the following laxatives is used in the form of a suppository?

- Ans 1. Bisacodyl
 2. Docusate sodium
 3. Lactulose
 4. Psyllium

Question Type : MCQ
 Question ID : 441009935824
 Option 1 ID : 4410093697027
 Option 2 ID : 4410093697028
 Option 3 ID : 4410093697025
 Option 4 ID : 4410093697026
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.14 During which phase of the nurse-patient relationship do the nurse and the patient work together to establish goals?

- Ans 1. Orientation phase
 2. Termination phase
 3. Pre-interaction phase
 4. Working phase

Question Type : MCQ
 Question ID : 441009891546
 Option 1 ID : 4410093520160
 Option 2 ID : 4410093520162
 Option 3 ID : 4410093520161
 Option 4 ID : 4410093520163
 Status : Answered
 Chosen Option : 1

Q.15 Why is accountability essential for nurses?

- Ans 1. To ensure responsibility
 2. To shortens shift hours
 3. To increases salary
 4. To reduces paper work

Question Type : MCQ
 Question ID : 4410091073587
 Option 1 ID : 4410094231815
 Option 2 ID : 4410094231817
 Option 3 ID : 4410094231818
 Option 4 ID : 4410094231816
 Status : Answered
 Chosen Option : 1

Q.16 Which of the following best distinguishes Bipolar I Disorder from Bipolar II Disorder?

- Ans 1. Bipolar I includes at least one manic episode, while Bipolar II includes at least one hypomanic episode.
 2. Bipolar I includes major depressive episodes, while Bipolar II does not.
 3. Bipolar I is diagnosed only when both manic and depressive episodes are present.
 4. Bipolar II includes full manic episodes, while Bipolar I includes hypomanic episodes.

Question Type : MCQ
 Question ID : 441009890848
 Option 1 ID : 4410093517372
 Option 2 ID : 4410093517375
 Option 3 ID : 4410093517374
 Option 4 ID : 4410093517373
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.17 Which of the following leadership styles is characterised by a leader who uses rewards and punishments to motivate employees?

- Ans 1. Democratic leadership
 2. Transactional leadership
 3. Laissez-faire leadership
 4. Transformational leadership

Question Type : MCQ
 Question ID : 4410091038714
 Option 1 ID : 4410094104974
 Option 2 ID : 4410094104973
 Option 3 ID : 4410094104975
 Option 4 ID : 4410094104972
 Status : Answered
 Chosen Option : 1

Q.18 Which of the following is referred to as an artificial manual breathing unit?

- Ans
- 1. Nasopharyngeal airway
 - 2. I gel supraglottic airway
 - 3. Combi tube
 - 4. Bag valve mask

Question Type : MCQ

Question ID : 441009940898

Option 1 ID : 4410093717249

Option 2 ID : 4410093717251

Option 3 ID : 4410093717250

Option 4 ID : 4410093717252

Status : Answered

Chosen Option : 4

Q.19 What is the primary goal of health promotion?

- Ans
- 1. To manage chronic conditions using an algorithm
 - 2. To improve overall well-being and prevent disease
 - 3. To provide rehabilitation services
 - 4. To cure existing or anticipated illnesses

Question Type : MCQ

Question ID : 4410091068054

Option 1 ID : 4410094217727

Option 2 ID : 4410094217726

Option 3 ID : 4410094217728

Option 4 ID : 4410094217725

Status : Answered

Chosen Option : 2

Q.20 Which of the following signs is characterised by a bluish or purplish hue in the cervix, vagina and vulva during pregnancy?

- Ans
- 1. Cullen sign
 - 2. Bryant sign
 - 3. Chadwick's Sign
 - 4. Turner sign

Question Type : MCQ

Question ID : 4410091027791

Option 1 ID : 4410094062707

Option 2 ID : 4410094062710

Option 3 ID : 4410094062709

Option 4 ID : 4410094062708

Status : Answered

Chosen Option : 3

Q.21 Central separation of placenta is otherwise called:

- Ans 1. Shirodkar
 2. Mathews-Duncan
 3. McDonald
 4. Schultze

Question Type : MCQ
 Question ID : 441009398244
 Option 1 ID : 4410091558424
 Option 2 ID : 4410091558422
 Option 3 ID : 4410091558425
 Option 4 ID : 4410091558423
 Status : **Not Attempted and Marked For Review**
 Chosen Option : --

Q.22 What is the characteristic feature of hemiplegia?

- Ans 1. Paralysis of the upper body
 2. Paralysis of both sides of the body
 3. Paralysis of the lower body
 4. Paralysis of one side of the body

Question Type : MCQ
 Question ID : 4410091068087
 Option 1 ID : 4410094217859
 Option 2 ID : 4410094217858
 Option 3 ID : 4410094217860
 Option 4 ID : 4410094217857
 Status : **Answered**
 Chosen Option : 4

Q.23 All of the following are the core symptoms of ADHD EXCEPT:

- Ans 1. inattention
 2. hyperactivity
 3. social anxiety
 4. impulsivity

Question Type : MCQ
 Question ID : 4410091046545
 Option 1 ID : 4410094135237
 Option 2 ID : 4410094135238
 Option 3 ID : 4410094135240
 Option 4 ID : 4410094135239
 Status : **Answered**
 Chosen Option : 1

Q.24 Which of the following best describes the technical specifications of a large deep freezer used in the immunisation cold chain system?

- Ans 1. Temperature: -25°C to -35°C; Storage: 400 Litres; Holdover time: 4 hours
 2. Temperature: 2°C to 8°C; Storage: 50 Litres; Holdover time: 6 hours
 3. Temperature: -15°C to -25°C; Storage: 275-300 Litres; Holdover time: At 43°C for 2 hrs 30 mins
 4. Temperature: -2°C to 2°C; Storage: 100 Litres; Holdover time: 1 hour

Question Type : MCQ
 Question ID : 441009919084
 Option 1 ID : 4410093630310
 Option 2 ID : 4410093630309
 Option 3 ID : 4410093630307
 Option 4 ID : 4410093630308
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.25 What is the fear of marriage called?

- Ans 1. Gamophobia
 2. Acrophobia
 3. Claustrophobia
 4. Insectophobia

Question Type : MCQ
 Question ID : 441009396868
 Option 1 ID : 4410091552914
 Option 2 ID : 4410091552912
 Option 3 ID : 4410091552913
 Option 4 ID : 4410091552915
 Status : Answered
 Chosen Option : 2

Q.26 Which manoeuver is used to treat upper airway obstructions caused by foreign bodies?

- Ans 1. Epley manoeuver
 2. Heimlich manoeuver
 3. Valsalva manoeuver
 4. Toynbee manoeuver

Question Type : MCQ
 Question ID : 441009373240
 Option 1 ID : 4410091458542
 Option 2 ID : 4410091458540
 Option 3 ID : 4410091458539
 Option 4 ID : 4410091458541
 Status : Answered
 Chosen Option : 2

Q.27 Which of the following stains is used to differentiate between Gram-positive and Gram-negative bacteria?

- Ans 1. Ziehl-Neelsen stain
 2. Gram stain
 3. Albert's stain
 4. Acid-fast stain

Question Type : MCQ
 Question ID : 441009890321
 Option 1 ID : 4410093515271
 Option 2 ID : 4410093515268
 Option 3 ID : 4410093515270
 Option 4 ID : 4410093515269
 Status : Answered
 Chosen Option : 4

Q.28 Which endocrine disorder occurs when the hypothalamus or pituitary gland is damaged, leading to insufficient vasopressin production or release?

- Ans 1. Diabetes mellitus
 2. Diabetes insipidus
 3. SIADH
 4. DKA

Question Type : MCQ
 Question ID : 4410091069548
 Option 1 ID : 4410094222349
 Option 2 ID : 4410094222347
 Option 3 ID : 4410094222348
 Option 4 ID : 4410094222350
 Status : Answered
 Chosen Option : 2

Q.29 Which of the following abortion occurs when the foetus has died or failed to develop, but the body has not expelled the pregnancy tissue?

- Ans 1. Complete Abortion
 2. Threatened abortion
 3. Missed Abortion
 4. Inevitable Abortion

Question Type : MCQ
 Question ID : 4410091027784
 Option 1 ID : 4410094062682
 Option 2 ID : 4410094062680
 Option 3 ID : 4410094062679
 Option 4 ID : 4410094062681
 Status : Answered
 Chosen Option : 3

Q.30 The term 'empathy' in therapeutic relationship represents:

- Ans
- 1. giving the child whatever they want or ask
 - 2. sympathising with the child's situation or disability
 - 3. feeling sorry for the child's illness and injury
 - 4. understanding and sharing the child's feelings

Question Type : MCQ

Question ID : 4410091048720

Option 1 ID : 4410094143994

Option 2 ID : 4410094143991

Option 3 ID : 4410094143992

Option 4 ID : 4410094143993

Status : Answered

Chosen Option : 4

Q.31 Which chemical mediator is primarily responsible for dolor during inflammation?

- Ans
- 1. Serotonin
 - 2. Haemoglobin
 - 3. Bradykinin
 - 4. Fibrinogen

Question Type : MCQ

Question ID : 4410091048804

Option 1 ID : 4410094144327

Option 2 ID : 4410094144330

Option 3 ID : 4410094144328

Option 4 ID : 4410094144329

Status : Not Attempted and
Marked For Review

Chosen Option : --

Q.32 The place where an infectious agent lives and multiplies is termed as:

- Ans
- 1. agent
 - 2. reservoir
 - 3. portal of entry
 - 4. portal of exit

Question Type : MCQ

Question ID : 441009380800

Option 1 ID : 4410091488961

Option 2 ID : 4410091488962

Option 3 ID : 4410091488963

Option 4 ID : 4410091488964

Status : Answered

Chosen Option : 2

Q.33 The 'yellow' colour coding in the IMNCI chart represents:

- Ans 1. a healthy child with no apparent illness or infection
 2. minor illness needing home care advice and treatment
 3. a child requiring nutritional support and counselling
 4. severe illness requiring immediate referral and surgery

Question Type : MCQ
Question ID : 4410091038127
Option 1 ID : 4410094103029
Option 2 ID : 4410094103028
Option 3 ID : 4410094103030
Option 4 ID : 4410094103027
Status : Answered
Chosen Option : 4

Q.34 Which decontamination method destroys all microbes including spores on surgical instruments?

- Ans 1. Sanitisation
 2. Disinfection
 3. Sterilisation
 4. Antisepsis

Question Type : MCQ
Question ID : 4410091049225
Option 1 ID : 4410094145998
Option 2 ID : 4410094145995
Option 3 ID : 4410094145996
Option 4 ID : 4410094145997
Status : Answered
Chosen Option : 3

Q.35 A person who has injured his right arm has heavy external bleeding from the open wound. What should be the first-aid measure to control bleeding?

- Ans 1. Apply a tourniquet above the wound
 2. Without applying pressure, wrap a bandage around the wound
 3. Press the wound with both hands using a clean cloth or bandage
 4. Apply ice bags over the wound

Question Type : MCQ
Question ID : 441009383437
Option 1 ID : 4410091499308
Option 2 ID : 4410091499310
Option 3 ID : 4410091499309
Option 4 ID : 4410091499311
Status : Answered
Chosen Option : 3

Q.36 The Bracht manoeuvre is a technique used in the delivery of which of the following presentations to facilitate the delivery of the foetal head?

- Ans 1. Breech presentation delivery
 2. Vertex presentation delivery
 3. Shoulder presentation delivery
 4. Brow presentation delivery

Question Type : MCQ
 Question ID : 4410091038574
 Option 1 ID : 4410094104432
 Option 2 ID : 4410094104431
 Option 3 ID : 4410094104430
 Option 4 ID : 4410094104433
 Status : Answered
 Chosen Option : 2

Q.37 Which of the following symptoms is correctly matched with the BE FAST acronym used to identify signs of a stroke?

- Ans 1. B – Breathing difficulty
 2. S – Sweating
 3. E – Eye pain
 4. F – Facial drooping

Question Type : MCQ
 Question ID : 441009905956
 Option 1 ID : 4410093577641
 Option 2 ID : 4410093577643
 Option 3 ID : 4410093577642
 Option 4 ID : 4410093577640
 Status : Answered
 Chosen Option : 1

Q.38 Jacquemier's sign in early pregnancy is also known as:

- Ans 1. Oslander's sign
 2. Hegar sign
 3. Chadwick sign
 4. Goodell sign

Question Type : MCQ
 Question ID : 4410091047959
 Option 1 ID : 4410094140809
 Option 2 ID : 4410094140811
 Option 3 ID : 4410094140810
 Option 4 ID : 4410094140812
 Status : Answered
 Chosen Option : 4

Q.39 What is the primary goal when using a stretcher for trauma patients?

- Ans 1. Spinal motion restriction
 2. Elevating the legs
 3. Speed of transport
 4. Comfort positioning

Question Type : MCQ
 Question ID : 4410091049342
 Option 1 ID : 4410094146460
 Option 2 ID : 4410094146462
 Option 3 ID : 4410094146459
 Option 4 ID : 4410094146461
 Status : Answered
 Chosen Option : 1

Q.40 Which is an emergency medicine used to treat severe hypoglycaemia?

- Ans 1. Insulin injection
 2. Serotonin injection
 3. Glucagon injection
 4. Calcitonin injection

Question Type : MCQ
 Question ID : 4410091049153
 Option 1 ID : 4410094145697
 Option 2 ID : 4410094145700
 Option 3 ID : 4410094145699
 Option 4 ID : 4410094145698
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.41 In an HIV infection, a diagnosis of AIDS is made when the CD4+ T-cell count falls below which of the following values?

- Ans 1. 200 cells/mm³
 2. 350 cells/mm³
 3. 800 cells/mm³
 4. 500 cells/mm³

Question Type : MCQ
 Question ID : 441009908552
 Option 1 ID : 4410093588028
 Option 2 ID : 4410093588031
 Option 3 ID : 4410093588029
 Option 4 ID : 4410093588030
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.42 Around what gestational age does the amniotic fluid volume typically reach its peak?

- Ans 1. 34 to 36 weeks
 2. 40 to 42 weeks
 3. 24 to 28 weeks
 4. 18 to 20 weeks

Question Type : MCQ
 Question ID : 4410091067786
 Option 1 ID : 4410094216655
 Option 2 ID : 4410094216656
 Option 3 ID : 4410094216654
 Option 4 ID : 4410094216653
 Status : Answered
 Chosen Option : 1

Q.43 Which of the following group therapy techniques emphasises that helping others in the group can boost self-esteem and promote a sense of purpose?

- Ans 1. Altruism
 2. Anhedonia
 3. Ambivalence
 4. Ataxia

Question Type : MCQ
 Question ID : 4410091033916
 Option 1 ID : 4410094087314
 Option 2 ID : 4410094087315
 Option 3 ID : 4410094087316
 Option 4 ID : 4410094087317
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.44 What is the angle used for a subcutaneous injection?

- Ans 1. 90°
 2. 180°
 3. 15°
 4. 45°

Question Type : MCQ
 Question ID : 4410091049288
 Option 1 ID : 4410094146249
 Option 2 ID : 4410094146250
 Option 3 ID : 4410094146247
 Option 4 ID : 4410094146248
 Status : Answered
 Chosen Option : 4

Q.45 Administration of the Gardasil vaccine comes under which level of prevention?

- Ans 1. Tertiary prevention
 2. Primary prevention
 3. Secondary prevention
 4. Primordial prevention

Question Type : MCQ
Question ID : 441009906193
Option 1 ID : 4410093578583
Option 2 ID : 4410093578580
Option 3 ID : 4410093578582
Option 4 ID : 4410093578581
Status : Answered
Chosen Option : 2

Q.46 The rotavirus vaccine is primarily administered to protect against which of the following types of childhood illness?

- Ans 1. Diarrhoea
 2. Hepatitis
 3. Pneumonia
 4. Measles

Question Type : MCQ
Question ID : 4410091067562
Option 1 ID : 4410094215754
Option 2 ID : 4410094215756
Option 3 ID : 4410094215753
Option 4 ID : 4410094215755
Status : Answered
Chosen Option : 3

Q.47 What is the primary role of the bile in digestion?

- Ans 1. Production of amino acids
 2. To breakdown carbohydrates
 3. To breakdown proteins
 4. To emulsify fats

Question Type : MCQ
Question ID : 4410091048347
Option 1 ID : 4410094142460
Option 2 ID : 4410094142459
Option 3 ID : 4410094142457
Option 4 ID : 4410094142458
Status : Answered
Chosen Option : 1

Q.48 What is the recommended daily intake of iron for infants aged 7-12 months?

- Ans 1. 66 mg
 2. 11 mg
 3. 33 mg
 4. 44 mg

Question Type : MCQ
 Question ID : 4410091037749
 Option 1 ID : 4410094101553
 Option 2 ID : 4410094101550
 Option 3 ID : 4410094101551
 Option 4 ID : 4410094101552
 Status : Answered
 Chosen Option : 2

Q.49 Vacutainers can be discarded in which category of biomedical waste?

- Ans 1. Blue category
 2. Red category
 3. White category
 4. Yellow category

Question Type : MCQ
 Question ID : 441009373216
 Option 1 ID : 4410091458446
 Option 2 ID : 4410091458443
 Option 3 ID : 4410091458444
 Option 4 ID : 4410091458445
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.50 Which of the following parameters is most reliable for assessing acute malnutrition?

- Ans 1. Dietary recall
 2. Skin fold thickness
 3. Mid-upper arm circumference
 4. BMI

Question Type : MCQ
 Question ID : 4410091068485
 Option 1 ID : 4410094219447
 Option 2 ID : 4410094219446
 Option 3 ID : 4410094219444
 Option 4 ID : 4410094219445
 Status : Answered
 Chosen Option : 3

Q.51 What type of fat is most associated with reducing LDL cholesterol?

- Ans 1. Saturated fats
 2. Monounsaturated fats
 3. Trans fats
 4. Dietary cholesterol

Question Type : MCQ
 Question ID : 4410091068459
 Option 1 ID : 4410094219345
 Option 2 ID : 4410094219343
 Option 3 ID : 4410094219344
 Option 4 ID : 4410094219346
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.52 Which of the following solutions is isotonic?

- Ans 1. 0.9% normal saline
 2. 0.09% normal saline
 3. 9% normal saline
 4. 3% normal saline

Question Type : MCQ
 Question ID : 4410091068915
 Option 1 ID : 4410094221147
 Option 2 ID : 4410094221150
 Option 3 ID : 4410094221149
 Option 4 ID : 4410094221148
 Status : Answered
 Chosen Option : 1

Q.53 All of the following are common issues addressed by the Child Guidance Clinics, EXCEPT:

- Ans 1. acute management of thyroid storm and myxoedema coma
 2. aggression, hyperactivity, defiance, and other disruptive behaviours
 3. difficulties with reading, writing, or other academic skills
 4. delays in speech, motor skills, or social-emotional development

Question Type : MCQ
 Question ID : 4410091038056
 Option 1 ID : 4410094102768
 Option 2 ID : 4410094102767
 Option 3 ID : 4410094102769
 Option 4 ID : 4410094102770
 Status : Answered
 Chosen Option : 1

Q.54 In which year did the International Council of Nurses (ICN) release the updated definition of nursing that emphasises autonomous and collaborative care, health promotion, illness prevention, advocacy, research and shaping health policy?

- Ans
- 1. 2021
 - 2. 2010
 - 3. 2025
 - 4. 2009

Question Type : MCQ
Question ID : 441009924991
Option 1 ID : 4410093654098
Option 2 ID : 4410093654099
Option 3 ID : 4410093654101
Option 4 ID : 4410093654100
Status : Answered
Chosen Option : 4

Q.55 According to the National immunisation schedule, when to administer a second dose of tetanus and adult diphtheria (Td) after taking the first dose during pregnancy?

- Ans
- 1. 6 weeks
 - 2. 8 weeks
 - 3. 2 weeks
 - 4. 4 weeks

Question Type : MCQ
Question ID : 441009398251
Option 1 ID : 4410091558452
Option 2 ID : 4410091558453
Option 3 ID : 4410091558450
Option 4 ID : 4410091558451
Status : Answered
Chosen Option : 1

Q.56 Which of the following types of dry heat sterilisation primarily involves burning items to ashes?

- Ans
- 1. Inspissation
 - 2. Hot air oven
 - 3. Flaming
 - 4. Incineration

Question Type : MCQ
Question ID : 4410091068530
Option 1 ID : 4410094219623
Option 2 ID : 4410094219622
Option 3 ID : 4410094219620
Option 4 ID : 4410094219621
Status : Answered
Chosen Option : 4

Q.57 The primary storage forms of iron in the human body are _____.

- Ans
- 1. endorphin and melanin
 - 2. melatonin and encephalin
 - 3. serotonin and prolactin
 - 4. ferritin and hemosiderin

Question Type : MCQ
 Question ID : 4410091035797
 Option 1 ID : 4410094093761
 Option 2 ID : 4410094093760
 Option 3 ID : 4410094093759
 Option 4 ID : 4410094093758
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.58 During intense exercise, the heart rate may accelerate to 150 beats/min and the stroke volume may rise to 130 mL/beat. Calculate the cardiac output.

- Ans
- 1. 19.5 L/min
 - 2. 10 L/min
 - 3. 1.95 L/min
 - 4. 195 L/min

Question Type : MCQ
 Question ID : 441009373187
 Option 1 ID : 4410091458329
 Option 2 ID : 4410091458327
 Option 3 ID : 4410091458328
 Option 4 ID : 4410091458330
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.59 Which of the following hormones primarily stimulates the glycogenolysis process?

- Ans
- 1. Aldosterone
 - 2. Insulin
 - 3. Calcitonin
 - 4. Glucagon

Question Type : MCQ
 Question ID : 4410091067631
 Option 1 ID : 4410094216036
 Option 2 ID : 4410094216033
 Option 3 ID : 4410094216035
 Option 4 ID : 4410094216034
 Status : Answered
 Chosen Option : 4

Q.60 Which of the following statements is INCORRECT related to the advantages of early ambulation in puerperium?

- Ans 1. Hampers uterine drainage and uterine involution
 2. Lessens the number of days of stay in the hospital
 3. Reduces bladder complications and constipation
 4. Reduces the chances of puerperal venous thrombosis and embolism

Question Type : MCQ
Question ID : 441009390634
Option 1 ID : 4410091528102
Option 2 ID : 4410091528104
Option 3 ID : 4410091528101
Option 4 ID : 4410091528103
Status : Answered
Chosen Option : 1

Q.61 Transformational leaders generally tend to show all of the following characteristics, EXCEPT?

- Ans 1. Charisma
 2. Intellectual stimulation
 3. Inspirational leadership
 4. Consideration of only self-needs

Question Type : MCQ
Question ID : 4410091026897
Option 1 ID : 4410094059161
Option 2 ID : 4410094059163
Option 3 ID : 4410094059162
Option 4 ID : 4410094059164
Status : Answered
Chosen Option : 4

Q.62 What is the psychosocial stage of an infant as per Erik Erikson?

- Ans 1. Trust vs. Mistrust
 2. Intimacy vs. Isolation
 3. Initiative vs. Guilt
 4. Autonomy vs. Shame and Doubt

Question Type : MCQ
Question ID : 4410091027143
Option 1 ID : 4410094060137
Option 2 ID : 4410094060136
Option 3 ID : 4410094060139
Option 4 ID : 4410094060138
Status : Answered
Chosen Option : 3

Q.63 All of the following are the functions of the spleen, EXCEPT:

- Ans
- 1. blood filtration
 - 2. immune response
 - 3. fibrinogen production
 - 4. blood cell storage

Question Type : MCQ

Question ID : 4410091066917

Option 1 ID : 4410094213174

Option 2 ID : 4410094213175

Option 3 ID : 4410094213176

Option 4 ID : 4410094213177

Status : **Not Attempted and Marked For Review**

Chosen Option : --

Q.64 _____ is a speech disorder characterised by repetition of sounds, syllables or words; prolongation of sounds; and interruptions in speech.

- Ans
- 1. Stuttering
 - 2. Dysarthria
 - 3. Apraxia
 - 4. Cluttering

Question Type : MCQ

Question ID : 441009396841

Option 1 ID : 4410091552805

Option 2 ID : 4410091552806

Option 3 ID : 4410091552807

Option 4 ID : 4410091552804

Status : **Answered**

Chosen Option : 4

Q.65 The main anatomical target for female sterilisation procedures is:

- Ans
- 1. removal of the ovaries and ampulla
 - 2. removal of the uterus and isthmus
 - 3. blocking of the cervix
 - 4. ligation of the fallopian tubes

Question Type : MCQ

Question ID : 4410091068040

Option 1 ID : 4410094217671

Option 2 ID : 4410094217672

Option 3 ID : 4410094217669

Option 4 ID : 4410094217670

Status : **Answered**

Chosen Option : 4

Q.66 Which of the following systemic effects is observed in a patient with hypovolemic shock?

- Ans 1. Decreased capillary permeability
 2. Activation of the sympathetic response
 3. Activation of parasympathetic response
 4. Decreased production of mineralocorticoids

Question Type : MCQ

Question ID : 44100936026

Option 1 ID : 4410093697853

Option 2 ID : 4410093697850

Option 3 ID : 4410093697851

Option 4 ID : 4410093697852

Status : Not Attempted and
Marked For Review

Chosen Option : --

Q.67 The biological indicator used in autoclaves to confirm the complete and consistent destruction of microorganisms is the spores of Bacillus _____.

- Ans 1. anthracis
 2. cereus
 3. amyloliquefaciens
 4. stearothermophilus

Question Type : MCQ

Question ID : 441009380816

Option 1 ID : 4410091489027

Option 2 ID : 4410091489026

Option 3 ID : 4410091489028

Option 4 ID : 4410091489025

Status : Not Attempted and
Marked For Review

Chosen Option : --

Q.68 Which is a cognitive behaviour technique where individuals gradually expose themselves to feared situations or objects?

- Ans 1. Contingency management
 2. Rational emotive behavior therapy
 3. Aversion therapy
 4. Systematic desensitisation

Question Type : MCQ

Question ID : 4410091067836

Option 1 ID : 4410094216848

Option 2 ID : 4410094216847

Option 3 ID : 4410094216845

Option 4 ID : 4410094216846

Status : Answered

Chosen Option : 2

Q.69 What is a dome-shaped portion superior to the uterine tubes called?

- Ans 1. Fundus
 2. Cervix
 3. Isthmus
 4. Body

Question Type : MCQ
 Question ID : 441009373178
 Option 1 ID : 4410091458291
 Option 2 ID : 4410091458293
 Option 3 ID : 4410091458294
 Option 4 ID : 4410091458292
 Status : Answered
 Chosen Option : 1

Q.70 The Bishop Score is primarily used to assess _____ in obstetrics.

- Ans 1. foetal lung maturity
 2. the readiness of the cervix for labour induction
 3. the position of the placenta
 4. the risk of postpartum haemorrhage

Question Type : MCQ
 Question ID : 441009924722
 Option 1 ID : 4410093653028
 Option 2 ID : 4410093653027
 Option 3 ID : 4410093653030
 Option 4 ID : 4410093653029
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.71 During the third stage of labour, a patient exhibits signs of placental separation, but the placenta fails to deliver within 30 minutes despite active management. Which of the following is the most appropriate next step in management?

- Ans 1. Administer tocolytics to relax the uterus
 2. Continue uterine massage and observe for another hour
 3. Manual removal of the placenta under appropriate anaesthesia
 4. Immediately initiate caesarean section

Question Type : MCQ
 Question ID : 441009924805
 Option 1 ID : 4410093653361
 Option 2 ID : 4410093653360
 Option 3 ID : 4410093653359
 Option 4 ID : 4410093653362
 Status : Answered
 Chosen Option : 2

Q.72 What is EBP in clinical practice?

- Ans 1. Evidence-based practice
 2. Elocution-based practice
 3. Economy-based practice
 4. Ergonomics-based practice

Question Type : MCQ

Question ID : 4410091048808

Option 1 ID : 4410094144341

Option 2 ID : 4410094144342

Option 3 ID : 4410094144340

Option 4 ID : 4410094144339

Status : Answered

Chosen Option : 1

Q.73 What is the main purpose of decontamination in a healthcare setting?

- Ans 1. To reduce the number of pathogenic microorganisms to a safe level
 2. To increase the risk of infection transmission and cross-infection
 3. To dispose of contaminated waste and general waste in colour-coded bins
 4. To eliminate all microorganisms, including beneficial ones and spores

Question Type : MCQ

Question ID : 4410091049735

Option 1 ID : 4410094148023

Option 2 ID : 4410094148021

Option 3 ID : 4410094148024

Option 4 ID : 4410094148022

Status : Answered

Chosen Option : 1

Q.74 What is the usual route of administration of the measles vaccine as per the National Immunization Schedule?

- Ans 1. Intravenous
 2. Intradermal
 3. Intramuscular
 4. Subcutaneous

Question Type : MCQ

Question ID : 4410091046010

Option 1 ID : 4410094133110

Option 2 ID : 4410094133109

Option 3 ID : 4410094133112

Option 4 ID : 4410094133111

Status : Answered

Chosen Option : 4

Q.75 Inspection shows that a loose eyelash has lodged in a girl's left lower eye. Which of these is the immediate first aid measure in this situation?

- Ans
- 1. Remove the foreign object with a narrow, warm swab or a cloth
 - 2. Cover the eye and transport her to the nearest healthcare facility
 - 3. Rinse the eye with plenty of clean water for 10-15 minutes from the nose outwards
 - 4. Put medication into the affected eye and wait for 10 minutes

Question Type : MCQ
 Question ID : 441009383474
 Option 1 ID : 4410091499465
 Option 2 ID : 4410091499466
 Option 3 ID : 4410091499464
 Option 4 ID : 4410091499467
 Status : Answered
 Chosen Option : 1

Q.76 Which macronutrient provides the highest caloric value per gram?

- Ans
- 1. Proteins
 - 2. Carbohydrates
 - 3. Fats
 - 4. Alcohol

Question Type : MCQ
 Question ID : 4410091068465
 Option 1 ID : 4410094219368
 Option 2 ID : 4410094219369
 Option 3 ID : 4410094219367
 Option 4 ID : 4410094219370
 Status : Answered
 Chosen Option : 3

Q.77 The amount of salt recommended for adults in diet is _____.

- Ans
- 1. 10g/day
 - 2. 15g/day
 - 3. 20g/day
 - 4. < 5g/day

Question Type : MCQ
 Question ID : 441009396675
 Option 1 ID : 4410091552141
 Option 2 ID : 4410091552142
 Option 3 ID : 4410091552143
 Option 4 ID : 4410091552140
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.78 Which of the following is an inanimate object that can carry and spread disease and infectious agents?

- Ans
- 1. Reservoir
 - 2. Body defences
 - 3. Fomite
 - 4. Host

Question Type : MCQ

Question ID : 441009373212

Option 1 ID : 4410091458429

Option 2 ID : 4410091458430

Option 3 ID : 4410091458427

Option 4 ID : 4410091458428

Status : Answered

Chosen Option : 3

Q.79 What is the ideal way to handle contaminated sharps, including needles?

- Ans
- 1. Recap needles to prevent accidental puncture and injury
 - 2. Leave them on the bedside table for later disposal
 - 3. Wash them with soap and water before disposal
 - 4. Dispose of them immediately in a puncture-resistant container

Question Type : MCQ

Question ID : 4410091027919

Option 1 ID : 4410094063283

Option 2 ID : 4410094063285

Option 3 ID : 4410094063286

Option 4 ID : 4410094063284

Status : Answered

Chosen Option : 1

Q.80 What is the core principle of paediatric nursing?

- Ans
- 1. Provide family-centred care
 - 2. Treat children as small adults
 - 3. Prioritise paper works over play
 - 4. Minimise family involvement

Question Type : MCQ

Question ID : 4410091069859

Option 1 ID : 4410094223585

Option 2 ID : 4410094223587

Option 3 ID : 4410094223588

Option 4 ID : 4410094223586

Status : Answered

Chosen Option : 1

Q.81 What is the primary clinical significance of assessing skin turgor of a patient?

- Ans 1. To measure skin temperature for signs of fever
2. To assess hydration status by checking the elasticity of the skin
3. To determine the presence of a skin infection and erythema
4. To evaluate oxygen saturation in the skin

Question Type : MCQ

Question ID : 4410091068708

Option 1 ID : 4410094220335

Option 2 ID : 4410094220333

Option 3 ID : 4410094220334

Option 4 ID : 4410094220332

Status : Answered

Chosen Option : 1

Q.82 What is the hall mark sign of rubella infection?

- Ans 1. Bull's eye rash
2. Koplik spots
3. Jaundice
4. Tender lymphnodes behind the ears

Question Type : MCQ

Question ID : 4410091068843

Option 1 ID : 4410094220870

Option 2 ID : 4410094220868

Option 3 ID : 4410094220869

Option 4 ID : 4410094220867

Status : Answered

Chosen Option : 4

Q.83 What are the two primary conditions that are classified under COPD?

- Ans 1. Pleurisy and Pneumonia
2. Chronic Bronchitis and Emphysema
3. Bronchiectasis and Empyema
4. Bronchiectasis and Cystic Fibrosis

Question Type : MCQ

Question ID : 4410091069081

Option 1 ID : 4410094221819

Option 2 ID : 4410094221818

Option 3 ID : 4410094221817

Option 4 ID : 4410094221820

Status : Answered

Chosen Option : 3

Q.84 Salmonella that causes typhoid fever is a:

- Ans 1. gram-negative cocci
 2. gram-negative bacillus
 3. gram-positive cocci
 4. gram-positive bacillus

Question Type : MCQ
 Question ID : 441009383967
 Option 1 ID : 4410091501525
 Option 2 ID : 4410091501523
 Option 3 ID : 4410091501524
 Option 4 ID : 4410091501522
 Status : **Not Attempted and Marked For Review**
 Chosen Option : --

Q.85 Which of the following is a compound of iodine used for iodization of salt?

- Ans 1. Sodium nitrate
 2. Calcium carbonate
 3. Potassium iodate
 4. Potassium chloride

Question Type : MCQ
 Question ID : 441009890522
 Option 1 ID : 4410093516074
 Option 2 ID : 4410093516075
 Option 3 ID : 4410093516072
 Option 4 ID : 4410093516073
 Status : **Answered**
 Chosen Option : 1

Q.86 Roper-Hall, modified Hughes classification and the Dua classification are commonly used to classify:

- Ans 1. strabismus
 2. corneal burns
 3. retinal detachment
 4. amblyopia

Question Type : MCQ
 Question ID : 4410091049147
 Option 1 ID : 4410094145674
 Option 2 ID : 4410094145676
 Option 3 ID : 4410094145675
 Option 4 ID : 4410094145673
 Status : **Not Attempted and Marked For Review**
 Chosen Option : --

Q.87 Which of the following counselling approaches integrates techniques from different therapeutic orientations?

- Ans
- 1. Gestalt therapy
 - 2. Psychodynamic therapy
 - 3. Centralised therapy
 - 4. Eclectic counselling

Question Type : **MCQ**
 Question ID : **4410091048458**
 Option 1 ID : **4410094142919**
 Option 2 ID : **4410094142916**
 Option 3 ID : **4410094142918**
 Option 4 ID : **4410094142917**
 Status : **Answered**
 Chosen Option : **1**

Q.88 The anxiolytics drugs mainly work by affecting which of the following neurotransmitters in the brain?

- Ans
- 1. Acetylcholine
 - 2. Serotonin
 - 3. Dopamine
 - 4. GABA

Question Type : **MCQ**
 Question ID : **4410091067830**
 Option 1 ID : **4410094216824**
 Option 2 ID : **4410094216822**
 Option 3 ID : **4410094216821**
 Option 4 ID : **4410094216823**
 Status : **Answered**
 Chosen Option : **3**

Q.89 The main characteristic of modular nursing is:

- Ans
- 1. focus on the efficient use of resources within a defined area
 - 2. decentralised decision-making and protocol development
 - 3. assignment of patients based on diagnosis and surgery plan
 - 4. increased specialisation of nursing tasks and functions

Question Type : **MCQ**
 Question ID : **4410091047806**
 Option 1 ID : **4410094140212**
 Option 2 ID : **4410094140209**
 Option 3 ID : **4410094140211**
 Option 4 ID : **4410094140210**
 Status : **Not Attempted and Marked For Review**
 Chosen Option : **--**

Q.90 Which health indicator shows the number of live births in a year per 1,000 population?

- Ans
- 1. General fertility rate
 - 2. Net reproduction rate
 - 3. Fertility rate
 - 4. Crude birth rate

Question Type : MCQ
Question ID : 441009396911
Option 1 ID : 4410091553082
Option 2 ID : 4410091553083
Option 3 ID : 4410091553080
Option 4 ID : 4410091553081
Status : Answered
Chosen Option : 4

Q.91 All of the following are the core components that define the practice and purpose of the nursing profession, EXCEPT?

- Ans
- 1. Professionalism and holism
 - 2. Caring and communication
 - 3. Critical thinking
 - 4. Naturalism and idealism

Question Type : MCQ
Question ID : 4410091026833
Option 1 ID : 4410094058909
Option 2 ID : 4410094058908
Option 3 ID : 4410094058907
Option 4 ID : 4410094058910
Status : Answered
Chosen Option : 4

Q.92 All of the following are common examples of inhalation anaesthesia, EXCEPT:

- Ans
- 1. Isoflurane
 - 2. Halothane
 - 3. Propofol
 - 4. Nitrous oxide

Question Type : MCQ
Question ID : 4410091041577
Option 1 ID : 4410094115364
Option 2 ID : 4410094115363
Option 3 ID : 4410094115365
Option 4 ID : 4410094115362
Status : Answered
Chosen Option : 4

Q.93 What is represented by the 'Blind Spot' in the Johari Window?

- Ans 1. Things only the individual knows about themselves
2. Things that are known to others but not to the individual
3. Things that are known to the individual but not to others
4. Things that are unknown to both the individual and others

Question Type : MCQ

Question ID : 4410091067514

Option 1 ID : 4410094215561

Option 2 ID : 4410094215563

Option 3 ID : 4410094215564

Option 4 ID : 4410094215562

Status : Answered

Chosen Option : 2

Q.94 Which of the following leadership styles is characterised by the leader empowering their team and encouraging participation in decision-making?

- Ans 1. Authoritarian
2. Autocratic
3. Democratic
4. Laissez-faire

Question Type : MCQ

Question ID : 4410091026880

Option 1 ID : 4410094059093

Option 2 ID : 4410094059096

Option 3 ID : 4410094059095

Option 4 ID : 4410094059094

Status : Answered

Chosen Option : 3

Q.95 Which is the most common cause of viral conjunctivitis?

- Ans 1. Herpes simplex virus
2. Enterovirus
3. Adenovirus
4. Varicella-zoster virus

Question Type : MCQ

Question ID : 4410091041193

Option 1 ID : 4410094113858

Option 2 ID : 4410094113860

Option 3 ID : 4410094113859

Option 4 ID : 4410094113861

Status : Answered

Chosen Option : 2

Q.96 Which of the following health communication models emphasises a two-way exchange of information and shared decision-making between health professionals and patients?

- Ans 1. Participatory/Patient-centred model
 2. Passive information-delivery model
 3. Authoritative/Autocratic model
 4. Paternalistic model

Question Type : MCQ
 Question ID : 4410091041408
 Option 1 ID : 4410094114746
 Option 2 ID : 4410094114748
 Option 3 ID : 4410094114747
 Option 4 ID : 4410094114749
 Status : Not Attempted and Marked For Review
 Chosen Option : --

Q.97 What are Koplik's spots?

- Ans 1. Tiny white spots on the inner cheeks, near the molars, that appear before the skin rash, seen in measles
 2. Round, oval, or flame-shaped haemorrhages with a white or pale centre, seen in the retina in measles
 3. Painless, flat, reddish or purplish macules on the palms and soles of the feet, seen in infective endocarditis
 4. Painful, red or purple, raised lesions, typically found on the pads of the fingers and toes, seen in infective endocarditis

Question Type : MCQ
 Question ID : 4410091038086
 Option 1 ID : 4410094102892
 Option 2 ID : 4410094102894
 Option 3 ID : 4410094102893
 Option 4 ID : 4410094102891
 Status : Answered
 Chosen Option : 1

Q.98 Which of the following is the primary focus of the secondary survey in trauma assessment?

- Ans 1. Administering advanced cardiac life support (ACLS) medications
 2. Performing a head-to-toe assessment after stabilisation of vital functions
 3. Identifying and managing immediate life-threatening conditions
 4. Initiating cardiopulmonary resuscitation (CPR)

Question Type : MCQ
 Question ID : 441009905491
 Option 1 ID : 4410093575782
 Option 2 ID : 4410093575780
 Option 3 ID : 4410093575781
 Option 4 ID : 4410093575783
 Status : Answered
 Chosen Option : 4

Test

Prime

By Adda247

Previous Year Papers PDF

PRACTICE MORE, SCORE HIGHER!




Free
25,000+
PDF's

High-Quality | Exam-Wise | Updated Regularly

ATTEMPT AS
MOCK



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise & Exam-wise PDFs



Download & Study Offline



Attempt as Mock & Track Score



Smart Analysis & Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD THE APP



Q.99 Succus entericus is also known as:

- Ans 1. gastric juice
 2. saliva
 3. intestinal juice
 4. cerebrospinal fluid

Question Type : MCQ

Question ID : 4410091066937

Option 1 ID : 4410094213255

Option 2 ID : 4410094213254

Option 3 ID : 4410094213256

Option 4 ID : 4410094213257

Status : **Not Attempted and
Marked For Review**

Chosen Option : --

Q.10 Which of the following conditions involves the placenta penetrating through the uterine wall and extending to other organs?

- Ans 1. Placenta increta
 2. Placenta percreta
 3. Placenta accreta
 4. Battledore placenta

Question Type : MCQ

Question ID : 4410091027803

Option 1 ID : 4410094062756

Option 2 ID : 4410094062757

Option 3 ID : 4410094062755

Option 4 ID : 4410094062758

Status : **Answered**

Chosen Option : 4