



## भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA



(SCHEDULE - 'A' MINI RATNA- CATEGORY- 1 PUBLIC SECTOR ENTERPRISES)

राजीव गांधी भवन, सफदरजंग हवाई अड्डा, नईदिल्ली- 110003 RAJIV GANDHI BHAWAN, SAFDARJUNG AIRPORT, NEW DELHI-110003

Participant ID	
Participant Name	
Test Center Name	Surya Technologies
Test Date	27/07/2022
Test Time	12:30 PM - 2:30 PM
Subject	Junior Executive(ATC)

Section: English Language

Q.1 Select the option that gives the most appropriate meaning of the underlined idiom. Beginners should not <u>put all eggs in one basket</u>.

Ans

💢 1. Put all eggs in a basket and carry

🗶 2. Put all materials in a container

3. Risk everything in one venture

🗙 4. Use all money you have with you

Question ID : 63068054124 Status : Answered

Chosen Option: 3

Q.2 Select the most appropriate meaning of the given proverb.

Curiosity killed the cat.

Ans X 1. Interfering in others' work is helpful for them.

2. Being more curious than necessary in studies is harmful.

3. Inquiring into others' business can get dangerous.

4. Minding our own business is dangerous.

Question ID: 63068055145

Status: Answered


Q.3 Select the option that can be used as a one-word substitute for the given group of words/phrase. A person who takes care of a collection in museum or exhibits in an art gallery Ans X 1. Concierge 2. Curator X 3. Excavator X 4. Caretaker Question ID: 63068050740 Status: Marked For Review Chosen Option: 1 Q.4 Select the option that can be used as a one-word substitute for the given group of words. When he visited Italy we saw a lot of circular buildings with domes. X 1. Accordions 2. Rotundas X 3. Baroques X 4. Adobes Question ID: 63068069271 Status: Marked For Review Chosen Option: 4 Q.5 The following sentence has been split into four segments. Identify the segment that contains a grammatical error. Last month, / Gunjan had began / to sell stationery as well / in her bookstore. Ans X 1. Last month X 2. in her bookstore 💢 3. to sell stationery as well 4. Gunjan had began Question ID: 63068050193 Status: Answered Chosen Option: 4 Sentences of a paragraph are given below. While the first sentence (1) is in the correct order, the sentences in between are jumbled up. Select the option that arranges the sentences in the correct order to form a meaningful and coherent paragraph. 1.I think just like men, women too crave for equality, economic independence and recognition at the workplace. A.Men are taking care of the kids, while the woman earns for the family, as per the decision taken by the couple. B.Times have changed and there are a lot of cases where men have willingly agreed to be house-husbands. C.And as far as babies are concerned, they are the responsibility of both the parents. D.Their contribution in the workplace is as important as that of their male colleagues. X 1. BADC 2. DCBA X 3. BCDA X 4. DBCA Question ID: 63068058397 Status: Answered Chosen Option: 4

Q.7	Select the most appropriate article to fill in the blank. Ranjan works in UPPCL. He is SDO.	
Ans	X 1. somee	
	<b>✓</b> 2. An	
	<b>X</b> 3. a	
	X 4. No article	
		Question ID : 63068054052
		Status : <b>Answered</b> Chosen Option : <b>2</b>
Q.8	Four statements are given below labelled A, B, C and D. Among these, three statements are in logical order and form a coherent paragraph. From the following options, choose the option that does NOT fit into the theme of the paragraph.	
	A.The origin of the game Tennis was at first a solemn fertility rite in Eg	ypt and in the Middle
	East.  B.Etymology is the study of the origin of words and the way in which th	eir meanings have
	changed throughout history.  C.The term is derived from an Egyptian town on the Nile known as Tinn	is and 'racket' is from
	the Arab word'rahat'.  D.Records confirm that tennis was played in France in the 12th century of the hand.	
Ans	<b>X</b> 1. D	
	<b>★</b> 2. C	
	<b>✓</b> 3. B	
	<b>★</b> 4. A	
		Question ID : 63068086371
		Status : <b>Answered</b> Chosen Option : <b>3</b>
Q.9	Choose the option that is the simple past tense form of the given sente	ence.
	The roads were wet as it had been raining heavily.	
Ans	X 1. The roads are wet as it has been raining heavily.	
	★ 2. The roads are wet as it rained heavily.	
	★ 3. The roads were wet as it has been raining heavily.	24//
	✓ 4. The roads were wet as it rained heavily.	
		Question ID: 63068048044
		Status : Answered
		Chosen Option : 4
0 10	Select the most appropriate option to fill in the blank.	
ų. IU	Turn on light, please.	
Ans	<b>★</b> 1. an	
	<b>X</b> 2. a	
	★ 3. No article required	
	√ 4. the	
		Ougotion ID : 62060050224
		Question ID : 63068050231 Status : Answered
		Chosen Option: 4
		onocci option . 4

Q.11	2.11 Select the option that can be used as a one-word substitute for the given group of words.  A vigorous campaign for political, social, or religious change	
Ans		
	X 2. Rebellion	
	✓ 3. Crusade	
	X 4. Combat	
		0.0001000 ID. (20050054040
		Question ID : 63068054848 Status : Answered
		Chosen Option : 2
Q.12	Select the most appropriate synonym of the given word. Evocative	
Ans	★ 1. Boring	
	<b>★</b> 2. Amazing	
	✓ 3. Inspiring	
	X 4. Deceiving	
		Question ID : <b>63068050277</b> Status : <b>Answered</b>
		Chosen Option : 3
ე.13	Select the option that correctly rectifies the error in the given sente There was a group of laundry on Rohan's bed.	nce.
Ans	1. There was a large group of laundry on Rohan's bed.	
	✓ 2. There was a pile of laundry on Rohan's bed.	
	★ 3. There was a collection of laundry on Rohan's bed.	
	★ 4. There was a big group of laundry on Rohan's bed.	
		Question ID : 63068050293
		Status : <b>Answered</b> Chosen Option : <b>2</b>
	Select the most appropriate ANTONYM of the underlined word to fill Although the court accused him of being guilty of the crime, in reali	
Ans	X 1. ignorant	
	X 2. ashamed	
	X 3. culpable	
	√ 4. innocent	
		Question ID : 63068064307
		Status : <b>Answered</b>
		Chosen Option : 4
0.15	Select the option that gives the most appropriate meaning of the ur	derlined word.
	As the audience gathered around the <u>ring</u> , the fighters entered.	
Ans	X 1. Surround	
	2. Roped enclosure in combat sports	
	X 3. An ornament worn on fingers	
	X 4. Circular marking or pattern	
		Question ID : <b>63068054536</b>
		Status : Answered
		Chosen Option : 2

Q.16	Select the most appropriate option to fill in the blanks the on-going pandemic, one must keep mind to wear a mask and follow the guidelines authorised the government.	
Ans	X 1. For; on; over	
	✓ 2. Amidst; in; by	
	X 3. For; in; by	
	X 4. Amidst; at; to	
		Ouestion ID : 63068050173
		Status: Answered
		Chosen Option : 2
Q.17	In the given sentence, four words have been underlined and the underlin as options. Select the option that contains an error.	ed words are given
	The teacher spoke <u>softly and gentle</u> to the <u>inconsolably</u> crying child, as knew the soft heart below the <u>rough</u> surface.	she <u>instinctively</u>
Ans	★ 1. rough	
	✓ 2. softly and gentle	
	X 3. instinctively	
	★ 4. inconsolably	
		Question ID : <b>63068047986</b>
		Status: Answered
		Chosen Option : 2
Ans	18 Parts of a sentence are given below in jumbled order. Arrange the parts in the correct order to form a meaningful sentence.  As well as / our General Manager / his deputy / is / till the end / on official tour / of this month.  ***\[ 1. \text{ Our General Manager, as well as his deputy, is till the end of this month on official tour.} \]  **\[ 2. \text{ Our General Manager, as well as his deputy, is on official tour till the end of this month.} \]  **\[ 3. \text{ Till the end of this month, Our General Manager is on official tour as well as his deputy.} \]  **\[ 4. \text{ His deputy, as well as Our General Manager is till the end of this month on official tour.} \]  **Question ID: 63068054128 \]  **\[ \text{Status: Answered Chosen Option: 2} \]	
Q.19	Select the most appropriate adjective to fill in the blank.	
	My father is so that people constantly cheat him.	
Ans	✓ 1. gullible	
	× 2. jovial	
	<b>★</b> 3. old	
	★ 4. happy	
		Question ID : <b>63068047972</b>
		Status : Answered
		Chosen Option : 1

Q.20 Select the grammatically correct form of the given sentence from the following options. These measures have slowly started making a positive impact, but there are still a long way X 1. These measures have slowly starting making a positive impact, but there is still a Ans long way to go. X 2. These measures have slowly started making a positive impact, but there are still a long way to go. way to go. 💢 4. These measures has slowly started making a positive impact, but there are still a long way to go. Question ID: 63068049391 Status: Answered Chosen Option: 3 Section: General Intelligence or Reasoning Q.1 A man facing south walks 30 metres towards his right and turns right again to walk for 50 metres. He then turns left and walks for 20 metres. Then, he takes a final left and walks for another 20 metres. In which direction is he now from his starting point? Ans X 1. North-east X 2. South-west X 3. South-east 4. North-west Ouestion ID: 63068048491 Status: Answered Chosen Option: 4 Q.2 Refer to the following letter, number, symbol series and answer the question that follows. (Left) 3  $\infty$  M 6 R Y  $\Omega$  4 D  $\pi$  S 2 @ 7 K E 5 & B % G (Right) If all the letters are deleted from the given series, what will be the seventh element from the right end? Ans X 1.4 Χ 2. Ω X 3.2 🥒 4. π Ouestion ID: 63068049826 Status: Answered Chosen Option: 4 Q.3 In a certain code language, 'ABODE' is coded as 97856 and 'BOARD' is coded as 85962. What will be the code for 'R' in the given code language? Ans X 1.7 **X** 3.8 **4**. 2 Question ID: 63068057803 Status: Answered Chosen Option: 4




Q.8	If '÷' means '+', '×' means '-', '+' means '÷' and '-' means 'x', select the number from among the given options that can replace the question mark (?) in the following equation. $9 \times 16 + 8 \div 6 - 3 = 32 + ? \div 3 - 8$	
Ans	<b>X</b> 1.8	
	<b>★</b> 2. 24	
	<b>✓</b> 3. 32	
	<b>X</b> 4. 36	
		Question ID: 63068048340
		Status : Answered
		Chosen Option : 3
Q.9	A certain number of people are sitting in a row, facing North. E sits Only two people sit between A and C. Only six people sit between I immediate left of D. Only two people sit between C and D. E sits at no other person is sitting in the row, what is the total number of pe	B and D. F sits to the one corner of the row. If
Ans	<b>X</b> 1.14	
	<b>✓</b> 2. 11	
	<b>★</b> 3.15	
	<b>X</b> 4.10	
		Question ID : <b>63068057373</b>
		Status : Answered
		Chosen Option : 2
	<ul><li>X 1. Grandfather</li><li>X 2. Brother</li><li>X 3. Son</li><li>✓ 4. Father</li></ul>	Question ID: 63068058814
	Adds	Status : Answered Chosen Option : 4
Q.11	Refer to the following letter, number, symbol series and answer the (Left) R Y # 5 E \( \Omega D \) 2 \( \omega \) 6 K 4 G & T 3 S C % 7 M (Right)  As per the given series, three of the following four are alike in a ce a group. Which of the following does NOT belong to that group?	
Ans	<b>✓</b> 1. SM3	
	<b>★</b> 2. E25	
	<b>X</b> 3. K&6	
	<b>★</b> 4. TC&	
	<b>★</b> 4. TC&	
	<b>★</b> 4. TC&	Question ID: 63068049832
	<b>★</b> 4. TC&	Question ID : 63068049832 Status : Answered Chosen Option : 1

Q.12 Six colleagues Vansh, Priya, Sam, Krish, Dipa and John are sitting around a circular table for lunch. Only two friends are sitting between Krish and Dipa. John and Sam are not the neighbours of Krish. Sam is sitting immediately to the left of Dipa and Priya is sitting immediately to the right of Krish. Who is sitting second to the left of Sam? Ans X 1. Priya X 2. John 3. Krish X 4. Vansh Question ID: 63068048423 Status: Answered Chosen Option: 3 Q.13 If 'X' means 8, 'Y' means 19 and'÷' means '+', select the number from among the given options that can replace the question mark (?) in the following equation.  $Y \div ? \times X + 3 = 38$ **X** 1. 171 Ans **2**. 2 **X** 3.4 **X** 4. 231 Question ID: 63068048329 Status: Answered Chosen Option: 2 Q.14 Select the combination of letters that when sequentially placed in the blanks of the given series will complete the series. \_kj\_hl\_ji\_lk\_ih\_k\_ih\_kj\_h 🗶 1. likhljili Ans X 2. lihkljjli X 3. ilkjiljil 4. likhjljli Question ID: 63068063935 Status: Answered Chosen Option: 4 Q.15 This question has two statements followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance from commonly known facts. You have to decide which conclusion/s logically follow/s from the given statements. Statements: All hats are inks. All inks are fans. Conclusions (I): All fans are inks. Conclusions (II): All hats are fans. Ans X 1. Only conclusion (I) follows. 2. Only conclusion (II) follows. X 3. Neither conclusion (I) nor (II) follows. X 4. Both conclusions (I) and (II) follow Question ID: 63068083927 Status: Answered Chosen Option: 2 Section: General Aptitude or Numerical Ability

## Q.1 Study the given line-graph carefully

The line-graph shows the marks obtained by 240 students. It is given that the passing marks are 36 and the mean marks are 50.



The percentage of students getting more than 80% marks is

Ans

- **X** 1.35%
- **X** 2. 32%
- **X** 3. 32.25%
- **4**. 33.33%

Question ID: 63068094372

Status : **Answered** 

Chosen Option: 4

Q.2 The frustum of a right circular cone has the radii of base and top as 4 cm and 2 cm, respectively. If the height is 6 cm, then find the volume of the frustum.

Ans

- $\times$  1. 50 π cm<sup>3</sup>
  - ✓ 2. 56 π cm<sup>3</sup>
- $\times$  3. 68  $\pi$  cm<sup>3</sup>
- $\times$  4. 86  $\pi$  cm<sup>3</sup>

Question ID: 63068079842

Status: Marked For Review

Chosen Option: 2

If  $x = y^a$ ,  $y = z^b$ ,  $z = x^c$ , then abc is:

Ans

- **1.** 1
- X 2. xyz
- **X** 3. -1
- **X** 4. 0

Question ID: 63068049977

Status: Answered

Q.4 3 men, 4 women and 6 children working together can finish a piece of work in 7 days. If each woman works twice as much as a man does, and each child does half as much as a man does, how many women, working together, can finish the work in 7 days?

Ans X 1.9

**X** 2.8

**3**. 7

**X** 4. 10

Question ID: 63068051313
Status: Answered

Chosen Option: 3

Q.5 Manish buys and old car for ₹5,300 and spend ₹1,000 on its repairs. If he sells the car for ₹7,000, his gain percent is:

Ans X 1. 12%

 $\times$  2.  $11\frac{2}{9}$  %

 $\times$  3.  $21\frac{1}{9}$  %


Question ID : **63068068482** Status : **Answered** 



Q.6 Study the given pie-chart carefully

The pie-chart shows the number of students studying different subjects in a school.

Total number of students is 8000.



Find the sectorial angle made by the Hindi and English subject students.

Ans

- X 1. 60°
- √ 2. 126°
- X 3. 106°
- X 4. 120°

Question ID : 63068094369 Status : Answered

Chosen Option: 2

Q.7 The sides of a triangle are in the ratio 5:12:13 and its perimeter is 300m. Find its area.

Ans

- × 1. 1500 m<sup>2</sup>
- × 2. 2500 m<sup>2</sup>
- √ 3. 3000 m<sup>2</sup>
- X 4. 750 m<sup>2</sup>

Question ID: 63068067882

Status : **Answered** 

Chosen Option: 3

Q.8 A sum of money becomes ₹4,875 in 4 years at a rate of 12.5% per annum simple interest. What is the sum?

Ans

**X** 1. ₹3,215

**√** 2. ₹3,250

**X** 3. ₹3,200


**X** 4. ₹3,225

Question ID: 63068070499

Status: Answered

9.9 A hisf noticed a policeman at a distance of 400 m. Then the thief started tunning and the policeman chased him. The thief and policeman are running at the rate of 10 km and 12 km per hour, respectively. Find the time required for the policeman to catch the thief.  Ans			
Question ID : 630680576041 Status: Answered Chosen Option: 2  Question ID : 63068076041 Status: Answered Chosen Option: 2  Question ID : 63068076041 Status: Answered Chosen Option: 2  Question ID : 63068057603 Status: Answered Chosen Option: 2  Question ID : 63068057663 Status: Answered Chosen Option: 2  Question ID : 63068057663 Status: Answered Chosen Option: 2  Question ID : 63068057663 Status: Answered Chosen Option: 2  Question ID : 63068057663 Status: Answered Chosen Option: 3  Question ID : 63068050009 Status: Marked For Review Chosen Option: 3  Question ID : 63068050009 Status: Marked For Review Chosen Option: 3  Question ID : 63068050009 Status: Marked For Review Chosen Option: 3  Question ID : 63068050009 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068052677	Q.9	policeman chased him. The thief and policeman are running at the rate of 10 km and 12 km	
X 4. 10 minutes  X 4. 10 minutes  Question ID : 63068076041 Status: Answered Chosen Option: 2  Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Re.72, then the marked price is:  Ans X 1. Re.3.400  X 2. Re.3.600  X 3. Re.4.000  X 4. Re.3.800  Question ID : 63068057663 Status: Answered Chosen Option: 2  Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is: Ans X 1. 5  X 2. 3  X 3. 7  X 4. 9  Question ID : 63068050009 Status: Marked For Review Chosen Option: 3  Q.12 The cost of an article decreased from ₹50 to ₹40. Find the percentage of decrease.  Ans X 1. 30%  X 2. 25%  X 3. 70%  X 4. 15%  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068051611 Status: Answered Chosen Option: 3  Question ID : 63068052577	Ans		
Question ID : 63068076041 Status: Answered Chosen Option: 2  Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Rs.72, then the marked price is:  Ans		✓ 2. 12 minutes	
Question ID: 630680500141 Status: Answered Chosen Option: 2  Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Rs. 72, then the marked price is:  Ans		→ 3. 15 minutes	
Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Rs.72, then the marked price is:  Ans		X 4. 10 minutes	
Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Rs.72, then the marked price is:  Ans			
Q.10 If on a marked price, the difference of selling prices with a discount of 30% and two successive discounts of 20% and 10% is Rs. 72, then the marked price is:  Ans			·
successive discounts of 20% and 10% is Rs.72, then the marked price is:  Ans			
successive discounts of 20% and 10% is Rs.72, then the marked price is:  Ans			
Question ID: 63068057563 Status: Answered Chosen Option: 2  Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans		successive discounts of 20% and 10% is Rs.72, then the marked pr	t of 30% and two ice is:
Question ID: 63068057563 Status: Answered Chosen Option: 2  Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans	"		
Question ID: 63068057563 Status: Answered Chosen Option: 2  Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans			
Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans			
Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans		1 4. No. 0,000	
Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans X 1.5  X 2.3  X 3.7  X 4.9  Question ID: 63068050009  Status: Marked For Review Chosen Option: 3  Question ID: 63068050009  Status: Marked For Review Chosen Option: 3  Question ID: 63068051611  Status: Answered Chosen Option: 3  Question ID: 63068051611  Status: Answered Chosen Option: 3  Q.13 In a class of 68 students, the ratio of boys and girls is 11: 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans X 1.15  X 2.23  X 3.17  X 4.20  Question ID: 63068052677			Question ID: 63068057563
Q.11 If two numbers are each divided by the same divisor, the remainders are, respectively, 5 and 6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans X 1.5 X 2.3 X 3.7 X 4.9  Question ID: 63068050009 Status: Marked For Review Chosen Option: 3  Q.12 The cost of an article decreased from ₹50 to ₹40. Find the percentage of decrease.  Ans X 1.30% X 2.25% X 3.20% X 4. 15%  Question ID: 63068051611 Status: Answered Chosen Option: 3  Q.13 In a class of 68 students, the ratio of boys and girls is 11: 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans X 1.15 X 2.23 X 3.17 X 4.20  Question ID: 63068052677			
6. If the sum of the two numbers is divided by the same divisor, the remainder is 4. The divisor is:  Ans X 1. 5 X 2. 3 X 3. 7 X 4. 9  Question ID: 63068050009 Status: Marked For Review Chosen Option: 3  Q.12 The cost of an article decreased from ₹50 to ₹40. Find the percentage of decrease.  Ans X 1. 30% X 2. 25% X 3. 20% X 4. 15%  Question ID: 63068051611 Status: Answered Chosen Option: 3  Q.13 In a class of 68 students, the ratio of boys and girls is 11: 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans X 1. 15 Question ID: 63068052677			Chosen Option : Z
Question ID: 63068051611 Status: Answered Chosen Option: 3  Q.13 In a class of 68 students, the ratio of boys and girls is 11: 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans		✓ 3. 7  X 4. 9  The cost of an article decreased from ₹50 to ₹40. Find the percenta X 1. 30%	Status : Marked For Review Chosen Option : 3
Question ID: 63068051611 Status: Answered Chosen Option: 3  Q.13 In a class of 68 students, the ratio of boys and girls is 11: 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans		<b>✓</b> 3. 20%	
Q.13 In a class of 68 students, the ratio of boys and girls is 11 : 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans		<b>X</b> 4. 15%	
Q.13 In a class of 68 students, the ratio of boys and girls is 11 : 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans X 1.15  X 2.23  3.17  X 4.20  Question ID: 63068052677			
Q.13 In a class of 68 students, the ratio of boys and girls is 11 : 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans			·
Q.13 In a class of 68 students, the ratio of boys and girls is 11 : 6. A student K ranks 49th among all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans			
all the students from the top and 13 <sup>th</sup> among boys from the bottom. How many girls are ranked above K?  Ans			
Question ID: <b>63068052677</b>		all the students from the top and 13 <sup>th</sup> among boys from the bottom ranked above K?  X 1.15  X 2.23  3.17	lent K ranks 49th among ı. How many girls are
		• • • • • •	
Chosen Option: 3			Status : <b>Answered</b>

Q.14	14 A man buys a scooter on making a cash payment of ₹16,224 and promises to pay two more yearly instalment of equivalent amount in the next two years. If the rate of interest is 4% per annum compounded yearly, what is the cash value of the scooter?	
Ans	X 1. ₹30,000	
	<b>×</b> 2. ₹46,000	
	<b>√</b> 3. ₹46,824	
	<b>X</b> 4. ₹40,800	
		Question ID : <b>63068070857</b>
		Status : <b>Answered</b> Chosen Option : <b>3</b>
		·
Q.15	In a certain class, 20% of students have an average weight of 64 kg, 35% an average weight of 72 kg, 30% of students have an average weight of remaining students have an average weight of 82 kg. What is the average students in the class?	68 kg, and the
Ans	<b>X</b> 1.70.5 kg	
	<b>★</b> 2.80 kg	
	<b>X</b> 3. 70.9 kg	
	<b>✓</b> 4. 70.7 kg	
		Question ID : <b>63068060052</b>
		Status : <b>Answered</b> Chosen Option : <b>3</b>
		onosch option . o
Sectio	on : General Knowledge or Awareness	
Q.2 Ans	<ul> <li>X 1. producer's satisfaction</li> <li>X 2. consumer satisfaction</li> <li>✓ 3. equilibrium price</li> <li>X 4. aggregate demand</li> <li>In which year was the Dronacharya Award instituted?</li> <li>X 1. 1981</li> <li>✓ 2. 1985</li> </ul>	Question ID : 63068051001 Status : Answered Chosen Option : 3
	<b>★</b> 3.1987	
	<b>★</b> 4. 1983	
		Question ID : 63068051051 Status : Marked For Review Chosen Option : 2
Q.3 Ans	The length of India's border with Bangladesh is:  1. 5096 km	
	X 2. 2096 km	
	<b>★</b> 3.3096 km	
	<b>✓</b> 4. 4096 km	
		Question ID : 63068059726 Status : Marked For Review Chosen Option : 4



Q.9 In which of the following seasons do the coastal areas of Tamil Nadu receive rainfall due to retreating monsoon?

Ans

X 1. Summer

2. Winter

X 3. Autumn

X 4. Spring

Question ID : 63068068546 Status : Answered Chosen Option : 2

## Q.10 Which Constitution Amendment Act substituted the category of Union Territories in place of Part C states in the Constitution?

Ans

- X 1. 5<sup>th</sup> Amendment Act
- X 2. 21<sup>st</sup> Amendment Act
- X 3. 89<sup>th</sup> Amendment Act
- ✓ 4. 7<sup>th</sup> Amendment Act

Question ID: 63068051161

Status: Marked For Review

Chosen Option: 2

Section: Discipline related

Q.1 Which of the following represents direction cosines of the line?

Ans

- $\times$  1.  $0,\frac{1}{2},\frac{1}{2}$
- $\checkmark$  2.  $0, \frac{\sqrt{3}}{2}, \frac{1}{2}$
- $\times$  3.  $\frac{1}{3}$ ,  $\frac{1}{3}$ ,  $\frac{1}{3}$
- $\times$  4.  $0, \frac{1}{\sqrt{3}}, \frac{1}{3}$

Question ID : 63068099954

Question ID: 6306809999 Status: Answered Chosen Option: 2

Q.2 The intercept of the y-axis for the graph between stopping potential versus frequency will give us:

Ans

- X 1. maximum kinetic energy of the emitted electron
- × 2. stopping potential of the metal
- × 4. maximum potential energy of the emitted electron

Question ID: 630680100062 Status: Answered

The domain of  $sin^{-1}\left(\frac{x+1}{3}\right)$  is:

Ans

- **X** 1. [−1,1]
- **X** 2. (−4,2)
- **✓** 3. [-4,2]
- X 4. R

Question ID: 63068099935 Status: Answered

Chosen Option: 3

If  $\lambda \hat{i} + 2\lambda \hat{j} + 2\lambda \hat{k}$  is a unit vector, then the value of  $\lambda$  is:

Ans

- **X** 1.  $\frac{1}{4}$
- $\times$  2.  $\frac{1}{2}$
- **✓** 3.  $\frac{1}{3}$
- $\times$  4.  $\frac{1}{9}$

Question ID : **63068099924** Status : **Answered** 

Chosen Option: 3

Q.5 Consider an ideal toroid of average radius 16.0 cm with 240 turns. A current of 10 A is maintained in it. The magnitude of magnetic field inside the toroid is  $\left[\left(\frac{\mu_0}{4\pi}\right) = 10^{-7} \text{ Tm/A}\right]$ :

Ans

- X 1. 6.0 mT
  - X 2. 9.0 mT
  - √ 3. 3.0 mT
  - X 4. 1.5 mT

Question ID: 630680100016

Status : **Answered** Chosen Option : **1** 

Q.6 A point source in air is placed at a distance of 40 cm in front of a spherical convex glass surface (n = 1.5) of radius of curvature 10 cm. The image of the source is formed at a distance of \_\_\_\_\_ from the surface in the direction of incident light.

Ans × 1. 70 cm

- 0.70.00.707
- √ 2. 60 cm
- × 3. 80 cm
- X 4. 90 cm

Question ID: 630680100054

Status: Answered

Q.7 A 2.0 m long metallic rod is rotated with an angular frequency of 100 rad/s about an axis normal to the rod and passing through its one end. A uniform magnetic field of 2.0 T exits parallel to the axis. The emf induced between the two ends of the rod is:

Ans

√ 1. 400 V

X 2. 40 V

X 3. 200 V

X 4. 20 V

Question ID: 630680100029

Status: Answered

Chosen Option: 3

- Q.8 Which of the following statements is/are correct about a p-n junction diode?
  - (a) The threshold voltage or cut-in voltage for germanium diode is about 0.7 V.
  - (b) The current under reverse bias is essentially voltage independent up to breakdown voltage.

Ans

- X 1. Neither (a) nor (b)
- × 2. Only (a)
- X 3. Both (a) and (b)
- ✓ 4. Only (b)

Question ID: 630680100026 Status: Answered

Chosen Option: 3

Q.9 An object is placed on the axis of a concave mirror at a point beyond centre of curvature. Its image formed by the mirror is:

Ans

- ✓ 1. real and inverted
- × 2. virtual and erect
- X 3. real and erect
- × 4. virtual and inverted

<u>47</u>

Question ID: 63068099995 Status: Answered

Chosen Option: 3

**Q.10** The ratio of the longest wavelength to the shortest wavelength ( $\frac{\lambda_L}{\lambda_c}$ ) in Brackett series of hydrogen spectrum is:

Ans

$$\times$$
 2.  $\frac{25}{2}$ 

$$\times$$
 3.  $\frac{16}{9}$ 

$$\times$$
 4.  $\frac{16}{3}$ 

Question ID: 630680100034

Status: Answered

Q.11 Two coils, A and B, are arranged parallel to each other. When the current in coil A increases at the rate of 20 A/s and current in coil B is 5A/s, the induced emf in coil B is 60 mV. The mutual inductance of the two coils is:

Ans

- X 1. 4 mH
- X 2. 5 mH
- X 3. 6 mH

Question ID: 630680100071

Status: Answered

Chosen Option : 2

**Q.12** A copper wire of uniform area of cross-section  $3.4 \times 10^{-5}$  m  $^2$  carries a current of 4.0 A. The magnitude of the electric field applied is \_\_\_\_\_\_ (Resistivity of copper:  $1.7 \times 10^{-8} \Omega$  m ).

Ans

- ✓ 1. 2.0 × 10<sup>-3</sup>  $\frac{V}{m}$
- $\times$  2. 1.0  $\times$  10<sup>-3</sup>  $\frac{\text{V}}{\text{m}}$
- $\times$  3. 3.4  $\times$  10<sup>-2</sup>  $\frac{\text{V}}{\text{m}}$
- $\times$  4. 1.6  $\times$  10<sup>-2</sup>  $\frac{\text{V}}{\text{m}}$

Question ID: 630680100012

Status : **Answered** Chosen Option : **3** 

**Q.13** The frequency of an electromagnetic (EM) wave is  $6 \times 10^{14}$ Hz. The wavelength of the EM wave is \_\_\_\_\_, and it falls in the range \_\_\_\_\_.

Ans

- √ 1. 500 nm, visible rays
- × 2. 0.5 mm, microwaves
- × 3. 500 mm, infrared waves
- X 4. 50 nm, UV rays

Question ID : 630680100051

Status : **Answered** Chosen Option : **3** 

Q.14 Find the distance between two points (2, 6, 5) and (2, 3, 9).

Ans

- √ 1 5 units
- × 2. 0 units
- X 3. 7 units
- × 4. 4 units

Question ID: 63068099953

Status : Answered

Q.15

Find the value of  $\frac{\sin{(180^{\circ}+\theta)}sec(360^{\circ}-\theta)cot(90^{\circ}-\theta)}{\tan{(180^{\circ}+\theta)}sec(-\theta)cos(90^{\circ}+\theta)}.$ 

Ans

- X 1. 0
  - **2**. 1
- $\times$  3.  $tan(\theta)$
- $\times$  4.  $sin(\theta)$

Question ID: 63068099887

Status: Answered

Chosen Option: 3

Q.16 The probability of three persons A, B and C becoming clerks of a certain administrative office are 3:2:4. The probabilities that incentive will be introduced if they become clerks are 0.4, 0.5 and 0.3, respectively. If the incentive has been introduced, then what is the probability that C is appointed as the clerk?

Ans

- $\times$  4.  $\frac{2}{5}$

Question ID: 63068099906 Status: Answered

Chosen Option: 1

Find the value of dy/dx if x = cost, y = sint.

Ans

- X 1. cott
- X 2. -tant
- X3. tant
- √ 4. −cott

Question ID: 63068099944 Status: Answered Chosen Option: 4

**Q.18** The total decay rate R of a sample is related to the decay rate  $R_0$  at t = 0 and the disintegration constant or decay constant λ as:

Ans

- $\checkmark$  1. R= R<sub>0</sub>  $e^{-(\lambda)t}$
- $\times$  2. R= R<sub>0</sub>  $e^{-(2\lambda)t}$
- $\times$  3. R= R<sub>0</sub>  $e^{-(\frac{\lambda}{2})t}$
- $\times$  4. R= R<sub>0</sub>  $e^{-(\frac{\lambda}{4})t}$

Question ID: 630680100002 Status: Answered

**Q.19** A series LCR circuit with  $R = 10 \Omega$ ,  $X_L = 30 \Omega$  and  $X_C = 24 \Omega$  is connected to a 220 V, 50 Hz AC source. The power dissipated in the circuit is:

Ans

√ 1. 3.56 kW

× 2. 4.36 kW

× 3. 2.56 kW

X 4. 3.26 kW

Question ID: 630680100048 Status: Answered

Chosen Option: 3

Find  $[f \circ g](x)$  if g(x) = x + 2 and  $f(x) = x^2 - x + 4$ .

Ans 
$$\times 1. \ x^2 - 3x + 15$$

$$\checkmark$$
 2.  $x^2 + 3x + 6$ 

$$\times$$
 3.  $x^2 - 3x - 6$ 

$$\times$$
 4.  $x^2 - 3x + 6$ 

Question ID: 63068099934

Status: Answered

Chosen Option: 3

Q.21 Find the value of the integral  $\int \ln(x) dx$ .

Ans

$$\checkmark$$
 1.  $xln(x) - x + C$ 

$$\times$$
 2.  $xln(x) - 1 + C$ 

$$\times$$
 3.  $-xln(x) + \frac{1}{x} + C$ 

$$\times$$
 4.  $\frac{1}{x}ln(x) - x + C$ 

Question ID: 63068099895 Status: Answered Chosen Option: 1

If  $\vec{a}$  and  $\vec{b}$  are two-unit vectors inclined at an angle  $\theta$ , then the value of  $|\vec{a} - \vec{b}|$  is:

× 1. 2cosθ

√ 2. 2sin (θ/2)

 $\times$  3.  $2\sin\theta$ 

 $\times$  4. 2cos ( $\theta$ /2)

Question ID: 63068099974 Status: Answered

The area enclosed by the curves y = x - 1 and  $y^2 = 2x + 6$  is:

Ans X 1. 21

√ 2. 18

X 3. 24

X 4. 20

Question ID: 63068099923

Status: Answered

Chosen Option: 3

Differentiate  $f(x) = \cos(\tan 3x) + \sin(\tan 3x)$ .

Ans  $\times$  1.  $\cos(\tan 3x) + \sin(\tan 3x)$ 

 $\times$  2.  $\sec^2 3x(\cos(\tan 3x) + \sin(\tan 3x))$ 

 $\times$  3.  $\cos(\tan 3x) - \sin(\tan 3x)$ 

 $\checkmark$  4.  $3\sec^2 3x(\cos(\tan 3x) - \sin(\tan 3x))$ 

Question ID: 63068099917

Status: Answered

Chosen Option: 4

Q.25 An EM wave has energy of the order of 20 eV. Which part of the EM wave spectrum does it belong to?

Ans

✓ 1. Ultraviolet

X 2. Radiowaye

X 3. Visible

X 4. Infrared

Question ID: 630680100076

Status: Answered

Chosen Option: 1

Q.26 Consider two nuclei, A of mass number 27 and B of mass number 64. Considering them as liquid -drops, the ratio of their densities  $(\frac{d_A}{d_B})$  will be:

Ans

 $\times$  2.  $\frac{\sqrt{3}}{2}$ 

 $\times$  4.  $\frac{3}{4}$ 

Question ID: 630680100032

Status: Answered

Q.27 If the matrix 
$$A = \begin{bmatrix} 0 & 1 & -1 \\ 4 & -3 & 4 \\ 3 & -3 & 4 \end{bmatrix} = B + C$$
, where  $B$  is symmetric and  $C$  is skew-symmetric matrix, find the matrix  $B$ 

$$\checkmark 2 \frac{1}{2} \begin{bmatrix} 0 & 5 & 2 \\ 5 & -6 & 1 \\ 2 & 1 & 8 \end{bmatrix}$$

$$\times 3. \ \frac{1}{2} \begin{bmatrix} 0 & -3 & -4 \\ 3 & 0 & 7 \\ 4 & -7 & 0 \end{bmatrix}$$

Question ID: 63068099915 Status: Answered

Chosen Option: 2

Q.28 Which of the following electromagnetic waves/rays has the minimum frequency?

Microwaves, Radio waves, Ultraviolet rays, X-rays

Ans

X 1. Microwaves

X 2. Ultraviolet rays

3. Radio waves

X 4. X-rays

Ouestion ID: 63068099992

Status: Answered Chosen Option: 1

Q.29 A coil is carrying a current of 10 A and has radius 10 cm and number of turns 500. It is rewound to make a new coil of radius 5 cm and it carries same current 10 A. The ratio of magnetic moment of original coil to that of new coil is

Ans X 1. 4:1

X 2. 3:2

X 3. 4:3

√ 4. 2:1

Question ID: 630680100070

Status: Answered

Chosen Option: 4

Q.30 When Ge is doped with \_\_\_\_\_ a p-type semiconductor is formed.

X 1 antimony

× 2. arsenic

X 3. phosphorous

√ 4. boron

Question ID: 630680100025

Status: Answered

The inverse of the matrix  $A = \begin{pmatrix} 1 & 1 & 3 \\ 1 & 3 & -3 \\ -2 & -4 & -4 \end{pmatrix}$  is:

Ans

$$\begin{array}{c|cccc} \checkmark & 1 & 1.5 \\ -1.25 & -0.25 & -0.75 \\ -0.25 & -0.25 & -0.25 \end{array}$$

$$\times 2$$
  $\begin{pmatrix} 3 & 1 & 1.5 \\ -1.50 & -0.25 & -0.75 \\ -0.25 & -0.25 & -0.25 \end{pmatrix}$ 

$$\times$$
 3.  $\begin{pmatrix} 3 & 1 & 1.5 \\ -1.25 & -0.75 & -0.25 \\ -0.25 & -0.25 & -0.25 \end{pmatrix}$ 

$$\times$$
 4.  $\begin{pmatrix} 3 & 1 & 1.5 \\ -1.25 & -0.25 & -0.75 \\ -0.25 & -0.75 & -0.25 \end{pmatrix}$ 

Question ID: 63068099891 Status: Answered

Chosen Option: 4

Q.32 The set of all possible outcomes is known as \_\_\_\_.

Ans

X 1. null set

X 2. event

3. sample space

X 4. probability

Question ID : 63068099955 Status : Answered Chosen Option : 3

Q.33 Let A be {1,m,n}. Let the relation R be {}. Which of the following statements about R is true?

۸n

✓ 1. R is not reflexive, is symmetric, and is transitive.

- ★ 2. R is not reflexive, is symmetric, and is not transitive.
- X 3. R is reflexive, is symmetric, and is not transitive.
- ★ 4. R is not reflexive, is not symmetric, and is not transitive.

Question ID: 63068099958

Status : Answered

Q.34 Two charges, A (48 pC) and B (36 pC), are located at (3 cm, 0 cm) and (0 cm, 4 cm), respectively. The magnitude of electric field at point (3 cm, 4 cm) due to these two charges is:

Ans

- $\times$  1. 9.0 × 10<sup>3</sup> N/C
- $\times$  2. 9.0 × 10<sup>2</sup> N/C
- $\times$  3. 4.5  $\times$  10<sup>3</sup> N/C
- $\checkmark$  4. 4.5 × 10<sup>2</sup> N/C

Question ID: 63068099984

Status: Answered

Chosen Option: 3

Find the general solution of equation  $tan x = \frac{1}{\sqrt{3}}$ .

Ans

- $x = n\pi + \frac{5\pi}{6}$
- $\times$  2.  $x = n\pi + \frac{\pi}{3}$
- $\sqrt{3}$  3.  $\chi = n\pi + \frac{\pi}{6}$
- $\times$  4.  $x = n\pi + \frac{2\pi}{3}$

Question ID: 63068099937

Status: Answered

Chosen Option: 3

Q.36 The S.I. unit for torque experienced by an electric dipole in a uniform electric field is given by:

Δn

- × 1. Kg-m<sup>2</sup>
- $\times$  2. N/m<sup>2</sup>
- **✓** 3. N-m
- **×** 4. Kg/m<sup>2</sup>

Adda 247

Question ID: 630680100063
Status: Answered
Chosen Option: 3

**Q.37** Suppose a uniform electric field is given as  $E = 6 \times 10^4 \hat{j}$  N/C ( $\hat{j}$  is the unit vector along y axis). Then the flux of this field through a square of 40 cm on a side whose plane is inclined at an angle  $60^\circ$  to the xz plane is:

Ans

- ✓ 1. 4800 N m<sup>2</sup>/C
- $\times$  2. 488 N m<sup>2</sup>/C
- $\times$  3. 480 N m<sup>2</sup>/C
- × 4. 4880 N m<sup>2</sup>/C

Question ID: 630680100065 Status: Answered

Q.38 Consider the mass of iron nucleus as 55.85 u and A=56. Then the nuclear density is:

Ans

 $\times$  1. 4.29  $\times$  10<sup>17</sup> kg/ $m^3$ 

 $\times$  2. 3.29  $\times$  10<sup>17</sup> kg/ $m^3$ 

 $\times$  3. 1.29  $\times$  10<sup>17</sup> kg/ $m^3$ 

 $\checkmark$  4. 2.29  $\times$  10<sup>17</sup> kg/m<sup>3</sup>

Question ID: 630680100081

Status: Answered

Chosen Option: 4

**Q.39** The vector  $20\hat{i} + 50\hat{j}$  is added to a vector. The result gives  $25\hat{i} + 10\hat{j}$  as the answer. The unknown vector is:

$$\times$$
 1.  $-5\hat{i} + 40\hat{j}$ 

$$\times$$
 2.  $-5\hat{i} - 40\hat{j}$ 

Question ID: 63068099950

Status: Answered

Chosen Option: 4

Q.40

For what values of x, the matrix is singular?

Ans 
$$\times 1. -3.1, 3$$

$$\times$$
 2.  $-3i.0,3i$ 

$$\times$$
 3. 0, 1, 3

$$\checkmark$$
 4.  $-3.0.3$ 

Question ID: 63068099890 Status: Answered

Chosen Option: 4

**Q.41** The equation of the plane that passes through (1, -12) and has direction ratios (1, 2, 3) is:

$$\times$$
 1.  $2x + y + 3z = 5$ 

$$\sqrt{2} x + 2y + 3z = 5$$

$$\times$$
 3.  $x + 3y + 2z = 5$ 

$$\times$$
 4.  $3x + 2y + 2z = 5$ 

Question ID: 63068099928

Status: Answered

**Q.42** Find parametric equations of the line that passes through the points A(2,4,-3) and B(3,-1,1).

Ans

$$\times$$
 1.  $x = -2 + t$ ,  $y = -4 - 5t$ ,  $z = 3 + 4t$ 

$$\times$$
 2.  $x = 2 - t$ ,  $y = 4 + 5t$ ,  $z = -3 - 4t$ 

$$\checkmark$$
 3.  $x = 2 + t$ ,  $y = 4 - 5t$ ,  $z = -3 + 4t$ 

$$\times$$
 4.  $x = 1 + 2t, y = -5 + 4t, z = 4 - 3t$ 

Question ID: 63068099902

Status: Answered

Chosen Option: 3

The derivative of the function  $f(x) = -3x^2 + 6x - 4$  is given by:

Ans

$$\times$$
 1. 6 x + 6

$$\times$$
 2. 6 x - 6

$$\times$$
 3.  $-6x-6$ 

$$\checkmark$$
 4.  $-6x+6$ 

Question ID: 63068099942 Status: Answered

Chosen Option : 4

Q.44 In a single slit diffraction experiment, light of wavelength 600 nm is used and the first minimum is observed at an angle of 30°. The width of the slit is:

Ans

Question ID: 630680100053
Status: Answered
Chosen Option: 4

**Q.45** If two events A and B such that  $P(A \cup B) = \frac{7}{8}$  and  $P(A \cap B) = \frac{1}{4}$  and  $P(\overline{A}) = \frac{5}{8}$ , then  $P(\overline{A} \cup \overline{B}) = \frac{7}{8}$ 

Ans

$$\times$$
 1.  $\frac{1}{4}$ 

X 3. 
$$\frac{3}{6}$$

$$\times$$
 4.  $\frac{1}{8}$ 

Question ID: 63068099929

Status: Answered

Q.46 A relation R is said to be an equivalence relation if:

Ans X 1 It is a symmetric

✓ 2. It is reflexive, symmetric, and transitive relation

X 3. It is a transitive

X 4. it is a reflexive

Ouestion ID: 63068099931 Status: Answered Chosen Option: 2

Q.47 What is wrong with the following calculation?

$$\int_{-1}^{3} \frac{1}{x^2} dx = -\frac{4}{3}$$

$$\times$$
 1.  $f(x) = \frac{1}{x^2} < 0$ 

The value of the integral does not exist, since  $f(x) = \frac{1}{x^2}$  has an infinite discontinuity at x = 0

Fundamental Theorem of Calculus applies to discontinuous functions.

 $\times$  4.  $f(x) = \frac{1}{x^2}$  is continuous function on [-1,3]

Ouestion ID: 63068099897 Status: Answered

Chosen Option: 2

Q.48 Three resistors R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> have their resistance values in the ratio of 2:3:4. They are combined in parallel and their equivalent resistance is 24  $\Omega$ . Then the individual resistances  $R_1$ ,  $R_2$ , and  $R_3$  are:

Ans

 $\times$  1. 6  $\Omega$ , 9  $\Omega$  and 12  $\Omega$ 

 $\times$  2. 10  $\Omega$ , 15  $\Omega$  and 20  $\Omega$ 

 $\times$  3. 9  $\Omega$ , 27  $\Omega$  and 36  $\Omega$ 

 $\checkmark$  4. 52  $\Omega$ , 78  $\Omega$  and 104  $\Omega$ 

Question ID: 630680100066 Status: Answered

Chosen Option: 4

Q.49 Compute

$$\lim_{x \to 4} \frac{(x^2 - 7x + 12)}{x - 4}$$

Ans X 1. 0

X 2. 2

**√** 3. 1

**X** 4. −1

Question ID: 63068099968 Status: Answered

Q.50 Consider a pair of coils arranged coaxially parallel to each other, in a vertical plane. When the current in one coil increases from 0 to 10 A in 0.5 s, the emf induced in the other coil is 20 V. The mutual inductance of the coils is:

Ans

X 1. 4.0 H

X 2. 0.5 H

X 4. 2.0 H

Question ID: 630680100028

Status: Marked For Review

Chosen Option: 2

Two batteries  $E_1($  emf: 6V, internal resistance:  $0.5\Omega)$  and  $E_2($  emf: 12V, internal resistance:  $1.0\Omega)$  are connected in parallel by connecting their positive terminals to point A and negative terminals to point B. A third battery  $E_3[$  emf: 6V, internal resistance:  $(\frac{2}{3})\Omega]$  is connected in series with this combination by connecting its positive terminal to B. The equivalent emf of this combination is

Ans

X 1. 12 V

X 2. 2 V

X 3. 24 V

Question ID: 63068099987

Status: Marked For Review

Chosen Option : 3

Q.52

The value of the determinant of the matrix  $\begin{pmatrix} 21 & 17 & 7 & 10 \\ 24 & 22 & 6 & 10 \\ 6 & 8 & 2 & 3 \\ 6 & 7 & 1 & 2 \end{pmatrix}$  is:

Ans

X 1. 1

✓ 2. 0

X 3. 4

X 4. 2

Adda 24

Question ID: 63068099889 Status: Answered Chosen Option: 2

Evaluate  $\int_0^1 \frac{dx}{x + \sqrt{x}}$ .

Ans 🗸

**X** 1. √2

× 2. log e2

√ 3. log e4

 $\times$  4.  $\frac{1}{2}$ 

Question ID: 63068099971

Status: Marked For Review

Q.54 A tank is filled with a liquid to a depth of 80 cm. A point source of light is placed at the centre of the bottom. The area of the surface of the liquid through which light from the source can emerge out is:

(Take refractive index of liquid =  $2/\sqrt{3}$ )

- X 1. 5.07 m<sup>2</sup>
  - ✓ 2. 6.03 m<sup>2</sup>
- $\times$  3. 7.07 m<sup>2</sup>
- X 4. 4.07 m<sup>2</sup>

Question ID: 630680100055 Status: Marked For Review

Chosen Option: 3

The radian equivalent of 150° is .

- $\checkmark$  2.  $\frac{5\pi}{6}$
- $\times$  4.  $\frac{7\pi}{9}$

Question ID: 63068099910 Status: Answered

Chosen Option: 2

Q.56 A potentiometer wire of length 100 cm has a resistance of 30 ohms. It is connected in series with a resistance of 20 ohms and an accumulator of emf 10 V having negligible internal resistance. A source of 2.4 V is balanced against a length L of the potentiometer wire. What is the value of L?

- Ans X 1. 30 cm
  - ✓ 2. 40 cm
  - X 3. 50 cm
  - X 4. 60 cm

Question ID: 630680100043 Status: Marked For Review

Chosen Option: 4

Q.57 A 3.0 cm segment of a wire, centred at the origin (0, 0, 0) lies along Y-axis. It carries a current of 6.0 A in positive Y-

direction. The magnetic field due to this segment at a point (3.0 m, 0,0) is  $\left[\left(\frac{\mu_0}{4\pi}\right) = 10^{-7} \text{ Tm/A}\right]$ , and i, j and k are unit vectors along X-axis, Y-axis and Z-axis, respectively]

Ans

- $\times$  1. (1.0 × 10<sup>-9</sup> T) k
- $\times$  2. (2.0 × 10<sup>-9</sup> T) k
- $\times$  3.  $-(1.0 \times 10^{-9} \text{ T}) \text{ k}$
- $\checkmark$  4.  $-(2.0 \times 10^{-9} \text{ T}) \text{ k}$

Question ID: 630680100017 Status: Answered

**Q.58** Which of the following relations is symmetric but neither reflexive nor transitive for a set  $A = \{a, b, c\}$ ?

Ans  $\times$  1.  $R = \{(a, b), (a, c), (a, d)\}$ 

 $\times$  2. R = {(a, a), (a, b), (b, c)}

 $\checkmark$  3. R = {(a, b), (b, a) (b,c),(c,b),(a,c),(c,a)}

 $\times$  4. R = {(a, a), (b, b), (c, c)}

Question ID : 63068099932 Status : Answered

Chosen Option: 2

## Q.59 The Bohr radius is equal to:

Ans  $\times$  1. 5.29  $\times$  10<sup>-12</sup> m

 $\times$  2. 5.29 × 10<sup>-9</sup> m

 $\checkmark$  3. 5.29 × 10<sup>-11</sup> m

 $\times$  4. 5.29 × 10<sup>-10</sup> m

Question ID: 630680100004

Status: Answered

Chosen Option : 3

Q.60 Suppose every second 10<sup>16</sup> electrons come out of a body and move to another body, then the time is required to get a total charge of 3.2 C on the other body is:

Ans X 1. 20000 s

× 2. 40000 s

X 3. 4000 s

√ 4. 2000 s

Question ID: 630680100036

Status : Answered