



## साउथ ईस्टर्न कोलफील्ड्स लिमिटेड South Eastern Coalfields Limited

A Government of India Undertaking  
A Miniratna Company

Subject	Mining Sirdar T and S Grade C
---------	-------------------------------

Section : Subject knowledge

Q.1 As per Mines Rescue Rules 1985, at every rescue station, there shall be maintained a rescue brigade of not less than \_\_\_\_\_ rescue trained persons.

- Ans
- 1. 22
  - 2. 24
  - 3. 18
  - 4. 20

Question ID : 630680561853  
Option 1 ID : 6306802196394  
Option 2 ID : 6306802196393  
Option 3 ID : 6306802196396  
Option 4 ID : 6306802196395  
Status : Answered  
Chosen Option : 3

Q.2 In signaling of winding system, the code of signals 'TWO RAPS' indicates:

- Ans
- 1. start
  - 2. stop
  - 3. lower
  - 4. raise

Question ID : 630680561796  
Option 1 ID : 6306802196168  
Option 2 ID : 6306802196167  
Option 3 ID : 6306802196166  
Option 4 ID : 6306802196165  
Status : Answered  
Chosen Option : 3

Adda247

# Test Prime

**ALL EXAMS, ONE SUBSCRIPTION**



**1,00,000+**  
Mock Tests



**Personalised  
Report Card**



**Unlimited  
Re-Attempt**



**600+**  
Exam Covered



**25,000+** Previous  
Year Papers



**500%**  
Refund



**ATTEMPT FREE MOCK NOW**

Q.3 All surface structures and supports within a horizontal distance of \_\_\_\_\_ from all entrances to a mine shall be of fireproof material, as per CMR 2017.

- Ans  1. 20 m  
 2. 10 m  
 3. 15 m  
 4. 25 m

Question ID : 630680561825  
 Option 1 ID : 6306802196281  
 Option 2 ID : 6306802196283  
 Option 3 ID : 6306802196282  
 Option 4 ID : 6306802196284  
 Status : Answered  
 Chosen Option : 2

Q.4 As per CMR 2017, a competent person or persons appointed for the purpose shall, once at least every \_\_\_\_\_ days, make a thorough inspection of all machinery and plant in use.

- Ans  1. 7  
 2. 45  
 3. 15  
 4. 21

Question ID : 630680561841  
 Option 1 ID : 6306802196345  
 Option 2 ID : 6306802196348  
 Option 3 ID : 6306802196346  
 Option 4 ID : 6306802196347  
 Status : Answered  
 Chosen Option : 1

Q.5 Which of the following terminologies is NOT associated with bench geometry?

- Ans  1. Width  
 2. Berm  
 3. Face angle  
 4. Height

Question ID : 630680561821  
 Option 1 ID : 6306802196265  
 Option 2 ID : 6306802196267  
 Option 3 ID : 6306802196268  
 Option 4 ID : 6306802196266  
 Status : Answered  
 Chosen Option : 2

Q.6 As per Coal Mines Regulation 2017, it shall be the duty of the \_\_\_\_\_ to prepare a plan for the installation of powered supports and a plan for their withdrawal and transport.

- Ans
- 1. chief inspector
  - 2. director of mine safety
  - 3. owner, agent and manager
  - 4. regional inspector

Question ID : 630680561816  
Option 1 ID : 6306802196245  
Option 2 ID : 6306802196248  
Option 3 ID : 6306802196247  
Option 4 ID : 6306802196246  
Status : Answered  
Chosen Option : 3

Q.7 As per Coal Mines Regulation 2017, a statement giving the quantity of coal raised and the quantity of sand or other material stowed in every district during the preceding month shall be submitted to the \_\_\_\_\_ on or before the 10th day of every month.

- Ans
- 1. regional inspector
  - 2. chief inspector
  - 3. director of mine safety
  - 4. agent

Question ID : 630680561812  
Option 1 ID : 6306802196231  
Option 2 ID : 6306802196229  
Option 3 ID : 6306802196230  
Option 4 ID : 6306802196232  
Status : Answered  
Chosen Option : 1

Q.8 As per Coal Mines Regulation 2017, in an underground plan, railway, road, river, stream, water-course, tank, reservoir, opencast working and building shall be shown within \_\_\_\_\_ m of any part of the workings measured on the horizontal plane.

- Ans
- 1. 100
  - 2. 150
  - 3. 200
  - 4. 250

Question ID : 630680561792  
Option 1 ID : 6306802196149  
Option 2 ID : 6306802196150  
Option 3 ID : 6306802196151  
Option 4 ID : 6306802196152  
Status : Answered  
Chosen Option : 3

Q.9 Which of the following explosives shall NOT be used in any mine, as per Regulation no. 183 of CMR 2017?

- Ans
- 1. Site mixed slurry explosives
  - 2. Liquid oxygen explosive
  - 3. Ammonium nitrate fuel oil
  - 4. Nitroglycerine

Question ID : 630680561835  
Option 1 ID : 6306802196323  
Option 2 ID : 6306802196321  
Option 3 ID : 6306802196322  
Option 4 ID : 6306802196324  
Status : Answered  
Chosen Option : 2

Q.10 As per CMR 2017, 'Information on how to eliminate or control risks arising from the identified hazards associated with the products' comes under the duties and responsibilities of:

- Ans
- 1. manufacturers
  - 2. owner
  - 3. competent person
  - 4. workmen

Question ID : 630680561788  
Option 1 ID : 6306802196134  
Option 2 ID : 6306802196133  
Option 3 ID : 6306802196136  
Option 4 ID : 6306802196135  
Status : Answered  
Chosen Option : 2

Q.11 As per DGMS (Tech) Circular No 06 of 2020, the width of the virtual target area shall be equal to the width of the dumper/truck plus \_\_\_\_\_ on both sides.

- Ans
- 1. 1.0 m
  - 2. 1.5 m
  - 3. 2.0 m
  - 4. 0.5 m

Question ID : 630680561857  
Option 1 ID : 6306802196409  
Option 2 ID : 6306802196411  
Option 3 ID : 6306802196412  
Option 4 ID : 6306802196410  
Status : Answered  
Chosen Option : 1

Q.12 As per Coal Mines Regulation 2017, Effective telephone contact must be available in underground haulage roads that are farther than..... m from the mine shaft or entrance.

- Ans  1. 300 m  
 2. 200 m  
 3. 500 m  
 4. 400 m

Question ID : 630680561801  
Option 1 ID : 6306802196186  
Option 2 ID : 6306802196185  
Option 3 ID : 6306802196188  
Option 4 ID : 6306802196187  
Status : Answered  
Chosen Option : 1

Q.13 As per CMR 2017, no person shall be appointed to be a shot-firer in case of below ground mines unless he holds:

- Ans  1. a manager's certificate or an overman's certificate or a sirdar's certificate  
 2. a manager's certificate or an overman's certificate or a sirdar's certificate together with a gas-testing certificate  
 3. a manager's certificate or an overman's certificate  
 4. an overman's certificate or a sirdar's certificate together with a gas-testing certificate

Question ID : 630680561838  
Option 1 ID : 6306802196334  
Option 2 ID : 6306802196335  
Option 3 ID : 6306802196333  
Option 4 ID : 6306802196336  
Status : Answered  
Chosen Option : 2

Q.14 As per CMR 2017, a 'competent person' in relation to any work means a person who has attained the age of:

- Ans  1. 21 years  
 2. 18 years  
 3. 20 years  
 4. 25 years

Question ID : 630680561783  
Option 1 ID : 6306802196115  
Option 2 ID : 6306802196113  
Option 3 ID : 6306802196114  
Option 4 ID : 6306802196116  
Status : Answered  
Chosen Option : 3

Q.15 Explosives shall not be stored belowground in a mine except with the written approval of the \_\_\_\_\_, as per Regulation no. 184 of CMR 2017.

- Ans
- 1. manager
  - 2. chief controller of explosive
  - 3. chief inspector
  - 4. regional inspector

Question ID : 630680561836  
 Option 1 ID : 6306802196328  
 Option 2 ID : 6306802196327  
 Option 3 ID : 6306802196326  
 Option 4 ID : 6306802196325  
 Status : Answered  
 Chosen Option : 2

Q.16 As per Mines Rules 1955, when the number of persons employed in a mine exceeds 1500, the Workmen's Inspector shall be assisted by one additional Workmen's Inspector in the mining discipline for every additional \_\_\_\_\_ persons or part thereof.


- Ans
- 1. 2000
  - 2. 1500
  - 3. 1000
  - 4. 2500

Question ID : 630680561847  
 Option 1 ID : 6306802196370  
 Option 2 ID : 6306802196371  
 Option 3 ID : 6306802196372  
 Option 4 ID : 6306802196369  
 Status : Answered  
 Chosen Option : 3

Q.17 As per Coal Mines Regulation 2017, a mine plan shall be prepared with a representative factor of:

- Ans
- 1. 3000:1
  - 2. 2000:1
  - 3. 1500:1
  - 4. 2500:1

Question ID : 630680561791  
 Option 1 ID : 6306802196148  
 Option 2 ID : 6306802196146  
 Option 3 ID : 6306802196147  
 Option 4 ID : 6306802196145  
 Status : Answered  
 Chosen Option : 2



Q.18 As per Coal Mines Regulation 2017, if the duties of any winding engineman are unduly arduous, who is responsible for reducing the period of his shift in writing?

- Ans
- 1. Manager
  - 2. Assistant Manager
  - 3. Regional Inspector
  - 4. Chief Inspector

Question ID : 630680561795  
Option 1 ID : 6306802196162  
Option 2 ID : 6306802196163  
Option 3 ID : 6306802196161  
Option 4 ID : 6306802196164  
Status : Answered  
Chosen Option : 3

Q.19 Who shall conduct periodical inspection of rescue rooms, as per Mines Rescue Rules 1985?

- Ans
- 1. Rescue room attendant
  - 2. Rescue room in charge
  - 3. Instructor
  - 4. Superintendent

Question ID : 630680561854  
Option 1 ID : 6306802196400  
Option 2 ID : 6306802196398  
Option 3 ID : 6306802196397  
Option 4 ID : 6306802196399  
Status : Marked For Review  
Chosen Option : 4

Q.20 Mines Act 1952 came into force on:

- Ans
- 1. 15th March
  - 2. 31st December
  - 3. 1st July
  - 4. 5th July

Question ID : 630680561780  
Option 1 ID : 6306802196103  
Option 2 ID : 6306802196101  
Option 3 ID : 6306802196102  
Option 4 ID : 6306802196104  
Status : Answered  
Chosen Option : 3

Q.21 As per Coal Mines Regulation 2017, if the depth of seam from surface and width of the galleries does not exceed 60 m and 3.6 m, respectively, then the distance between the centres of adjacent pillars shall not be less than \_\_\_\_\_.

- Ans
- 1. 15.0 m
  - 2. 18.0 m
  - 3. 19.5 m
  - 4. 12.0 m

Question ID : 630680561809  
Option 1 ID : 6306802196219  
Option 2 ID : 6306802196218  
Option 3 ID : 6306802196217  
Option 4 ID : 6306802196220  
Status : Answered  
Chosen Option : 1

Q.22 As per CMR 2017, in mechanised opencast working, the width of the bench in coal shall not be less than the width of the widest machine plying on the bench plus \_\_\_\_\_.

- Ans
- 1. 3 m
  - 2. 4 m
  - 3. 2 m
  - 4. 1 m

Question ID : 630680561822  
Option 1 ID : 6306802196271  
Option 2 ID : 6306802196272  
Option 3 ID : 6306802196270  
Option 4 ID : 6306802196269  
Status : Answered  
Chosen Option : 3

Q.23 As per CMR 2017, if any dispute arises as to the life of any protective equipment, it shall be referred to the \_\_\_\_\_ for a decision.

- Ans
- 1. manager
  - 2. owner
  - 3. regional inspector
  - 4. chief inspector

Question ID : 630680561843  
Option 1 ID : 6306802196356  
Option 2 ID : 6306802196355  
Option 3 ID : 6306802196353  
Option 4 ID : 6306802196354  
Status : Answered  
Chosen Option : 4

Q.24 As per CMR 2017, no narrow main or advance gallery shall be driven more than \_\_\_\_\_ ahead of the widened gallery.

- Ans
- 1. 1.0 m
  - 2. 4.5 m
  - 3. 3.0 m
  - 4. 1.5 m

Question ID : 630680561842  
Option 1 ID : 6306802196352  
Option 2 ID : 6306802196349  
Option 3 ID : 6306802196350  
Option 4 ID : 6306802196351  
Status : Answered  
Chosen Option : 3

Q.25 As per Coal Mines Regulation 2017, a person shall be appointed as winding engine man if he holds a/an:

- Ans
- 1. engine driver's certificate
  - 2. overman certificate
  - 3. mining sirdar certificate
  - 4. electrician certificate

Question ID : 630680561794  
Option 1 ID : 6306802196159  
Option 2 ID : 6306802196157  
Option 3 ID : 6306802196158  
Option 4 ID : 6306802196160  
Status : Answered  
Chosen Option : 1

Q.26 As per the DGMS Circular, the minimum Factor of Safety to be considered for design of pit, bench and dump slope shall in any case not be less than \_\_\_\_\_ for a permanent or long-standing slope.

- Ans
- 1. 1.5
  - 2. 1.4
  - 3. 1.2
  - 4. 1.3

Question ID : 630680561823  
Option 1 ID : 6306802196275  
Option 2 ID : 6306802196274  
Option 3 ID : 6306802196276  
Option 4 ID : 6306802196273  
Status : Marked For Review  
Chosen Option : 1

Q.27 As per Coal Mines Regulation 2017, who is responsible for preparing an emergency response plan specific to each mine for reasonably foreseeable industrial and natural disasters?

- Ans
- 1. Agent
  - 2. Owner
  - 3. Safety Officer
  - 4. Manager

Question ID : 630680561786  
Option 1 ID : 6306802196126  
Option 2 ID : 6306802196127  
Option 3 ID : 6306802196128  
Option 4 ID : 6306802196125  
Status : Answered  
Chosen Option : 4

Q.28 As per Mines Rules 1955, an Inspector may, by order in writing, require the drinking water to be effectively cooled by mechanical or other means available, where \_\_\_\_\_ persons or more are employed, either above ground or in opencast workings, at any one time.

- Ans
- 1. 150
  - 2. 50
  - 3. 200
  - 4. 100

Question ID : 630680561850  
Option 1 ID : 6306802196383  
Option 2 ID : 6306802196381  
Option 3 ID : 6306802196384  
Option 4 ID : 6306802196382  
Status : Answered  
Chosen Option : 4

Q.29 As per Coal Mines Regulation 2017, haulage and travelling roadways shall be carefully examined at least every \_\_\_\_\_ days.

- Ans
- 1. 15
  - 2. 7
  - 3. 30
  - 4. 45

Question ID : 630680561805  
Option 1 ID : 6306802196201  
Option 2 ID : 6306802196202  
Option 3 ID : 6306802196203  
Option 4 ID : 6306802196204  
Status : Answered  
Chosen Option : 2

Q.30 Landing or platform in a shaft, and includes an excavation there from between the top and the bottom of the shaft is known as:

- Ans
- 1. pit bottom
  - 2. shaft drive
  - 3. pit top
  - 4. inset

Question ID : 630680561782  
Option 1 ID : 6306802196111  
Option 2 ID : 6306802196112  
Option 3 ID : 6306802196110  
Option 4 ID : 6306802196109  
Status : Answered  
Chosen Option : 4

Q.31 As per Coal Mines Regulation 2017, tub re-railers are used at an interval of not more than \_\_\_\_\_ in haulage roadways.

- Ans
- 1. 150 m
  - 2. 200 m
  - 3. 250 m
  - 4. 300 m

Question ID : 630680561799  
Option 1 ID : 6306802196177  
Option 2 ID : 6306802196178  
Option 3 ID : 6306802196179  
Option 4 ID : 6306802196180  
Status : Answered  
Chosen Option : 3

Q.32 As per Coal Mines Regulation 2017, a conveyor belt can be stopped from any place along the entire length of the conveyor by providing \_\_\_\_\_ switches or any other suitable system.

- Ans
- 1. pull cord
  - 2. belt sway switch
  - 3. idler
  - 4. tensioning arrangement

Question ID : 630680561803  
Option 1 ID : 6306802196194  
Option 2 ID : 6306802196196  
Option 3 ID : 6306802196193  
Option 4 ID : 6306802196195  
Status : Answered  
Chosen Option : 1

Q.33 As per CMR 2017, for first, second or third degree of gassiness, what should be the velocity of air current (in m/min) at immediate outbye ventilation connection from the face?

- Ans
- 1. 25
  - 2. 15
  - 3. 30
  - 4. 45

Question ID : 630680561832  
Option 1 ID : 6306802196310  
Option 2 ID : 6306802196309  
Option 3 ID : 6306802196311  
Option 4 ID : 6306802196312  
Status : Answered  
Chosen Option : 3

Q.34 In manual opencast working, alluvial soil, morum, gravel, clay, debris or other similar ground, the sides shall be sloped at an angle of safety not exceeding \_\_\_\_\_ from the horizontal, as per CMR 2017.

- Ans
- 1. 50°
  - 2. 45°
  - 3. 30°
  - 4. 60°

Question ID : 630680561818  
Option 1 ID : 6306802196253  
Option 2 ID : 6306802196255  
Option 3 ID : 6306802196256  
Option 4 ID : 6306802196254  
Status : Answered  
Chosen Option : 2

Q.35 Duties and responsibilities of owner come under \_\_\_\_\_ of Coal Mines Regulation 2017.

- Ans
- 1. Regulation no. 37
  - 2. Regulation no. 36
  - 3. Regulation no. 40
  - 4. Regulation no. 38

Question ID : 630680561785  
Option 1 ID : 6306802196122  
Option 2 ID : 6306802196121  
Option 3 ID : 6306802196124  
Option 4 ID : 6306802196123  
Status : Answered  
Chosen Option : 1

Q.36 As per CMR 2017, based on the identified hazards and risks, the owner, agent and manager of every mine shall prepare an auditable document called:

- Ans  1. Safety Management Plan  
 2. Standard Operating Procedure  
 3. Principal Hazard Management Plans  
 4. Mine Safety and Health Policy

Question ID : 630680561844  
 Option 1 ID : 6306802196358  
 Option 2 ID : 6306802196357  
 Option 3 ID : 6306802196360  
 Option 4 ID : 6306802196359  
 Status : Answered  
 Chosen Option : 1

Q.37 DGMS (तकनीकी) परिपत्र संख्या, 2020 का 06 के अनुसार, प्रणाली में संसूचक और एक नियंत्रण इकाई होंगे जो लगभग \_\_\_\_\_ की दूरी पर विपरीत दिशा से आने वाले वाहन को संसूचित करते ही स्वचालित रूप से हाई बीम लैप को लो बीम पर स्विच करने में सक्षम होंगे।

- Ans  1. 150 m  
 2. 100 m  
 3. 200 m  
 4. 300 m

Question ID : 630680561856  
 Option 1 ID : 6306802196407  
 Option 2 ID : 6306802196408  
 Option 3 ID : 6306802196406  
 Option 4 ID : 6306802196405  
 Status : Answered  
 Chosen Option : 1

Q.38 As per Coal Mines Regulation 2017, suitable steps or ladders shall be provided, where the inclination exceeds \_\_\_\_\_ from the horizontal.

- Ans  1. 60°  
 2. 15°  
 3. 30°  
 4. 45°

Question ID : 630680561806  
 Option 1 ID : 6306802196207  
 Option 2 ID : 6306802196208  
 Option 3 ID : 6306802196205  
 Option 4 ID : 6306802196206  
 Status : Answered  
 Chosen Option : 3

**Q.39** As per Coal Mines Regulation 2017, during the extraction of pillars, no splitting or reduction of pillars or heightening of galleries shall be affected for a distance greater than the length of \_\_\_\_\_ pillar(s).

- Ans
- 1. one
  - 2. three
  - 3. four
  - 4. two

Question ID : 630680561811  
 Option 1 ID : 6306802196227  
 Option 2 ID : 6306802196225  
 Option 3 ID : 6306802196228  
 Option 4 ID : 6306802196226  
 Status : Answered  
 Chosen Option : 4

**Q.40** As per CMR 2017, a dust plan shall be maintained at every mine having working belowground on a scale with a representative factor of not less than \_\_\_\_\_.


- Ans
- 1. 2500:1
  - 2. 2000:1
  - 3. 1000:1
  - 4. 1500:1

Question ID : 630680561828  
 Option 1 ID : 6306802196296  
 Option 2 ID : 6306802196295  
 Option 3 ID : 6306802196293  
 Option 4 ID : 6306802196294  
 Status : Answered  
 Chosen Option : 2

**Q.41** According to Mines Act 1952, 'reportable injury' means any injury that involves, or in all probability will involve, the enforced absence of the injured persons from work for a period of \_\_\_\_\_ hours or more.

- Ans
- 1. 48
  - 2. 36
  - 3. 72
  - 4. 18

Question ID : 630680561784  
 Option 1 ID : 6306802196117  
 Option 2 ID : 6306802196119  
 Option 3 ID : 6306802196118  
 Option 4 ID : 6306802196120  
 Status : Answered  
 Chosen Option : 3



Q.42 According to Mines Act 1952, every person, whether appointed as such or not, who, acting or purporting to act on behalf of the owner, takes part in the management, control, supervision or direction of the mine or of any part thereof is called:

- Ans
- 1. agent
  - 2. manager
  - 3. owner
  - 4. chief inspector

Question ID : 630680561779  
Option 1 ID : 6306802196099  
Option 2 ID : 6306802196097  
Option 3 ID : 6306802196098  
Option 4 ID : 6306802196100  
Status : Answered  
Chosen Option : 1

Q.43 A person appointed to superintend the lowering and raising of persons, tools and materials and to transmit signals at the top of a shaft or incline is called:

- Ans
- 1. overman
  - 2. banksman
  - 3. onsetter
  - 4. mining sirdar

Question ID : 630680561781  
Option 1 ID : 6306802196105  
Option 2 ID : 6306802196108  
Option 3 ID : 6306802196107  
Option 4 ID : 6306802196106  
Status : Answered  
Chosen Option : 2

Q.44 As per CMR 2017, the pillars formed in any seam or section shall normally be \_\_\_\_\_ in shape.

- Ans
- 1. trapezoidal
  - 2. rectangular
  - 3. parallelogram
  - 4. square

Question ID : 630680561810  
Option 1 ID : 6306802196224  
Option 2 ID : 6306802196222  
Option 3 ID : 6306802196221  
Option 4 ID : 6306802196223  
Status : Answered  
Chosen Option : 2

Q.45 Which information should be made available concerning their requirement for the suppliers, manufactures and designers as per CMR 2017?

- Ans
- 1. Improper storage
  - 2. Correct installation
  - 3. Improper maintenance
  - 4. Excavation

Question ID : 630680561787  
Option 1 ID : 6306802196131  
Option 2 ID : 6306802196129  
Option 3 ID : 6306802196130  
Option 4 ID : 6306802196132  
Status : Marked For Review  
Chosen Option : 2

Q.46 'List of plans, sections and instruments and their storage' is covered under \_\_\_\_\_ of CMR 2017.

- Ans
- 1. Regulation no. 67
  - 2. Regulation no. 66
  - 3. Regulation no. 65
  - 4. Regulation no. 68

Question ID : 630680561793  
Option 1 ID : 6306802196155  
Option 2 ID : 6306802196154  
Option 3 ID : 6306802196153  
Option 4 ID : 6306802196156  
Status : Answered  
Chosen Option : 4

Q.47 As per Coal Mines Regulation 2017, between the conveyor and one side of the roadway, there is a travelling space free from obstruction of not less than \_\_\_\_\_ wide.

- Ans
- 1. 1.5 m
  - 2. 1.0 m
  - 3. 0.5 m
  - 4. 2.0 m

Question ID : 630680561802  
Option 1 ID : 6306802196191  
Option 2 ID : 6306802196190  
Option 3 ID : 6306802196189  
Option 4 ID : 6306802196192  
Status : Answered  
Chosen Option : 2

Q.48 As per CMR 2017, in case of a gassy seam of the first or second degree, flame or electric welding or repairing apparatus may be used belowground; an order in writing of the \_\_\_\_\_ shall be required.

- Ans
- 1. safety officer
  - 2. regional inspector
  - 3. manager
  - 4. ventilation officer

Question ID : 630680561826  
Option 1 ID : 6306802196286  
Option 2 ID : 6306802196285  
Option 3 ID : 6306802196287  
Option 4 ID : 6306802196288  
Status : Answered  
Chosen Option : 3

Q.49 As per CMR 2017, no person other than a \_\_\_\_\_ shall carry any priming cartridge into a shaft which is in the course of being sunk.

- Ans
- 1. overman
  - 2. shot-firer
  - 3. mining sirdar
  - 4. assistant manager

Question ID : 630680561837  
Option 1 ID : 6306802196330  
Option 2 ID : 6306802196331  
Option 3 ID : 6306802196329  
Option 4 ID : 6306802196332  
Status : Answered  
Chosen Option : 2

Q.50 As per Mines Rescue Rules 1985, every rescue team engaged in work with breathing apparatus in a mine shall be under a \_\_\_\_\_ who shall be appointed by the Superintendent.

- Ans
- 1. principal official
  - 2. instructor
  - 3. leader
  - 4. manager

Question ID : 630680561855  
Option 1 ID : 6306802196402  
Option 2 ID : 6306802196404  
Option 3 ID : 6306802196403  
Option 4 ID : 6306802196401  
Status : Answered  
Chosen Option : 3

Q.51 The slope of a spoil bank shall not exceed \_\_\_\_\_ from the horizontal, as per CMR 2017.

- Ans  1. 37.5°  
 2. 60°  
 3. 38.5°  
 4. 45°

Question ID : 630680561820  
Option 1 ID : 6306802196263  
Option 2 ID : 6306802196262  
Option 3 ID : 6306802196264  
Option 4 ID : 6306802196261  
Status : Answered  
Chosen Option : 1

Q.52 No drill shall be used for drilling a shot-hole unless it allows a clearance of at least \_\_\_\_\_ over the diameter of the cartridge of explosives, as per Regulation no. 192 of CMR 2017.

- Ans  1. 0.6 cm  
 2. 0.4 cm  
 3. 0.5 cm  
 4. 0.3 cm

Question ID : 630680561839  
Option 1 ID : 6306802196337  
Option 2 ID : 6306802196339  
Option 3 ID : 6306802196338  
Option 4 ID : 6306802196340  
Status : Answered  
Chosen Option : 4

Q.53 As per Coal Mines Regulation 2017, who among the following should identify the hazards to the health and safety of the persons employed at the mine to which they may be exposed while at work?

- Ans  1. Internal safety organisation  
 2. Safety officer  
 3. Owner, agent and manager  
 4. Safety committee of the mine

Question ID : 630680561817  
Option 1 ID : 6306802196251  
Option 2 ID : 6306802196252  
Option 3 ID : 6306802196249  
Option 4 ID : 6306802196250  
Status : Answered  
Chosen Option : 2

**Q.54** As per Mines Rules 1955, at every mine employing more than \_\_\_\_\_ persons on any one day of the preceding calendar year, there shall be provided and maintained in good order a suitable first-aid room.

- Ans
- 1. 100
  - 2. 200
  - 3. 250
  - 4. 150

Question ID : 630680561845  
 Option 1 ID : 6306802196364  
 Option 2 ID : 6306802196362  
 Option 3 ID : 6306802196361  
 Option 4 ID : 6306802196363  
 Status : Answered  
 Chosen Option : 4

**Q.55** As per CMR 2017, a competent person shall, once at least every \_\_\_\_\_ days, examine every airway, air crossing, ventilation stopping and door in use.


- Ans
- 1. 15
  - 2. 7
  - 3. 14
  - 4. 21

Question ID : 630680561831  
 Option 1 ID : 6306802196307  
 Option 2 ID : 6306802196305  
 Option 3 ID : 6306802196306  
 Option 4 ID : 6306802196308  
 Status : Marked For Review  
 Chosen Option : 3

**Q.56** As per CMR 2017, a relieving hole shall be so placed and drilled in such a direction that at no point shall it be nearer than \_\_\_\_\_ from the misfired hole.

- Ans
- 1. 15 cm
  - 2. 20 cm
  - 3. 30 cm
  - 4. 50 cm

Question ID : 630680561840  
 Option 1 ID : 6306802196344  
 Option 2 ID : 6306802196343  
 Option 3 ID : 6306802196342  
 Option 4 ID : 6306802196341  
 Status : Answered  
 Chosen Option : 3



**Q.57** As per CMR 2017, the owner, agent or manager shall at least once in every \_\_\_\_\_ days examine the rate of emission of inflammable gas in cubic meters per ton of coal raised and the percentage of inflammable gas in the general body of air.

- Ans
- 1. 90
  - 2. 30
  - 3. 45
  - 4. 60

Question ID : 630680561824  
 Option 1 ID : 6306802196277  
 Option 2 ID : 6306802196280  
 Option 3 ID : 6306802196279  
 Option 4 ID : 6306802196278  
 Status : Answered  
 Chosen Option : 2

**Q.58** As per CMR 2017, in order to detect spontaneous heating in early stages, the air in the return airway of every depillaring district shall be tested for percentage of CO once at least every \_\_\_\_\_ days.


- Ans
- 1. 14
  - 2. 7
  - 3. 21
  - 4. 15

Question ID : 630680561827  
 Option 1 ID : 6306802196291  
 Option 2 ID : 6306802196292  
 Option 3 ID : 6306802196289  
 Option 4 ID : 6306802196290  
 Status : Answered  
 Chosen Option : 2

**Q.59** As per Coal Mines Regulation 2017, the submission of code of practice must be done to the Regional Inspector for safe installation of a belt conveyor belowground at least \_\_\_\_\_ days before the commencement of installation.

- Ans
- 1. 30
  - 2. 15
  - 3. 25
  - 4. 20

Question ID : 630680561804  
 Option 1 ID : 6306802196197  
 Option 2 ID : 6306802196200  
 Option 3 ID : 6306802196198  
 Option 4 ID : 6306802196199  
 Status : Marked For Review  
 Chosen Option : 1



**Q.60** As per Mines Act 1952, 'committee' means:

- Ans  1. a group of people who come together to work on a project  
 2. a committee constituted under Section 12 of the Act  
 3. a committee constituted under Section 14 of the Act  
 4. a committee constituted under Section 13 of the Act

Question ID : 630680561778  
 Option 1 ID : 6306802196094  
 Option 2 ID : 6306802196093  
 Option 3 ID : 6306802196096  
 Option 4 ID : 6306802196095  
 Status : Answered  
 Chosen Option : 2

**Q.61** 'Act' means the Mines Act, \_\_\_\_\_.

- Ans  1. 1952  
 2. 1985  
 3. 1955  
 4. 1953

Question ID : 630680561852  
 Option 1 ID : 6306802196390  
 Option 2 ID : 6306802196391  
 Option 3 ID : 6306802196392  
 Option 4 ID : 6306802196389  
 Status : Answered  
 Chosen Option : 1

**Q.62** As per CMR 2017, at every shaft or incline ordinarily used for lowering or raising of persons or materials where a mechanical ventilator is installed, there shall be provided a properly constructed \_\_\_\_\_.

- Ans  1. air lock  
 2. air crossing  
 3. regulator  
 4. door

Question ID : 630680561830  
 Option 1 ID : 6306802196303  
 Option 2 ID : 6306802196304  
 Option 3 ID : 6306802196302  
 Option 4 ID : 6306802196301  
 Status : Answered  
 Chosen Option : 1

**Q.63** As per Mines Rules 1955, the quantity of drinking water to be provided in a mine or any part thereof shall be on a scale of at least \_\_\_\_\_ litres for every person employed.

- Ans  1. 2.5  
 2. 2.0  
 3. 1.5  
 4. 3.0

Question ID : 630680561849  
 Option 1 ID : 6306802196378  
 Option 2 ID : 6306802196379  
 Option 3 ID : 6306802196380  
 Option 4 ID : 6306802196377  
 Status : Answered  
 Chosen Option : 2

Q.64 As per Coal Mines Regulation 2017, persons shall be allowed to ride in the same cage or same deck of a cage or other means of conveyance at one time providing approximately \_\_\_\_\_ of floor area per person.

- Ans
- 1. 0.25 m<sup>2</sup>
  - 2. 0.30 m<sup>2</sup>
  - 3. 0.20 m<sup>2</sup>
  - 4. 0.15 m<sup>2</sup>

Question ID : 630680561797  
Option 1 ID : 6306802196171  
Option 2 ID : 6306802196170  
Option 3 ID : 6306802196169  
Option 4 ID : 6306802196172  
Status : Answered  
Chosen Option : 3

Q.65 Controlled roof caving is done at longwall face with the help of:

- Ans
- 1. shearer
  - 2. armoured face conveyor
  - 3. beam stage loader
  - 4. powered support

Question ID : 630680561815  
Option 1 ID : 6306802196244  
Option 2 ID : 6306802196242  
Option 3 ID : 6306802196243  
Option 4 ID : 6306802196241  
Status : Answered  
Chosen Option : 4

Q.66 As per Coal Mines Regulation 2017, at the top of every inclined plane, \_\_\_\_\_ is used to arrest tubs from running or moving out of control.

- Ans
- 1. back stay
  - 2. stop block
  - 3. buffer
  - 4. drop warrick

Question ID : 630680561798  
Option 1 ID : 6306802196173  
Option 2 ID : 6306802196174  
Option 3 ID : 6306802196176  
Option 4 ID : 6306802196175  
Status : Answered  
Chosen Option : 2

**Q.67** At every place in the mine where persons are required to work or pass, the air must not contain less than \_\_\_\_\_ of oxygen, as per Regulation no. 153 of CMR 2017.

- Ans
- 1. 17%
  - 2. 15%
  - 3. 21%
  - 4. 19%

Question ID : 630680561829  
 Option 1 ID : 6306802196298  
 Option 2 ID : 6306802196297  
 Option 3 ID : 6306802196299  
 Option 4 ID : 6306802196300  
 Status : Answered  
 Chosen Option : 4

**Q.68** As per CMR 2017, 'safety lamps to be used in belowground mines' come under \_\_\_\_\_.

- Ans
- 1. Regulation no. 168
  - 2. Regulation no. 166
  - 3. Regulation no. 169
  - 4. Regulation no. 165

Question ID : 630680561834  
 Option 1 ID : 6306802196319  
 Option 2 ID : 6306802196318  
 Option 3 ID : 6306802196320  
 Option 4 ID : 6306802196317  
 Status : Answered  
 Chosen Option : 4

**Q.69** 'Fencings and Gates' is covered under \_\_\_\_\_ of CMR 2017.

- Ans
- 1. Regulation no. 103
  - 2. Regulation no. 105
  - 3. Regulation no. 104
  - 4. Regulation no. 106

Question ID : 630680561800  
 Option 1 ID : 6306802196181  
 Option 2 ID : 6306802196183  
 Option 3 ID : 6306802196182  
 Option 4 ID : 6306802196184  
 Status : Answered  
 Chosen Option : 1

**Q.70** As per CMR 2017, the inflammable gas shall be deemed to have been found by a methane detector to be \_\_\_\_\_ or more in case of a mine with degree two seams.

- Ans
- 1. 0.5%
  - 2. 1.0%
  - 3. 2.0%
  - 4. 1.5%

Question ID : 630680561833  
 Option 1 ID : 6306802196316  
 Option 2 ID : 6306802196315  
 Option 3 ID : 6306802196313  
 Option 4 ID : 6306802196314  
 Status : Answered  
 Chosen Option : 1

Q.71 As per Coal Mines Regulation 2017, the owner, agent and manager shall provide suitable man-riding arrangement, if the travelling distance from the incline or adit mouth or pit bottom exceeds \_\_\_\_\_.

- Ans
- 1. 1.2 km
  - 2. 1.4 km
  - 3. 1.0 km
  - 4. 1.5 km

Question ID : 630680561807  
Option 1 ID : 6306802196210  
Option 2 ID : 6306802196211  
Option 3 ID : 6306802196209  
Option 4 ID : 6306802196212  
Status : Answered  
Chosen Option : 3

Q.72 'Duties and responsibilities of competent person' comes under Regulation Number \_\_\_\_\_ of the Coal Mines Regulation 2017.

- Ans
- 1. 43
  - 2. 40
  - 3. 41
  - 4. 42

Question ID : 630680561789  
Option 1 ID : 6306802196140  
Option 2 ID : 6306802196137  
Option 3 ID : 6306802196138  
Option 4 ID : 6306802196139  
Status : Answered  
Chosen Option : 3

Q.73 In manual opencast coal working, the sides shall be kept benched and the height of any bench shall not exceed \_\_\_\_\_, as per CMR 2017.

- Ans
- 1. 1.5 m
  - 2. 4.5 m
  - 3. 3.0 m
  - 4. 6.0 m

Question ID : 630680561819  
Option 1 ID : 6306802196257  
Option 2 ID : 6306802196259  
Option 3 ID : 6306802196258  
Option 4 ID : 6306802196260  
Status : Answered  
Chosen Option : 3

Q.74 As per Mines Rules 1955, in every opencast working, one first-aid station must be provided for every \_\_\_\_\_ persons or part thereof, employed at any one time.

- Ans
- 1. 60
  - 2. 30
  - 3. 50
  - 4. 25

Question ID : 630680561846  
Option 1 ID : 6306802196368  
Option 2 ID : 6306802196366  
Option 3 ID : 6306802196367  
Option 4 ID : 6306802196365  
Status : Answered  
Chosen Option : 3

Q.75 As per Coal Mines Regulation 2017, every official shall carry out the duties assigned to him by the \_\_\_\_\_ in accordance with the provisions of the Act.

- Ans
- 1. owner
  - 2. safety officer
  - 3. agent
  - 4. manager

Question ID : 630680561790  
Option 1 ID : 6306802196143  
Option 2 ID : 6306802196144  
Option 3 ID : 6306802196142  
Option 4 ID : 6306802196141  
Status : Answered  
Chosen Option : 4

Q.76 As per CMR 2017, before introducing any machinery, the manager of every mine shall frame and enforce the 'Code of Practice' and the same shall be submitted to the \_\_\_\_\_, who may at any time, by an order in writing, require such modifications in the codes as he may specify therein.

- Ans
- 1. chief inspector
  - 2. regional inspector
  - 3. owner
  - 4. director of mine safety

Question ID : 630680561851  
Option 1 ID : 6306802196386  
Option 2 ID : 6306802196385  
Option 3 ID : 6306802196388  
Option 4 ID : 6306802196387  
Status : Answered  
Chosen Option : 2

Q.77 The machinery that is used to receive coal from the shearer at longwall face during transportation is known as:

- Ans
- 1. coal carrying tubs
  - 2. armoured face conveyor
  - 3. face belt conveyor
  - 4. beam stage loader

Question ID : 630680561814  
 Option 1 ID : 6306802196240  
 Option 2 ID : 6306802196239  
 Option 3 ID : 6306802196237  
 Option 4 ID : 6306802196238  
 Status : Answered  
 Chosen Option : 2

Q.78 As per Mines Rules 1955, who shall be the chairman of the safety committee?

- Ans
- 1. Safety officer
  - 2. Assistant manager
  - 3. Agent
  - 4. Manager

Question ID : 630680561848  
 Option 1 ID : 6306802196375  
 Option 2 ID : 6306802196373  
 Option 3 ID : 6306802196376  
 Option 4 ID : 6306802196374  
 Status : Answered  
 Chosen Option : 4

Q.79 As per Coal Mines Regulation 2017, Longwall Mining method is carried out by how many gate roadways during the development stage?

- Ans
- 1. Three
  - 2. Two
  - 3. One
  - 4. Four

Question ID : 630680561813  
 Option 1 ID : 6306802196233  
 Option 2 ID : 6306802196234  
 Option 3 ID : 6306802196235  
 Option 4 ID : 6306802196236  
 Status : Answered  
 Chosen Option : 2

Q.80 As per CMR 2017, no gallery in a seam or section shall exceed \_\_\_\_\_ in height.

- Ans
- 1. 4.8 m
  - 2. 2.5 m
  - 3. 3.0 m
  - 4. 3.5 m

Question ID : 630680561808  
 Option 1 ID : 6306802196216  
 Option 2 ID : 6306802196213  
 Option 3 ID : 6306802196214  
 Option 4 ID : 6306802196215  
 Status : Answered  
 Chosen Option : 3

## Section : Knowledge regarding CIL or SECL or State

Q.1 As of 2023, who was appointed as the current Chairman-cum-Managing Director of Coal India Limited (CIL)?

- Ans
- 1. PM Prasad
  - 2. P Mohan
  - 3. Dr Debjit Paul
  - 4. Brajesh Kumar Tripathy

Question ID : 630680561860  
Option 1 ID : 6306802196422  
Option 2 ID : 6306802196424  
Option 3 ID : 6306802196423  
Option 4 ID : 6306802196421  
Status : Answered  
Chosen Option : 1

Q.2 At what depths are the coal deposits located in the Central India Coalfield (CIC)?

- Ans
- 1. 1000 – 1800 metres
  - 2. 500 – 1800 metres
  - 3. 0 – 500 metres
  - 4. 0 – 1200 metres

Question ID : 630680561863  
Option 1 ID : 6306802196436  
Option 2 ID : 6306802196434  
Option 3 ID : 6306802196433  
Option 4 ID : 6306802196435  
Status : Marked For Review  
Chosen Option : 4

Q.3 Between April 2023 and September 2023, which company has seen a dip of 39.2% in growth of coal production (MT)?

- Ans
- 1. ECL
  - 2. NEC
  - 3. CCL
  - 4. WCL

Question ID : 630680561861  
Option 1 ID : 6306802196425  
Option 2 ID : 6306802196428  
Option 3 ID : 6306802196426  
Option 4 ID : 6306802196427  
Status : Marked For Review  
Chosen Option : 1

Q.4 SECL has won the 'first prize' in corporate award for excellent work in \_\_\_\_\_, which was received on the 48th Coal India Foundation Day held on 1 November 2022, in Kolkata.

- Ans
- 1. Quality Awareness
  - 2. Environment Management
  - 3. HR Organisation
  - 4. CSR

Question ID : 630680561862  
Option 1 ID : 6306802196432  
Option 2 ID : 6306802196430  
Option 3 ID : 6306802196431  
Option 4 ID : 6306802196429  
Status : Marked For Review  
Chosen Option : 2

Q.5 As of 1 April 2022, what are the proved coal reserves in Madhya Pradesh (MP) state?

- Ans
- 1. 1,821.05 MT
  - 2. 32,053.03 MT
  - 3. 2,779.61 MT
  - 4. 40,701.35 MT

Question ID : 630680561867  
Option 1 ID : 6306802196452  
Option 2 ID : 6306802196450  
Option 3 ID : 6306802196451  
Option 4 ID : 6306802196449  
Status : Marked For Review  
Chosen Option : 4

Q.6 Which of the following are fully owned subsidiary companies of Coal India Limited?

- A. Eastern Coalfields Limited (ECL)
- B. Hindustan Urvarak and Rasayan Limited
- C. Mahanadi Coalfields Limited (MCL)
- D. Coal Lignite Urja Vikas Private Limited

- Ans
- 1. A and C
  - 2. Only B
  - 3. B and D
  - 4. Only C

Question ID : 630680561858  
Option 1 ID : 6306802196415  
Option 2 ID : 6306802196413  
Option 3 ID : 6306802196416  
Option 4 ID : 6306802196414  
Status : Marked For Review  
Chosen Option : 3

Q.7 The coal deposits of SECL in Chhattisgarh are spread over the districts including:

- A. Surguja
- B. Shahdol
- C. Balrampur
- D. Anuppur

Ans  1. Only B  
 2. A and C  
 3. B and D  
 4. Only D

Question ID : 630680561866  
Option 1 ID : 6306802196445  
Option 2 ID : 6306802196446  
Option 3 ID : 6306802196448  
Option 4 ID : 6306802196447  
Status : Marked For Review  
Chosen Option : 2

Q.8 What is the Mission of Coal India Limited?

Ans  1. To produce and market the planned quantity of coal and coal products efficiently and economically in an eco-friendly manner with due regard to safety, conservation, and quality.  
 2. To limit the import of coal from other countries into India and maintain market position.  
 3. To maintain market share of coal as the primary producer of energy in India.  
 4. To produce and market the planned quantity of coal by-products efficiently and economically and deliver them to the market ahead of schedule.

Question ID : 630680561859  
Option 1 ID : 6306802196417  
Option 2 ID : 6306802196420  
Option 3 ID : 6306802196418  
Option 4 ID : 6306802196419  
Status : Marked For Review  
Chosen Option : 1

Q.9 What was the production of coal and offtake, respectively, for South Eastern Coalfields Limited (SECL), between April 2023 and August 2023?

Ans  1. 66.6 MT, 73.2 MT  
 2. 281.5 MT, 305.5 MT  
 3. 74.6 MT, 79.5 MT  
 4. 104.6 MT, 121.5 MT

Question ID : 630680561865  
Option 1 ID : 6306802196441  
Option 2 ID : 6306802196444  
Option 3 ID : 6306802196442  
Option 4 ID : 6306802196443  
Status : Marked For Review  
Chosen Option : 3

Q.10 To avoid arduous travelling and hence to enhance efficiency and effective working hours in the underground method of mining, \_\_\_\_\_ has been installed in 14 underground mines of SECL.

- Ans
- 1. man-riding system
  - 2. dragline mining
  - 3. surface mining
  - 4. shovel-dumper mining

Question ID : 630680561864  
Option 1 ID : 6306802196440  
Option 2 ID : 6306802196438  
Option 3 ID : 6306802196439  
Option 4 ID : 6306802196437  
Status : Answered  
Chosen Option : 1

Section : General Awareness

Q.1 Which of the following states received the Raja Bhalendra (Bhalindra) Singh Trophy at the 37<sup>th</sup> National Games held in Goa in October-November 2023?

- Ans
- 1. Kerala
  - 2. Maharashtra
  - 3. Madhya Pradesh
  - 4. Haryana

Question ID : 630680561868  
Option 1 ID : 6306802196456  
Option 2 ID : 6306802196455  
Option 3 ID : 6306802196454  
Option 4 ID : 6306802196453  
Status : Marked For Review  
Chosen Option : 1

Q.2 Bal Gangadhar Tilak edited 'Kesari', a newspaper published in \_\_\_\_\_.

- Ans
- 1. Hindi
  - 2. Konkani
  - 3. Gujarati
  - 4. Marathi

Question ID : 630680561871  
Option 1 ID : 6306802196466  
Option 2 ID : 6306802196468  
Option 3 ID : 6306802196467  
Option 4 ID : 6306802196465  
Status : Marked For Review  
Chosen Option : 4

Q.3 In November 2023, Rear Admiral \_\_\_\_\_ took over as Flag Officer Commanding Western Fleet of the Indian Navy, from Rear Admiral Vineet McCarty, at a parade held in Mumbai.

- Ans
- 1. Rajesh Dhankhar
  - 2. Sandeep Mehta
  - 3. CR Praveen Nair
  - 4. Ravnish Seth

Question ID : 630680561869  
 Option 1 ID : 6306802196457  
 Option 2 ID : 6306802196459  
 Option 3 ID : 6306802196460  
 Option 4 ID : 6306802196458  
 Status : Marked For Review  
 Chosen Option : 3

Q.4 Which of the following tiger reserves is located in Assam?

- Ans
- 1. Similipal Tiger Reserve
  - 2. Amrabad Tiger Reserve
  - 3. Manas National Park and Tiger Reserve
  - 4. Melghat Tiger Reserve

Question ID : 630680561873  
 Option 1 ID : 6306802196475  
 Option 2 ID : 6306802196476  
 Option 3 ID : 6306802196473  
 Option 4 ID : 6306802196474  
 Status : Marked For Review  
 Chosen Option : 3

Q.5 भारत के संविधान (31 अक्टूबर 2023 तक की स्थिति के अनुसार) के अनुसार निम्नलिखित में से कौन-सा कथन गलत है?

- Ans
- 1. भारत में सरकार, कुल दो भिन्न स्तरों पर कार्य करती है।
  - 2. संविधान 18 वर्ष से अधिक आयु के सभी नागरिकों के लिए सार्वभौमिक वयस्क मताधिकार की गारंटी देता है।
  - 3. भारत में सरकार के तीन अंग हैं।
  - 4. राज्य द्वारा धर्म में हस्तक्षेप संविधान में निर्धारित आदर्शों पर आधारित होना चाहिए।

Question ID : 630680561875  
 Option 1 ID : 6306802196481  
 Option 2 ID : 6306802196482  
 Option 3 ID : 6306802196483  
 Option 4 ID : 6306802196484  
 Status : Marked For Review  
 Chosen Option : 4

Q.6 The Government of India declared \_\_\_\_\_ as a 'Classical Language' in the year 2014.

- Ans
- 1. Kannada
  - 2. Malyalam
  - 3. Odia
  - 4. Telegu

Question ID : 630680561872  
 Option 1 ID : 6306802196471  
 Option 2 ID : 6306802196469  
 Option 3 ID : 6306802196470  
 Option 4 ID : 6306802196472  
 Status : Marked For Review  
 Chosen Option : 1

Q.7 Food items that turn \_\_\_\_\_ in colour on adding dilute iodine solution are said to contain starch.

- Ans
- 1. greenish brown
  - 2. reddish pink
  - 3. yellow-orange
  - 4. blue-black

Question ID : 630680561877  
 Option 1 ID : 6306802196491  
 Option 2 ID : 6306802196492  
 Option 3 ID : 6306802196490  
 Option 4 ID : 6306802196489  
 Status : Marked For Review  
 Chosen Option : 1

Q.8 निम्नलिखित में से कौन-सा कथन भारत की 2011 की जनगणना के संबंध में सही है?

- Ans
- 1. भारत का जनसंख्या घनत्व 382 व्यक्ति प्रति km<sup>2</sup> है।
  - 2. भारत के ग्रामीण क्षेत्रों में 933.5 मिलियन व्यक्ति रहते हैं।
  - 3. 2001 से 2011 के बीच भारत की जनसंख्या 21.5 प्रतिशत बढ़ी।
  - 4. भारत के शहरी क्षेत्रों में 277.1 मिलियन व्यक्ति रहते हैं।

Question ID : 630680561874  
 Option 1 ID : 6306802196480  
 Option 2 ID : 6306802196479  
 Option 3 ID : 6306802196477  
 Option 4 ID : 6306802196478  
 Status : Marked For Review  
 Chosen Option : 3

Q.9 \_\_\_\_\_ of the Bharatiya Nyaya Sanhita Bill 2023 deals with offences against women and children.

- Ans
- 1. Chapter V
  - 2. Chapter VI
  - 3. Chapter IV
  - 4. Chapter VII

Question ID : 630680561870  
 Option 1 ID : 6306802196462  
 Option 2 ID : 6306802196463  
 Option 3 ID : 6306802196461  
 Option 4 ID : 6306802196464  
 Status : Marked For Review  
 Chosen Option : 4

Q.10 According to \_\_\_\_\_ of the Constitution of India, the Vice-President acts as President or discharges his functions during casual vacancies in the office, or during the absence of the President.

- Ans
- 1. Article 67
  - 2. Article 64
  - 3. Article 65
  - 4. Article 66

Question ID : 630680561876

Option 1 ID : 6306802196485

Option 2 ID : 6306802196488

Option 3 ID : 6306802196487

Option 4 ID : 6306802196486

Status : Marked For Review

Chosen Option : 3

