

BSTET (Class 11-12)

**Previous Year Paper
(Math)**

02 Nov, 2025 Shift 2



ALL EXAMS, **ONE** SUBSCRIPTION



Test. Analyze. Improve. Repeat.



**Don't just
prepare.
Perform.**

Test Prime – built only
for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year
Papers



800+
Exam
Covered



500%
Refund on
Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Top Alerts
Stay Updated

WHY TEST PRIME?

- ✓ Multilingual
- ✓ Detailed Solution
- ✓ Strong and Weak Areas
- ✓ All India Rankings



Safe & Reliable



Trusted by
Lakhs of Aspirants



Your Success,
Our Mission



**DOWNLOAD
TEST PRIME**

Your Success Partner!



Test

Prime



SUCCESS GALLERY!

MEET THE ACHIEVERS



Shreya, SBI PO



Sahil, SBI PO



Srijita, SBI PO



Vikram, IBPS PO



Neeti, IBPS PO



Arya, IBPS PO



Hasan, SSC CGL



Palak, SSC CGL



Priti, UP TGT



Aniket, Bihar Stet



Shaurya, NTPC



Sarita, CTET



Gourav, NTPC



Sanni, NTPC



Abhishek, CTET



Sapna, IBPS Clerk

THEY DID IT. YOU CAN TOO

READ THEIR STORIES!





बिहार विद्यालय परीक्षा समिति BIHAR SCHOOL EXAMINATION BOARD

Exam Name	STET Exam 2025
Paper	Paper II
Roll No	
Participant Name	
Test Center Name	
Test Date	02/11/2025
Test Time	2:00 PM - 4:30 PM

Section : Part I Math(213)

Q.1 In a transportation problem with 4 supply points and 5 demand points, the number of constraints required in its formulation is

- Ans ☒ A. 0
☒ B. 1
☒ C. 9
☒ D. 20

Question Type : MCQ
 Question ID : 4335765495
 Option 1 ID : 43357621977
 Option 2 ID : 43357621978
 Option 3 ID : 43357621979
 Option 4 ID : 43357621980
 Status : Answered
 Chosen Option : D

Q.2 A function f is defined on $[0,1]$ by

$$f(x) = 2rx, \frac{1}{r+1} < x < \frac{1}{r}, r = 1, 2, 3, \dots$$
 Then

R-integral of f over $[0,1]$ is equal to

- Ans ☒ A. $\pi/6$
☒ B. $\pi/4$
☒ C. $\frac{\pi^2}{4}$
☒ D. $\frac{\pi^2}{6}$

Question Type : MCQ
 Question ID : 4335765502
 Option 1 ID : 43357622005
 Option 2 ID : 43357622006
 Option 3 ID : 43357622007
 Option 4 ID : 43357622008
 Status : Answered
 Chosen Option : B

Q.3 In the simplex method if in pivot column all the entries are negative or zero when choosing leaving variables, then the solution is

- Ans ☒ A. Degenerate
☒ B. Infeasible
☒ C. Unbounded
☒ D. optima

Question Type : MCQ
 Question ID : 4335765547
 Option 1 ID : 43357622185
 Option 2 ID : 43357622186
 Option 3 ID : 43357622187
 Option 4 ID : 43357622188
 Status : Answered
 Chosen Option : B

Q.4 Which of the following is NOT a valid method to solve a non-homogeneous differential equation?

- Ans ☒ A. Method of undetermined coefficients
☒ B. Variation of parameters
☒ C. Separation of variables
☒ D. Superposition principle

Question Type : MCQ
 Question ID : 4335765670
 Option 1 ID : 43357622677
 Option 2 ID : 43357622678
 Option 3 ID : 43357622679
 Option 4 ID : 43357622680
 Status : Answered
 Chosen Option : D

Q.5 The value of $\int_C \frac{z^2-4}{z(z^2+9)}$, where C is the circle $|z| = 1$ is

- Ans ☒ A. $\frac{-2\pi i}{9}$
☒ B. $\frac{-4\pi i}{9}$
☒ C. $\frac{-8\pi i}{9}$
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765601
 Option 1 ID : 43357622401
 Option 2 ID : 43357622402
 Option 3 ID : 43357622403
 Option 4 ID : 43357622404
 Status : Answered
 Chosen Option : C

Q.6 The feasible region of LPP is always a

- Ans ☒ A. Convex Polyhedron
- ☐ B. Polytope
- ☐ C. Hyperplane
- ☐ D. none of these

Question Type : MCQ
 Question ID : 4335765623
 Option 1 ID : 43357622489
 Option 2 ID : 43357622490
 Option 3 ID : 43357622491
 Option 4 ID : 43357622492
 Status : Answered
 Chosen Option : C

Q.7 Let A and B be two connected subsets of a metric space (X, d). Then $A \cup B$ is connected if

- Ans ☐ A. Either $A = \phi$ or $B = \phi$
- ☐ B. $A \neq \phi$ but $B = \phi$
- ☐ C. $A = \phi$ but $B \neq \phi$
- ☒ D. $A \cap B \neq \phi$

Question Type : MCQ
 Question ID : 4335765537
 Option 1 ID : 43357622145
 Option 2 ID : 43357622146
 Option 3 ID : 43357622147
 Option 4 ID : 43357622148
 Status : Answered
 Chosen Option : D

Q.8

The imaginary part of $\cot^{-1}\left(\frac{3-2i}{3+2i}\right)$ is?

- Ans ☐ A. $\log 5$
- ☒ B. $\log \sqrt{5}$
- ☐ C. $\log 7$
- ☐ D. $\log \sqrt{7}$

Question Type : MCQ
 Question ID : 4335765558
 Option 1 ID : 43357622229
 Option 2 ID : 43357622230
 Option 3 ID : 43357622231
 Option 4 ID : 43357622232
 Status : Answered
 Chosen Option : D

Q.9

If $n^7 - n$ is divided by 42, the remainder is..

- Ans ☒ A. 1
☒ B. 2
☒ C. 3
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765562
 Option 1 ID : 43357622245
 Option 2 ID : 43357622246
 Option 3 ID : 43357622247
 Option 4 ID : 43357622248
 Status : Answered
 Chosen Option : D

Q.10 The number of sylow subgroup(s) of order 3 of a given group of order 15 is

- Ans ☒ A. 5
☒ B. 3
☒ C. 1
☒ D. 0

Question Type : MCQ
 Question ID : 4335765515
 Option 1 ID : 43357622057
 Option 2 ID : 43357622058
 Option 3 ID : 43357622059
 Option 4 ID : 43357622060
 Status : Answered
 Chosen Option : A

Q.11

The characteristic polynomial of the matrix $A = \begin{bmatrix} 2 & -1 & 1 \\ -1 & 2 & -1 \\ 1 & -1 & 2 \end{bmatrix}$ is

- Ans ☒ A. $-\lambda^3 - 6\lambda^2 + 9\lambda - 4$
☒ B. $\lambda^3 + 6\lambda^2 + 9\lambda - 4$
☒ C. $\lambda^3 + 6\lambda^2 + 9\lambda + 4$
☒ D. $-\lambda^3 + 6\lambda^2 - 9\lambda + 4$

Question Type : MCQ
 Question ID : 4335765592
 Option 1 ID : 43357622365
 Option 2 ID : 43357622366
 Option 3 ID : 43357622367
 Option 4 ID : 43357622368
 Status : Answered
 Chosen Option : D

Q.12 The differential equation determining pressure P at a point of a fluid of density P is

- Ans ☒ A. $dp=P(Xdx+Ydy+Zdz)$
☒ B. $dp=P(Xdx-Ydy+Zdz)$
☒ C. $dp=P(Xdx+Ydy-Zdz)$
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765627
 Option 1 ID : 43357622505
 Option 2 ID : 43357622506
 Option 3 ID : 43357622507
 Option 4 ID : 43357622508
 Status : Answered
 Chosen Option : A

Q.13 The value of the integral $\int_0^2 \frac{1}{1+x} dx$ when evaluated with Trapezoidal rule with four intervals is

- Ans ☒ A. 3.00
☒ B. 0
☒ C. 1.115
☒ D. 2.1150000000000002

Question Type : MCQ
 Question ID : 4335765545
 Option 1 ID : 43357622177
 Option 2 ID : 43357622178
 Option 3 ID : 43357622179
 Option 4 ID : 43357622180
 Status : Answered
 Chosen Option : B

Q.14 The directional derivative of $f(x, y, z) = 5x^2 - 2xy + y^2 - 4yz + z^2 + 3xz$ in the direction of $\vec{v} = -\hat{i} + 2\hat{j} + 2\hat{k}$ at $(1, -2, 3)$ is

- Ans ☒ A. 25/3
☒ B. 8/3
☒ C. (-21)/3
☒ D. (-25)/3

Question Type : MCQ
 Question ID : 4335765524
 Option 1 ID : 43357622093
 Option 2 ID : 43357622094
 Option 3 ID : 43357622095
 Option 4 ID : 43357622096
 Status : Answered
 Chosen Option : D

Q.15 Let C be the set of complex numbers and R . The set of real numbers. The map $f: C \rightarrow R$ defined by $f(z) = |z|^2$ is

- Ans
- ☒ A. one-one
 - ☒ B. Onto
 - ☒ C. Bijective
 - ☒ D. neither one-one nor onto.

Question Type : MCQ
Question ID : 4335765646
Option 1 ID : 43357622581
Option 2 ID : 43357622582
Option 3 ID : 43357622583
Option 4 ID : 43357622584
Status : Answered
Chosen Option : D

Q.16 The shortest distance between the straight lines given by $ax + z + d = 0 = ax + y + z + d'$ and the axis of z is?

- Ans
- ☒ A. $\left| \frac{d-d'}{\sqrt{1+a^2}} \right|$
 - ☒ B. 0
 - ☒ C. $|d - d'|$
 - ☒ D. $\left| \frac{d-d'}{a} \right|$

Question Type : MCQ
Question ID : 4335765568
Option 1 ID : 43357622269
Option 2 ID : 43357622270
Option 3 ID : 43357622271
Option 4 ID : 43357622272
Status : Answered
Chosen Option : A

Q.17 Let α, β ($\alpha > \beta$) be the roots of the quadratic equation

$$x^2 - x - 4 = 0. \text{ If } U_n = \alpha^n - \beta^n, n \in \mathbb{N}, \text{ then}$$

$$\frac{U_{2024}U_{2025} - U_{2023}U_{2025} - U_{2024}^2 + U_{2023}U_{2024}}{U_{2022} \cdot U_{2023}} \text{ is equal to}$$

- Ans
- ☒ A. 4
 - ☒ B. 8
 - ☒ C. 12
 - ☒ D. 16

Question Type : MCQ
 Question ID : 4335765488
 Option 1 ID : 43357621949
 Option 2 ID : 43357621950
 Option 3 ID : 43357621951
 Option 4 ID : 43357621952
 Status : Answered
 Chosen Option : D

Q.18 Gauss theorem uses the operation

- Ans
- ☒ A. Gradient
 - ☒ B. Divergence
 - ☒ C. Curl
 - ☒ D. Laplacian

Question Type : MCQ
 Question ID : 4335765657
 Option 1 ID : 43357622625
 Option 2 ID : 43357622626
 Option 3 ID : 43357622627
 Option 4 ID : 43357622628
 Status : Answered
 Chosen Option : A

Q.19 Let (X, d) be a metric space. Then X is disconnected if

- Ans
- ☒ A. There exists a continuous function on discrete two space
 - ☒ B. There exists a continuous function on indiscrete two space
 - ☒ C. There does not exist a continuous function on discrete two space
 - ☒ D. None of these

Question Type : MCQ
 Question ID : 4335765534
 Option 1 ID : 43357622133
 Option 2 ID : 43357622134
 Option 3 ID : 43357622135
 Option 4 ID : 43357622136
 Status : Answered
 Chosen Option : A

Q.20 This distance travelled by a particle in time t is given by $x = 2 \cos at - \sin (2a-1) t$ ($a \neq 1$) if the motion is S.H.M then $a = \dots\dots$

Ans ☒ A. $1/3$

☒ B. $1/4$

☒ C. $1/2$

☒ D. $\sqrt{3}+1$

Question Type : MCQ

Question ID : 4335765614

Option 1 ID : 43357622453

Option 2 ID : 43357622454

Option 3 ID : 43357622455

Option 4 ID : 43357622456

Status : Answered

Chosen Option : D

Q.21 If $u = \frac{1}{2} \log (x^2 + y^2)$ is harmonic, then its harmonic conjugate is

Ans ☒ A. $\tan^{-1} \left(\frac{y}{x} \right) + c$

☒ B. $\cos^{-1} \left(\frac{y}{x} \right) + c$

☒ C. $x^2 + y^2 + c$

☒ D. $\sin^{-1} \left(\frac{y}{x} \right) + c$

Question Type : MCQ

Question ID : 4335765600

Option 1 ID : 43357622397

Option 2 ID : 43357622398

Option 3 ID : 43357622399

Option 4 ID : 43357622400

Status : Answered

Chosen Option : A

Q.22 The radius of convergence of the power series

$$\sum_{n=1}^{\infty} \left(1 + \frac{a}{n} + \frac{b}{n^2}\right) x^n \text{ is}$$

Ans ☒ A. $1/e$

☒ B. $\frac{1}{e^a}$

☒ C. $\frac{1}{e^{\frac{a^2}{b}}}$

☒ D. None

Question Type : MCQ

Question ID : 4335765501

Option 1 ID : 43357622001

Option 2 ID : 43357622002

Option 3 ID : 43357622003

Option 4 ID : 43357622004

Status : Answered

Chosen Option : A

Q.23 If the principal part of the Laurent's series is Zero, then the laurent's series reduces to

Ans ☒ A. Maclaurin's series

☒ B. Cauchy series

☒ C. Taylor series

☒ D. None of these

Question Type : MCQ

Question ID : 4335765603

Option 1 ID : 43357622409

Option 2 ID : 43357622410

Option 3 ID : 43357622411

Option 4 ID : 43357622412

Status : Answered

Chosen Option : B

Q.24 The constraint in general Lpp are?

Ans ☒ A. linear Function

☒ B. Non-linear function

☒ C. constant function

☒ D. None of these

Question Type : MCQ

Question ID : 4335765622

Option 1 ID : 43357622485

Option 2 ID : 43357622486

Option 3 ID : 43357622487

Option 4 ID : 43357622488

Status : Answered

Chosen Option : A

Q.25 Let C be the set of complex numbers and R . The set of real numbers. The map $f: C \rightarrow R$ defined by $f(z) = |z|$ is

- Ans ☒ A. one-one
☒ B. Onto
☒ C. Bijective
☒ D. neither one-one nor onto.

Question Type : MCQ
 Question ID : 4335765514
 Option 1 ID : 43357622053
 Option 2 ID : 43357622054
 Option 3 ID : 43357622055
 Option 4 ID : 43357622056
 Status : Answered
 Chosen Option : B

Q.26 The linear Diophantine equation $ax+by = c$ with $d = \gcd(a, b)$ has a solution in integers if and only if

- Ans ☒ A. d/c
☒ B. c/d
☒ C. $d/(ax+by)$
☒ D. Both d/c and $d/(ax+by)$

Question Type : MCQ
 Question ID : 4335765635
 Option 1 ID : 43357622537
 Option 2 ID : 43357622538
 Option 3 ID : 43357622539
 Option 4 ID : 43357622540
 Status : Answered
 Chosen Option : C

Q.27 On the set of real numbers, we define $x R y$ iff $xy \geq 0$, then the relation R is

- Ans ☒ A. Reflexive but not symmetric
☒ B. Symmetric but not reflexive
☒ C. Transitive but not reflexive
☒ D. Reflexive and symmetric but not transitive

Question Type : MCQ
 Question ID : 4335765560
 Option 1 ID : 43357622237
 Option 2 ID : 43357622238
 Option 3 ID : 43357622239
 Option 4 ID : 43357622240
 Status : Answered
 Chosen Option : D

Q.28

If $A = \begin{bmatrix} 3 & -3 & 4 \\ 2 & -3 & 4 \\ 0 & -1 & 1 \end{bmatrix}$, then A^{-1} is

Ans

☒ A. $\begin{bmatrix} 1 & 1 & 0 \\ 2 & 3 & 4 \\ 2 & 3 & 3 \end{bmatrix}$

☒ B. $\begin{bmatrix} 1 & 1 & 0 \\ 2 & 3 & 2 \\ 2 & 4 & 2 \end{bmatrix}$

☒ C. $\begin{bmatrix} 1 & -1 & 0 \\ -2 & 3 & 4 \\ -2 & 3 & 3 \end{bmatrix}$

☒ D. None of these

Question Type : MCQ

Question ID : 4335765591

Option 1 ID : 43357622361

Option 2 ID : 43357622362

Option 3 ID : 43357622363

Option 4 ID : 43357622364

Status : Answered

Chosen Option : D

Q.29 A metric space is compact iff it is

Ans ☒ A. Totally bounded only

☒ B. Complete only

☒ C. Totally bounded & complete

☒ D. none of the above

Question Type : MCQ

Question ID : 4335765611

Option 1 ID : 43357622441

Option 2 ID : 43357622442

Option 3 ID : 43357622443

Option 4 ID : 43357622444

Status : Answered

Chosen Option : C

Q.30 If mass of sun is doubled, the time period of planet moving in the same orbit will

- Ans ☒ A. Remain same
☒ B. become double
☒ C. Become half
☒ D. Decrease to almost 70 percent

Question Type : MCQ
 Question ID : 4335765540
 Option 1 ID : 43357622157
 Option 2 ID : 43357622158
 Option 3 ID : 43357622159
 Option 4 ID : 43357622160
 Status : Answered
 Chosen Option : A

Q.31 In any vector space $V(F)$, the false result among the following is

- Ans ☒ A. $0 \cdot x = 0, \forall x \in V$
☒ B. $\alpha \cdot 0 = 0, \forall \alpha \in F$
☒ C. $(-\alpha)x = -(\alpha x) = \alpha(-x), \forall \alpha, x \in V$
☒ D. $(\alpha - \beta)x = \alpha x - \beta x, \forall \alpha, \beta \in F, x \in V$

Question Type : MCQ
 Question ID : 4335765520
 Option 1 ID : 43357622077
 Option 2 ID : 43357622078
 Option 3 ID : 43357622079
 Option 4 ID : 43357622080
 Status : Answered
 Chosen Option : D

Q.32 The equation $x^2(y-1)u_{xx} - x(y^2-1)u_{xy} + y(y-1)u_{yy} + u_x = 0$ is hyperbolic in the entire x-y plane except.

- Ans ☒ A. X-axis
☒ B. Y-axis
☒ C. A line parallel to Y-axis
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765581
 Option 1 ID : 43357622321
 Option 2 ID : 43357622322
 Option 3 ID : 43357622323
 Option 4 ID : 43357622324
 Status : Answered
 Chosen Option : A

Q.33

The radius of convergence of the power

series $az + a^3z^3 + a^5z^5 + \dots$ where $|a| < 1$ $a \neq 0$ is

- Ans
- ☐ A. $1/|a|$
 - ☐ B. $|a|$
 - ☒ C. $|a|^2$
 - ☐ D. 0

Question Type : MCQ

Question ID : 4335765529

Option 1 ID : 43357622113

Option 2 ID : 43357622114

Option 3 ID : 43357622115

Option 4 ID : 43357622116

Status : Answered

Chosen Option : D

Q.34

If the D.E $(3a^2x^2 + by \cos x) dx + (2\sin x - 4ay^3) dy = 0$ is exact then $a^2 + b^2 = \dots$

- Ans
- ☐ A. 13
 - ☐ B. 25
 - ☐ C. 29
 - ☒ D. None of these

Question Type : MCQ

Question ID : 4335765580

Option 1 ID : 43357622317

Option 2 ID : 43357622318

Option 3 ID : 43357622319

Option 4 ID : 43357622320

Status : Answered

Chosen Option : D

Q.35

While solving the equation $x^2 - 3x + 1 = 0$ using the Newton-Raphson method with initial guess of a root as 1, then the value of root after one iteration is

- Ans
- ☐ A. 1.5
 - ☐ B. 1
 - ☐ C. 0.5
 - ☒ D. 0

Question Type : MCQ

Question ID : 4335765617

Option 1 ID : 43357622465

Option 2 ID : 43357622466

Option 3 ID : 43357622467

Option 4 ID : 43357622468

Status : Answered

Chosen Option : D

Q.36 The cross ratio of the four points (z_1, z_2, z_3, z_4) is real if and only if the four points lie on a

- Ans ☒ A. circle
☒ B. straight lines
☒ C. circle or on a straight line
☒ D. circle and on a straight line

Question Type : MCQ
 Question ID : 4335765659
 Option 1 ID : 43357622633
 Option 2 ID : 43357622634
 Option 3 ID : 43357622635
 Option 4 ID : 43357622636
 Status : Answered
 Chosen Option : B

Q.37 Choose the incorrect statement

- Ans ☒ A. Rank of A $\neq$ Rank of AB
☒ B. Rank of (AB) $\leq$ min(Rank A, Rank B)
☒ C. Rank of (AB) = Rank of (BA)
☒ D. Rank of (A-B) $\leq$ Rank of A - Rank of B

Question Type : MCQ
 Question ID : 4335765651
 Option 1 ID : 43357622601
 Option 2 ID : 43357622602
 Option 3 ID : 43357622603
 Option 4 ID : 43357622604
 Status : Answered
 Chosen Option : D

Q.38 A linear programming problem is as follows Maximize $z = 30x - 18y$ subject to the constraints $3x + 4y \leq 60$, $5x - 3y \geq 0$, $x, y \geq 0$. In the feasible region, the Maximum value of Z occurs at

- Ans ☒ A. One point
☒ B. Two point
☒ C. Three point
☒ D. Infinitely many points

Question Type : MCQ
 Question ID : 4335765493
 Option 1 ID : 43357621969
 Option 2 ID : 43357621970
 Option 3 ID : 43357621971
 Option 4 ID : 43357621972
 Status : Answered
 Chosen Option : D

Q.39 The linear congruence $17x \equiv 9 \pmod{256}$ is equivalent to finding a solution for system of congruence...

- Ans ☒ A. $x \equiv 0 \pmod{3}, x \equiv 1 \pmod{4}, 17x \equiv 9 \pmod{23}$
- ☒ B. $2x \equiv 0 \pmod{3}, 3x \equiv 2 \pmod{4}, 17x \equiv 9 \pmod{23}$
- ☒ C. $x \equiv 1 \pmod{3}, x \equiv 2 \pmod{4}, 17x \equiv 9 \pmod{23}$
- ☒ D. $17x \equiv 1 \pmod{3}, 17x \equiv 3 \pmod{4}, 17x \equiv 3 \pmod{23}$

Question Type : MCQ
Question ID : 4335765565
Option 1 ID : 43357622257
Option 2 ID : 43357622258
Option 3 ID : 43357622259
Option 4 ID : 43357622260
Status : Answered
Chosen Option : C

Q.40 The true statement(s) for correlation analysis is

- Ans ☒ A. It is a univariate analysis
- ☒ B. It is a bivariate analysis
- ☒ C. It is a multivariate analysis
- ☒ D. Both (a) and (b)

Question Type : MCQ
Question ID : 4335765555
Option 1 ID : 43357622217
Option 2 ID : 43357622218
Option 3 ID : 43357622219
Option 4 ID : 43357622220
Status : Answered
Chosen Option : A

Q.41 Using Rolle's theorem, the equation $a_0 x^n + a_1 x^{n-1} + \dots + a_n = 0$ has at least one root between 0 and 1, if

- Ans ☒ A. $\frac{a_0}{n} + \frac{a_1}{n-1} + \dots + a_{n-1} = 0$
- ☒ B. $\frac{a_0}{n-1} + \frac{a_1}{n-2} + \dots + a_{n-2} = 0$
- ☒ C. $na_0 + (n-1)a_1 + \dots + a_{n-1} = 0$
- ☒ D. $\frac{a_0}{n+1} + \frac{a_1}{n} + \dots + a_n = 0$

Question Type : MCQ
Question ID : 4335765575
Option 1 ID : 43357622297
Option 2 ID : 43357622298
Option 3 ID : 43357622299
Option 4 ID : 43357622300
Status : Answered
Chosen Option : D

Q.42 Let $f(x)$ be a cubic polynomial with real coefficients. Suppose that $f(x)$ has exactly one real root and that this root is simple. Which one of the following statements holds for ALL antiderivatives $F(x)$ of $f(x)$?

- Ans ☒ A. $F(x)$ has exactly one real root.
- ☒ B. $F(x)$ has exactly four real roots.
- ☒ C. $F(x)$ has at most two real roots.
- ☒ D. $F(x)$ has at most one real root.

Question Type : MCQ
 Question ID : 4335765507
 Option 1 ID : 43357622025
 Option 2 ID : 43357622026
 Option 3 ID : 43357622027
 Option 4 ID : 43357622028
 Status : Answered
 Chosen Option : A

Q.43 It optimal solution exists in Dual simplex Algorithm, then

- Ans ☒ A. $\text{Max } f = -\max(-g)$
- ☒ B. $\text{Max } f = -\text{Min } g$
- ☒ C. $\text{Max } f = -\max g$
- ☒ D. $\text{Max } f = -\text{Min } (-g)$

Question Type : MCQ
 Question ID : 4335765645
 Option 1 ID : 43357622577
 Option 2 ID : 43357622578
 Option 3 ID : 43357622579
 Option 4 ID : 43357622580
 Status : Answered
 Chosen Option : C

Q.44 Let $F(x,y,z) = x^2 + y^2 + z^2 - 1$. According to the Implicit Function Theorem, near the point $(0,0,1)$ which variable can be written as function of the others?

- Ans ☒ A. $x = g(y, z)$
- ☒ B. $y = g(x, z)$
- ☒ C. $z = g(x, y)$
- ☒ D. None of these

Question Type : MCQ
 Question ID : 4335765526
 Option 1 ID : 43357622101
 Option 2 ID : 43357622102
 Option 3 ID : 43357622103
 Option 4 ID : 43357622104
 Status : Answered
 Chosen Option : C

Q.45 Let G be a group of order 49, then

Ans ☒ A. G is abelian

☐ B. G is cyclic

☐ C. G is non – abelian

☐ D. Centre of G has order 7

Question Type : MCQ

Question ID : 4335765587

Option 1 ID : 43357622345

Option 2 ID : 43357622346

Option 3 ID : 43357622347

Option 4 ID : 43357622348

Status : Answered

Chosen Option : A

Q.46 The roots of the equation $ax^3 + bx^2 + cx + d = 0$ are in Geometric Progression, then

Ans ☐ A. $ac^3 = b^3d$

☒ B. $a^3c = b^3d$

☐ C. $ac^3 = bd^3$

☐ D. $ac^2 = b^2d$

Question Type : MCQ

Question ID : 4335765486

Option 1 ID : 43357621941

Option 2 ID : 43357621942

Option 3 ID : 43357621943

Option 4 ID : 43357621944

Status : Answered

Chosen Option : A

Q.47 The singular solution of the D.E $y = px + p^3$, where $p = \frac{dy}{dx}$ is

Ans ☐ A. $4y^2 + 27x^2 = 0$

☒ B. $4x^3 + 27y^2 = 0$

☐ C. $4x^2 + 27y^3 = 0$

☐ D. $4y^2 + 27x^3 = 0$

Question Type : MCQ

Question ID : 4335765576

Option 1 ID : 43357622301

Option 2 ID : 43357622302

Option 3 ID : 43357622303

Option 4 ID : 43357622304

Status : Answered

Chosen Option : B

Q.48 The set of integers such that every integer is congruent modulo m to exactly one integer of the set is called _____ modulum

- Ans ☒ A. Reduced Residue System (RRS)
☒ B. Complete Residue System (CRS)
☒ C. Elementary Residue System (ERS)
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765637
 Option 1 ID : 43357622545
 Option 2 ID : 43357622546
 Option 3 ID : 43357622547
 Option 4 ID : 43357622548
 Status : Answered
 Chosen Option : C

Q.49 Which transformation is generally used to reduce a PDE with variable coefficients to one with constant coefficients?

- Ans ☒ A. Change of variables
☒ B. Fourier Transform
☒ C. Laplace Transform
☒ D. Integration by parts

Question Type : MCQ
 Question ID : 4335765671
 Option 1 ID : 43357622681
 Option 2 ID : 43357622682
 Option 3 ID : 43357622683
 Option 4 ID : 43357622684
 Status : Answered
 Chosen Option : C

Q.50 If $\alpha, \beta, \gamma, \delta$, be the roots of the equation $x^4 - 7x^2 + 4x - 3 = 0$, then $\sum \alpha^5 = \dots$?

- Ans ☒ A. -56
☒ B. -84
☒ C. -120
☒ D. -140

Question Type : MCQ
 Question ID : 4335765559
 Option 1 ID : 43357622233
 Option 2 ID : 43357622234
 Option 3 ID : 43357622235
 Option 4 ID : 43357622236
 Status : Answered
 Chosen Option : B

Q.51 The principle of virtual work can be applied to elastic system by considering the virtual work of

- Ans ☒ A. internal forces only
☒ B. external forces only
☒ C. internal as well as external forces
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765674
 Option 1 ID : 43357622693
 Option 2 ID : 43357622694
 Option 3 ID : 43357622695
 Option 4 ID : 43357622696
 Status : Answered
 Chosen Option : C

Q.52 For a floating body to be a stable equilibrium where G is the centre of gravity, B is the centre of buoyancy and M is the metacentre

- Ans ☒ A. M and G coincide
☒ B. M is below G
☒ C. M is above G
☒ D. M and B coincide

Question Type : MCQ
 Question ID : 4335765552
 Option 1 ID : 43357622205
 Option 2 ID : 43357622206
 Option 3 ID : 43357622207
 Option 4 ID : 43357622208
 Status : Answered
 Chosen Option : C

Q.53 The order of Bisection method is

- Ans ☒ A. 1
☒ B. 0
☒ C. 2
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765680
 Option 1 ID : 43357622717
 Option 2 ID : 43357622718
 Option 3 ID : 43357622719
 Option 4 ID : 43357622720
 Status : Answered
 Chosen Option : C

Q.54 If X have a Poisson distribution such that $P(X=1) = P(X=2)$. Then its mean is-

- Ans ☒ A. 1
☒ B. 1.5
☒ C. 2
☒ D. none of these

Question Type : MCQ
 Question ID : 4335765633
 Option 1 ID : 43357622529
 Option 2 ID : 43357622530
 Option 3 ID : 43357622531
 Option 4 ID : 43357622532
 Status : Answered
 Chosen Option : A

Q.55 Let S be the set of all natural numbers for which the line $\frac{x}{a} + \frac{y}{b} = 2$, touches the curve

$$\left(\frac{x}{a}\right)^n + \left(\frac{y}{b}\right)^n = 2 \text{ at the point } (a, b), ab \neq 0. \text{ Then}$$

- Ans ☒ A. $S = \varphi$
☒ B. $S = \mathbb{N}$
☒ C. $n(S) = 1$
☒ D. $S = \{2k : k \in \mathbb{N}\}$

Question Type : MCQ
 Question ID : 4335765500
 Option 1 ID : 43357621997
 Option 2 ID : 43357621998
 Option 3 ID : 43357621999
 Option 4 ID : 43357622000
 Status : Answered
 Chosen Option : D

Q.56 If A is an $n \times n$ matrix over $\mathbb{R}$ with minimal polynomial $m_A(x) = (x-1)^3(x+2)^2$, what is the size of the largest Jordan block associated to the eigenvalue 1?

- Ans ☒ A. 1
☒ B. 2
☒ C. 3
☒ D. 4

Question Type : MCQ
 Question ID : 4335765521
 Option 1 ID : 43357622081
 Option 2 ID : 43357622082
 Option 3 ID : 43357622083
 Option 4 ID : 43357622084
 Status : Answered
 Chosen Option : B

Q.57 In a linear programming problem, the feasible region

- Ans ☐ A. Consists of only the boundary lines formed by the constraint
- ☐ B. Is the set of all solutions that satisfy the constraint equations but not necessarily the non-negatively restrictions
- ☐ C. Represents all possible values that satisfy the objective function
- ☒ D. Is defined by the intersection of all the constraint inequalities and the non-negatively restrictions.

Question Type : MCQ

Question ID : 4335765546

Option 1 ID : 43357622181

Option 2 ID : 43357622182

Option 3 ID : 43357622183

Option 4 ID : 43357622184

Status : Answered

Chosen Option : C

Q.58

The radius of convergence of the series $\frac{z}{2} + \frac{1.3}{2.5} z^2 + \frac{1.3.5}{2.5.8} z^3 + \dots$ is

- Ans ☐ A. 1/3
- ☐ B. 2/3
- ☐ C. 1/4
- ☒ D. 3/2

Question Type : MCQ

Question ID : 4335765604

Option 1 ID : 43357622413

Option 2 ID : 43357622414

Option 3 ID : 43357622415

Option 4 ID : 43357622416

Status : Answered

Chosen Option : B

Q.59 Linear combinations of solutions of an ordinary differential equation are also solutions if the differential equation is

- Ans ☐ A. Linear non homogeneous
- ☒ B. Linear homogeneous
- ☐ C. Non-linear homogeneous
- ☐ D. Non-linear non-homogenous

Question Type : MCQ

Question ID : 4335765642

Option 1 ID : 43357622565

Option 2 ID : 43357622566

Option 3 ID : 43357622567

Option 4 ID : 43357622568

Status : Answered

Chosen Option : B

Q.60

 $\sum_{x=1}^n x(x+2)(x+4)$ is equal to

Ans

☐ A. $\frac{n(n+1)(n+4)}{3}$

☒ B. $\frac{n(n+1)(n+4)(n+5)}{4}$

☐ C. $\frac{n(n-1)(n+4)}{4}$

☐ D. $\frac{n(n+1)(n+2)(n+3)}{4}$

Question Type : MCQ

Question ID : 4335765619

Option 1 ID : 43357622473

Option 2 ID : 43357622474

Option 3 ID : 43357622475

Option 4 ID : 43357622476

Status : Answered

Chosen Option : D

Q.61 Let a and b be relatively prime and $\phi(n)$ be the Euler phi function for positive integer n, then $\phi(ab)$ is equal to

Ans ☐ A. $\phi(a) + \phi(b)$
☐ B. $\phi(a) - \phi(b)$
☒ C. $\phi(a) \cdot \phi(b)$
☐ D. $\max(\phi(a), \phi(b))$

Question Type : MCQ

Question ID : 4335765640

Option 1 ID : 43357622557

Option 2 ID : 43357622558

Option 3 ID : 43357622559

Option 4 ID : 43357622560

Status : Answered

Chosen Option : C

Q.62 The wave equation is classified as:

Ans ☐ A. Hyperbolic

☐ B. Parabolic

☒ C. Elliptic

☐ D. None

Question Type : MCQ

Question ID : 4335765676

Option 1 ID : 43357622701

Option 2 ID : 43357622702

Option 3 ID : 43357622703

Option 4 ID : 43357622704

Status : Answered

Chosen Option : C

Q.63 Any convergent sequence in a metric space

- Ans ☒ A. is always bounded
☒ B. is Cauchy sequence
☒ C. Converges to unique value
☒ D. All of these

Question Type : MCQ
 Question ID : 4335765668
 Option 1 ID : 43357622669
 Option 2 ID : 43357622670
 Option 3 ID : 43357622671
 Option 4 ID : 43357622672
 Status : Answered
 Chosen Option : B

Q.64 The rank correlation coefficient between two variables is 0.5. If the sum of the squares of the differences between rank is 42, then the number of observations is -

- Ans ☒ A. 5
☒ B. 6
☒ C. 8
☒ D. 10

Question Type : MCQ
 Question ID : 4335765618
 Option 1 ID : 43357622469
 Option 2 ID : 43357622470
 Option 3 ID : 43357622471
 Option 4 ID : 43357622472
 Status : Answered
 Chosen Option : D

Q.65 If the Wronskian of two functions is non-zero on an interval, then the functions are:

- Ans ☒ A. Linearly dependent
☒ B. Linearly independent
☒ C. Periodic
☒ D. Continuous but not differentiable

Question Type : MCQ
 Question ID : 4335765660
 Option 1 ID : 43357622637
 Option 2 ID : 43357622638
 Option 3 ID : 43357622639
 Option 4 ID : 43357622640
 Status : Answered
 Chosen Option : D

Q.66 The method of undetermined coefficients is used to solve:

- Ans ☒ A. Non-linear differential equations
- ☒ B. Linear non-homogeneous differential equations with constant coefficients
- ☒ C. Partial differential equations
- ☒ D. Homogeneous differential equations

Question Type : MCQ

Question ID : 4335765665

Option 1 ID : 43357622657

Option 2 ID : 43357622658

Option 3 ID : 43357622659

Option 4 ID : 43357622660

Status : Answered

Chosen Option : C

Q.67 Which of the following assertions is correct

Ans ☒ A.

$$\limsup_n e^{\cos(\frac{n\pi+(-1)^n 2e}{2n})} > 1.$$

☒ B.

$$\lim_n e^{\log_e(\frac{n\pi^2+(-1)^n e^2}{7n})} \text{ does not exist.}$$

☒ C.

$$\liminf_n e^{\sin(\frac{n\pi+(-1)^n 2e}{2n})} < \pi.$$

☒ D.

$$\lim_n e^{\tan(\frac{n\pi^2+(-1)^n e^2}{7n})} \text{ does not exist.}$$

Question Type : MCQ

Question ID : 4335765482

Option 1 ID : 43357621925

Option 2 ID : 43357621926

Option 3 ID : 43357621927

Option 4 ID : 43357621928

Status : Answered

Chosen Option : A

Q.68 Consider the statements

(A) The series $\sum \sin\left(\frac{1}{n}\right)$ is divergent

(B) The Series $\frac{1}{3^2} \frac{2}{4^2} + \frac{3}{5^2} \frac{4}{6^2} + \frac{5}{7^2} \frac{6}{8^2} + \dots$ is Convergent Then

Ans ☒ A. Both the statement (A) and (B) are true

☒ B. (A) is true but (B) is false

☒ C. (A) is false but (B) is true

☒ D. Neither (A) nor (B) is true

Question Type : MCQ

Question ID : 4335765573

Option 1 ID : 43357622289

Option 2 ID : 43357622290

Option 3 ID : 43357622291

Option 4 ID : 43357622292

Status : Answered

Chosen Option : A

Q.69 Let $f: \mathbb{R} \rightarrow \mathbb{R}$ be defined by

$$f(x) = \begin{cases} (1-x)^{2\sin(x^2)}, & x \in (0,1) \\ 0, & \text{otherwise,} \end{cases}$$

And f' be its derivative. Let

$$s = \{c \in \mathbb{R} : f'(x) \leq cf(x) \text{ for all } x \in \mathbb{R}\}.$$

Which one of the following is true?

Ans ☒ A. $s = \emptyset$

☒ B. $s = \emptyset$ and s is a proper subset of $(1, \infty)$

☒ C. $(2, \infty)$ is a proper subset of s

☒ D. $s \cap (0,1) \neq \emptyset$

Question Type : MCQ

Question ID : 4335765508

Option 1 ID : 43357622029

Option 2 ID : 43357622030

Option 3 ID : 43357622031

Option 4 ID : 43357622032

Status : Answered

Chosen Option : B

Q.70 Euler's equation is also known as:

- Ans ☒ A. Legendre equation
☒ B. Cauchy-Euler equation
☒ C. Bessel equation
☒ D. Riccati equation

Question Type : MCQ
 Question ID : 4335765663
 Option 1 ID : 43357622649
 Option 2 ID : 43357622650
 Option 3 ID : 43357622651
 Option 4 ID : 43357622652
 Status : Answered
 Chosen Option : B

Q.71 Let G be any finite group. Which one of the following is necessarily true?

- Ans ☒ A. G is a union of proper subgroups
☒ B. G is a union of proper subgroups if $|G|$ has at least two distinct prime divisors.
☒ C. If G is abelian, then G is a union of proper subgroups.
☒ D. G is a union of proper subgroups if and only if G is not cyclic.

Question Type : MCQ
 Question ID : 4335765648
 Option 1 ID : 43357622589
 Option 2 ID : 43357622590
 Option 3 ID : 43357622591
 Option 4 ID : 43357622592
 Status : Answered
 Chosen Option : C

Q.72

Let $x^2 \equiv a \pmod{p}$ where p does not divide a ,

then by Euler's Creterion, $a^{\frac{p-1}{2}} \equiv 1 \pmod{p}$ indicates

- Ans ☒ A. No Solution
☒ B. Solution exists
☒ C. Solution may exist
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765492
 Option 1 ID : 43357621965
 Option 2 ID : 43357621966
 Option 3 ID : 43357621967
 Option 4 ID : 43357621968
 Status : Answered
 Chosen Option : B

Q.73 A rectangular tank $1\text{m} \times 3\text{m}$ lies in a vertical plane in water. The total pressure on the plane surface is

- Ans ☒ A. 44145N
☒ B. 45150N
☒ C. 88290N
☒ D. 84950N

Question Type : MCQ
 Question ID : 4335765551
 Option 1 ID : 43357622201
 Option 2 ID : 43357622202
 Option 3 ID : 43357622203
 Option 4 ID : 43357622204
 Status : Answered
 Chosen Option : A

Q.74 Let $f(x, y) = x^4 + y^4 - 4xy + 1$. What type of critical point is the origin?

- Ans ☒ A. Local minimum
☒ B. Local maximum
☒ C. Saddle point
☒ D. Not a critical point

Question Type : MCQ
 Question ID : 4335765527
 Option 1 ID : 43357622105
 Option 2 ID : 43357622106
 Option 3 ID : 43357622107
 Option 4 ID : 43357622108
 Status : Answered
 Chosen Option : C

Q.75 If the order of integration $I = \int_0^a \int_{\sqrt{a^2-x^2}}^{x+2a} f(x, y) dx dy$ be changed, then I is the sum of Integrals

- Ans ☒ A. 2
☒ B. 3
☒ C. 4
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765598
 Option 1 ID : 43357622389
 Option 2 ID : 43357622390
 Option 3 ID : 43357622391
 Option 4 ID : 43357622392
 Status : Answered
 Chosen Option : A

Q.76 Let $A \in M_n(\mathbb{R})$ be a skew-symmetric matrix. Then for odd n , which of the following is true?

- Ans ☒ A. $\det(A) > 0$
☒ B. $\det(A) = 0$
☒ C. All eigenvalues of A are positive
☒ D. A is invertible.

Question Type : MCQ
 Question ID : 4335765523
 Option 1 ID : 43357622089
 Option 2 ID : 43357622090
 Option 3 ID : 43357622091
 Option 4 ID : 43357622092
 Status : Answered
 Chosen Option : A

Q.77 The first three moments of a distribution about a point 4 are respectively 1, 4 and 10. Which of the following regarding the mean, Variance and the third central moment of the distribution, is correct ?

- Ans ☒ A. Mean = 1, Variance = 3, Third Central Moment = 4
☒ B. Mean = 4, Variance = 3, Third Central Moment = 0
☒ C. Mean = 5, Variance = 2, Third Central Moment = - 4
☒ D. Mean = 5, Variance = 3, Third Central Moment = 0

Question Type : MCQ
 Question ID : 4335765632
 Option 1 ID : 43357622525
 Option 2 ID : 43357622526
 Option 3 ID : 43357622527
 Option 4 ID : 43357622528
 Status : Answered
 Chosen Option : D

Q.78 Potential due to a uniform thin circular plate of radius 'a' and thickness k, at a point on its axis distant p from the centre is

- Ans ☒ A. $2\pi r\rho v[\sqrt{a^2 + b^2} - b]$
☒ B. $2\pi r\rho av$
☒ C. $2\pi r\rho v[\sqrt{a^2 + b^2} - a]$
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765626
 Option 1 ID : 43357622501
 Option 2 ID : 43357622502
 Option 3 ID : 43357622503
 Option 4 ID : 43357622504
 Status : Answered
 Chosen Option : B

Q.79 Let order of a group G be prime number p, then

Ans ☒ A. G does not possess proper subgroups

☐ B. G possesses proper subgroups

☐ C. p is prime it is divisible by 2

☐ D. None of these

Question Type : MCQ

Question ID : 4335765589

Option 1 ID : 43357622353

Option 2 ID : 43357622354

Option 3 ID : 43357622355

Option 4 ID : 43357622356

Status : Answered

Chosen Option : B

Q.80 The D.E of the family of circle of radius 'a' whose centres lie on the x-axis is.....

Ans

☐ A. $y \frac{dy}{dx} = a^2 - y^2$

☐ B. $y \left(\frac{dy}{dx} + 1 \right) = a^2$

☐ C. $y^2 \left(\frac{dy}{dx} + 1 \right) = a^2$

☒ D. $y^2 \left[1 + \left(\frac{dy}{dx} \right)^2 \right] = a^2$

Question Type : MCQ

Question ID : 4335765577

Option 1 ID : 43357622305

Option 2 ID : 43357622306

Option 3 ID : 43357622307

Option 4 ID : 43357622308

Status : Answered

Chosen Option : D

Q.81

For $a \in \mathbb{R}$, let $A_a = \begin{pmatrix} 2 & -1 & 0 \\ -1 & 2 & -1 \\ 0 & -1 & a \end{pmatrix}$.

Which one of the following statements is true?

Ans

✓ A. A_a is positive definite for all $a < 3$.

✗ B. A_a is positive definite for all $a > 3$.

✗ C. A_a is positive definite for all $a \geq -2$.

✗ D.

A_a is positive definite only for finitely many values of a .

Question Type : MCQ

Question ID : 4335765505

Option 1 ID : 43357622017

Option 2 ID : 43357622018

Option 3 ID : 43357622019

Option 4 ID : 43357622020

Status : Answered

Chosen Option : D

Q.82

Let $\vec{a} = 3\hat{i} + \hat{j}$ and $\vec{b} = \hat{i} + 2\hat{j} + \hat{k}$. Let $\vec{c}$ be a vector satisfying $\vec{a} \times (\vec{b} \times \vec{c}) = \vec{b} + \lambda \vec{c}$. If $\vec{b}$ and $\vec{c}$ are non-parallel, then the value of λ is

Ans

✓ A. -5

✗ B. -1

✗ C. 1

✗ D. 5

Question Type : MCQ

Question ID : 4335765542

Option 1 ID : 43357622165

Option 2 ID : 43357622166

Option 3 ID : 43357622167

Option 4 ID : 43357622168

Status : Answered

Chosen Option : A

Q.83 Let $(-, -)$ be a symmetric bilinear form on $\mathbb{R}^2$ such that there exist nonzero $v, w \in \mathbb{R}^2$ such that $(v, v) > 0 > (w, w)$ and $(v, w) = 0$. Let A be the 2×2 real symmetric matrix representing this bilinear form with respect to the standard basis. Which one of the following statements is true?

- Ans ☒ A. $A^2 = 0$
☒ B. Rank $A = 1$
☒ C. Rank $A = 0$
☒ D. There exists $u \in \mathbb{R}^2, u \neq 0$ such that $(u, u) = 0$

Question Type : MCQ
 Question ID : 4335765504
 Option 1 ID : 43357622013
 Option 2 ID : 43357622014
 Option 3 ID : 43357622015
 Option 4 ID : 43357622016
 Status : Answered
 Chosen Option : D

Q.84 A topological space X is such that there exists a continuous mapping of X onto the discrete two points space $Y = \{0, 1\}$, then X is

- Ans ☒ A. Connected
☒ B. Disconnected
☒ C. Separated
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765608
 Option 1 ID : 43357622429
 Option 2 ID : 43357622430
 Option 3 ID : 43357622431
 Option 4 ID : 43357622432
 Status : Answered
 Chosen Option : B

Q.85 If C be the circle $x^2 + y^2 = 1$ taken in the anticlockwise sense, then $\int_C [(x^{2015} y^{2016} + 2014y) dy + (x^{2016} y^{2015} + 2017x) dx]$ is

- Ans ☒ A. 0
☒ B. π
☒ C. 2π
☒ D. 3π

Question Type : MCQ
 Question ID : 4335765595
 Option 1 ID : 43357622377
 Option 2 ID : 43357622378
 Option 3 ID : 43357622379
 Option 4 ID : 43357622380
 Status : Answered
 Chosen Option : D

Q.86 When a block of ice floating on water in a container melts, the level of water in the container

Ans ☒ A. Rises

☒ B. remains the same

☒ C. first falls then rise

☒ D. falls

Question Type : MCQ

Question ID : 4335765553

Option 1 ID : 43357622209

Option 2 ID : 43357622210

Option 3 ID : 43357622211

Option 4 ID : 43357622212

Status : Answered

Chosen Option : A

Q.87 The particular integral of the equation $(D^2 - D'^2 + D - D')$ $Z = e^{2x+3y}$ is-

Ans

☒ A. $-\frac{1}{6} e^{2x+3y}$

☒ B. $-\frac{1}{5} e^{2x+3y}$

☒ C. $\frac{1}{6} e^{2x+3y}$

☒ D. $\frac{1}{5} e^{2x+3y}$

Question Type : MCQ

Question ID : 4335765582

Option 1 ID : 43357622325

Option 2 ID : 43357622326

Option 3 ID : 43357622327

Option 4 ID : 43357622328

Status : Answered

Chosen Option : A

Q.88 The complete solution of $(px + qy - z)^2 = 1 + p^2 + q^2$ is

Ans

✗ A. $ax + by + z = \sqrt{1 + a^2 + b^2}$

✗ B. $ax - by + z = \pm \sqrt{1 + a^2 + b^2}$

✗ C.

$ax + by + cz = \pm \sqrt{a^2 + b^2 + c^2}$

✓ D. None of these

Question Type : MCQ

Question ID : 4335765585

Option 1 ID : 43357622337

Option 2 ID : 43357622338

Option 3 ID : 43357622339

Option 4 ID : 43357622340

Status : Answered

Chosen Option : C

Q.89 Darboux's Theorem is related to:

Ans

✗ A. Continuity of function

✗ B. Intermediate value property of derivatives

✓ C. Integration

✗ D. Differentiability of inverse functions

Question Type : MCQ

Question ID : 4335765678

Option 1 ID : 43357622709

Option 2 ID : 43357622710

Option 3 ID : 43357622711

Option 4 ID : 43357622712

Status : Answered

Chosen Option : A

Q.90

Let $f(z) = \frac{\sin z}{z^3(z-\pi)^2}$. How many poles and zeros (including multiplicity) does f have inside the disc $|z| < 4$?

Ans

✓ A. 5 poles, 3 zeros

✗ B. 3 poles, 5 zeros

✗ C. 4 poles, 4 zeros

✗ D. 5 poles, 5 zeros

Question Type : MCQ

Question ID : 4335765531

Option 1 ID : 43357622121

Option 2 ID : 43357622122

Option 3 ID : 43357622123

Option 4 ID : 43357622124

Status : Answered

Chosen Option : B

Q.91 The solution linear congruence $2x \equiv 4 \pmod{12}$ is

- Ans ☒ A. $x \equiv 2 \pmod{12}$
☒ B. $x \equiv 8 \pmod{12}$
☒ C. $x \equiv 6 \pmod{12}$
☒ D. $x \equiv 2 \pmod{12}$ and $x \equiv 8 \pmod{12}$

Question Type : MCQ
 Question ID : 4335765638
 Option 1 ID : 43357622549
 Option 2 ID : 43357622550
 Option 3 ID : 43357622551
 Option 4 ID : 43357622552
 Status : Answered
 Chosen Option : B

Q.92 The potential on the surface of a thin spherical shell of radius 10 cm is 10v. The potential at a distance of 5 cm from the centre of the shell is

- Ans ☒ A. 0 V
☒ B. 5V
☒ C. 10V
☒ D. 20V

Question Type : MCQ
 Question ID : 4335765655
 Option 1 ID : 43357622617
 Option 2 ID : 43357622618
 Option 3 ID : 43357622619
 Option 4 ID : 43357622620
 Status : Answered
 Chosen Option : B

Q.93 The relation o homomorphism divides the metric space into classes.

- Ans ☒ A. union of
☒ B. intersection of
☒ C. mutually disjoint
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765536
 Option 1 ID : 43357622141
 Option 2 ID : 43357622142
 Option 3 ID : 43357622143
 Option 4 ID : 43357622144
 Status : Answered
 Chosen Option : C

Q.94 If a right circular cone having maximum volume, is inscribed in a sphere of radius 3 cm, then the curved surface area in cm² of this cone is

- Ans ☒ A. $6\sqrt{3}\pi$
☒ B. $8\sqrt{3}\pi$
☒ C. $8\sqrt{2}\pi$
☒ D. $6\sqrt{2}\pi$

Question Type : MCQ
 Question ID : 4335765641
 Option 1 ID : 43357622561
 Option 2 ID : 43357622562
 Option 3 ID : 43357622563
 Option 4 ID : 43357622564
 Status : Answered
 Chosen Option : D

Q.95 When $0 < |z| < 4$, the expansion of $\frac{1}{4z - z^2}$ is

- Ans ☒ A. $\sum_{n=0}^{\infty} \frac{z^{n+1}}{4^{n+1}}$
☒ B. $\sum_{n=0}^{\infty} \frac{(-1)^n z^{n+1}}{4^{n+1}}$
☒ C. $\sum_{n=0}^{\infty} \frac{z^{n-1}}{4^{n+1}}$
☒ D. None of these

Question Type : MCQ
 Question ID : 4335765602
 Option 1 ID : 43357622405
 Option 2 ID : 43357622406
 Option 3 ID : 43357622407
 Option 4 ID : 43357622408
 Status : Answered
 Chosen Option : B

Q.96 A canonical tableau is a tableau having

- Ans ☒ A. unconstrained independent variables and no slack "variables" of 0.
☒ B. No unconstrained independent variables and slack "variables" of 0.
☒ C. No unconstrained independent variables and no slack "variables" of 0.
☒ D. Unconstrained independent variables and slack "variables" of 0

Question Type : MCQ
 Question ID : 4335765491
 Option 1 ID : 43357621961
 Option 2 ID : 43357621962
 Option 3 ID : 43357621963
 Option 4 ID : 43357621964
 Status : Answered
 Chosen Option : D

Q.97

Let α, β, γ be the roots of $x^3 + px + 1 = 0$. Then

Ans

✗ A. $\sum \alpha^5 = \sum \alpha^3 \cdot \sum \alpha^2$

✓ B. $5 \sum \alpha^5 = 6 \sum \alpha^3 \cdot \sum \alpha^2$

✗ C. $6 \sum \alpha^5 = 5 \sum \alpha^3 \cdot \sum \alpha^2$

✗ D. $3 \sum \alpha^5 = 2 \sum \alpha^3 \cdot \sum \alpha^2$

Question Type : MCQ

Question ID : 4335765487

Option 1 ID : 43357621945

Option 2 ID : 43357621946

Option 3 ID : 43357621947

Option 4 ID : 43357621948

Status : Answered

Chosen Option : A

Q.98 Let V be a finite vector space over R and $T:V \rightarrow V$ a linear such that $T^3=T$. Which of the following of the following must hold?

Ans ✓ A. T is diagonalizable over R with eigenvalues in $\{0, \pm 1\}$

✗ B. T is nilpotent

✗ C. T has at most one eigenvalue

✗ D. $T^3=0$

Question Type : MCQ

Question ID : 4335765654

Option 1 ID : 43357622613

Option 2 ID : 43357622614

Option 3 ID : 43357622615

Option 4 ID : 43357622616

Status : Answered

Chosen Option : A

Q.99 A cylinder has generators parallel to the line $x=y=-z$ and it passes through the curve $f(x,y)=0, z=0$, then its equation is?

Ans ✓ A. $f(x+z, y+z)=0$

✗ B. $f(x+z, y-z)=0$

✗ C. $f(x-z, y-z)=0$

✗ D. $f(x-z, y+z)=0$

Question Type : MCQ

Question ID : 4335765570

Option 1 ID : 43357622277

Option 2 ID : 43357622278

Option 3 ID : 43357622279

Option 4 ID : 43357622280

Status : Answered

Chosen Option : A

Q.10
0 Let $u(x, y)$ satisfy the PDE:

$$\frac{\partial^2 u}{\partial x^2} - 2\frac{\partial^2 u}{\partial x \partial y} + \frac{\partial^2 u}{\partial y^2} = 0$$

Which of the following substitutions diagonalizes the PDE?

Ans

✗ A. $\xi = x + y, \eta = x - y$

✗ B. $\xi = x, \eta = y - x$

✗ C. $\xi = x - y, \eta = x + y$

✓ D. $\xi = x, \eta = y$

Question Type : MCQ

Question ID : 4335765512

Option 1 ID : 43357622045

Option 2 ID : 43357622046

Option 3 ID : 43357622047

Option 4 ID : 43357622048

Status : Answered

Chosen Option : D

Section : Part II

Q.10 Can a teacher suspend a student?
1

Ans ✗ A. Yes

✓ B. No

✗ C. Both

✗ D. Can't say

Question Type : MCQ

Question ID : 4335764326

Option 1 ID : 43357617301

Option 2 ID : 43357617302

Option 3 ID : 43357617303

Option 4 ID : 43357617304

Status : Answered

Chosen Option : B

Q.10 Students find/explore the information themselves in
2

Ans ✗ A. lecture method

✓ B. Discovery method

✗ C. Both

✗ D. none

Question Type : MCQ

Question ID : 4335763668

Option 1 ID : 43357614669

Option 2 ID : 43357614670

Option 3 ID : 43357614671

Option 4 ID : 43357614672

Status : Answered

Chosen Option : B

Q.10 The immediate goal of education through learning activities is realised by
3

- Ans ☒ A. Objective
☒ B. Aim
☒ C. Specification
☒ D. Evaluation

Question Type : MCQ
Question ID : 4335763497
Option 1 ID : 43357613985
Option 2 ID : 43357613986
Option 3 ID : 43357613987
Option 4 ID : 43357613988
Status : Answered
Chosen Option : D

Q.10 Which of the following is not a prescribed level of teaching ?
4

- Ans ☒ A. Memory
☒ B. Understanding
☒ C. Reflective
☒ D. Differentiation

Question Type : MCQ
Question ID : 4335763383
Option 1 ID : 43357613529
Option 2 ID : 43357613530
Option 3 ID : 43357613531
Option 4 ID : 43357613532
Status : Answered
Chosen Option : D

Q.10 In M.C.Q the incorrect options are:
5

- Ans ☒ A. Responses
☒ B. Answers
☒ C. Distractors
☒ D. None of these

Question Type : MCQ
Question ID : 4335764163
Option 1 ID : 43357616649
Option 2 ID : 43357616650
Option 3 ID : 43357616651
Option 4 ID : 43357616652
Status : Answered
Chosen Option : C

Q.10 In an Environmental Science class, explore how human actions impact ecosystems and discuss responsible environmental practices is an example of

- Ans ☒ A. Creating
☒ B. Understanding
☒ C. Analysing
☒ D. Caring

Question Type : MCQ
Question ID : 4335763710
Option 1 ID : 43357614837
Option 2 ID : 43357614838
Option 3 ID : 43357614839
Option 4 ID : 43357614840
Status : Answered
Chosen Option : A

Q.10 Which of the following devices is suitable for classroom audio-visual?

- Ans ☒ A. TV
☒ B. Digital projector
☒ C. Cinema
☒ D. Film strip projector

Question Type : MCQ
Question ID : 4335764032
Option 1 ID : 43357616125
Option 2 ID : 43357616126
Option 3 ID : 43357616127
Option 4 ID : 43357616128
Status : Answered
Chosen Option : B

Q.10 Execution of plans and decisions is the part

- Ans ☒ A. Advancement of pupil welfare
☒ B. Proper utilization of school facilities
☒ C. Carrying out of the curriculum
☒ D. Achievement of success in examination

Question Type : MCQ
Question ID : 4335763877
Option 1 ID : 43357615505
Option 2 ID : 43357615506
Option 3 ID : 43357615507
Option 4 ID : 43357615508
Status : Answered
Chosen Option : B

Q.10 Which of the following is true about the ways of learning for students?

9

- Ans ☒ A. Speed of learning is same for all students
- ☒ B. Each child has a unique learning style
- ☒ C. Children follow the way other students learn
- ☒ D. All children immediately follow teacher's instruction

Question Type : MCQ
Question ID : 4335764291
Option 1 ID : 43357617161
Option 2 ID : 43357617162
Option 3 ID : 43357617163
Option 4 ID : 43357617164
Status : Answered
Chosen Option : B

Q.11 Which teaching-learning method was introduced by Dwight W. Allen?

0

- Ans ☒ A. Micro teaching
- ☒ B. Team teaching
- ☒ C. Brain storming
- ☒ D. Interactive teaching

Question Type : MCQ
Question ID : 4335763783
Option 1 ID : 43357615129
Option 2 ID : 43357615130
Option 3 ID : 43357615131
Option 4 ID : 43357615132
Status : Answered
Chosen Option : A

Q.11 _____ is a tool to measure some sample of behavior?

1

- Ans ☒ A. Test
- ☒ B. Measurement
- ☒ C. Assessment
- ☒ D. Evaluation

Question Type : MCQ
Question ID : 4335764104
Option 1 ID : 43357616413
Option 2 ID : 43357616414
Option 3 ID : 43357616415
Option 4 ID : 43357616416
Status : Answered
Chosen Option : A

Q.11 How can we teach art in the classroom?

2

Ans ☒ A. Providing various activities and games that are related to them and their real-life experiences.

☐ B. Providing art forms that they can imitate.

☐ C. To give examples of different art forms.

☐ D. Showing Videos of performing arts.

Question Type : MCQ

Question ID : 4335763859

Option 1 ID : 43357615433

Option 2 ID : 43357615434

Option 3 ID : 43357615435

Option 4 ID : 43357615436

Status : Answered

Chosen Option : A

Q.11 A systematic science which provides rules, laws and principles for achieving
3 adjustment with self and the environmental is called

Ans ☐ A. Motivation

☒ B. Mental hygiene

☐ C. Learning

☐ D. Conflict

Question Type : MCQ

Question ID : 4335764265

Option 1 ID : 43357617057

Option 2 ID : 43357617058

Option 3 ID : 43357617059

Option 4 ID : 43357617060

Status : Answered

Chosen Option : C

Q.11 Teachers emphasise interdisciplinary teaching and learning in their own classes
4 through

Ans ☐ A. topics

☐ B. Examples

☐ C. teaching methods

☒ D. All of these

Question Type : MCQ

Question ID : 4335763588

Option 1 ID : 43357614349

Option 2 ID : 43357614350

Option 3 ID : 43357614351

Option 4 ID : 43357614352

Status : Answered

Chosen Option : D

Q.11 Evaluation is vital to a teacher's success. It is this role that allows the teacher to
5 discover

- Ans ☒ A. the social condition
☒ B. the expectations of parents
☒ C. the worth of his work
☒ D. the value of family

Question Type : MCQ
Question ID : 4335763972
Option 1 ID : 43357615885
Option 2 ID : 43357615886
Option 3 ID : 43357615887
Option 4 ID : 43357615888
Status : Answered
Chosen Option : C

Q.11 When the learner is self-directed, it is termed as
6

- Ans ☒ A. Pedagogical learning
☒ B. Andragogical learning
☒ C. Distance education learning
☒ D. None of the above

Question Type : MCQ
Question ID : 4335763460
Option 1 ID : 43357613837
Option 2 ID : 43357613838
Option 3 ID : 43357613839
Option 4 ID : 43357613840
Status : Answered
Chosen Option : D

Q.11 A good lecture provides
7

- Ans ☒ A. active participation for learners
☒ B. creative thinking
☒ C. better scope for clarification
☒ D. real experience

Question Type : MCQ
Question ID : 4335763564
Option 1 ID : 43357614253
Option 2 ID : 43357614254
Option 3 ID : 43357614255
Option 4 ID : 43357614256
Status : Answered
Chosen Option : A

Q.11 Learning is a continuous process from-
8

- Ans ☒ A. Adolescence to death
☒ B. Childhood to old age
☒ C. Infancy to adulthood
☒ D. Cradle to grave

Question Type : MCQ
Question ID : 4335764241
Option 1 ID : 43357616961
Option 2 ID : 43357616962
Option 3 ID : 43357616963
Option 4 ID : 43357616964
Status : Answered
Chosen Option : D

Q.11 The characteristics of team teaching is?
9

- Ans ☒ A. In team teaching, the whole responsibility is on all the teacher.
☒ B. In team teaching, teachers need to decide their activities by themselves.
☒ C. The requirements of pupils, schools and other things also considered.
☒ D. All of them

Question Type : MCQ
Question ID : 4335763810
Option 1 ID : 43357615237
Option 2 ID : 43357615238
Option 3 ID : 43357615239
Option 4 ID : 43357615240
Status : Answered
Chosen Option : D

Q.12 Assessment.....is a factor of Bloom's Taxonomy
0

- Ans ☒ A. Template
☒ B. Design
☒ C. Both Template and Design
☒ D. none of these

Question Type : MCQ
Question ID : 4335763560
Option 1 ID : 43357614237
Option 2 ID : 43357614238
Option 3 ID : 43357614239
Option 4 ID : 43357614240
Status : Answered
Chosen Option : B

Q.12 Teaching will attain the status of a recognized profession if a teacher is propelled by
1 his/her

- Ans ☒ A. physical condition
☒ B. motive
☒ C. covetousness
☒ D. socio-economic condition

Question Type : MCQ
Question ID : 4335763978
Option 1 ID : 43357615909
Option 2 ID : 43357615910
Option 3 ID : 43357615911
Option 4 ID : 43357615912
Status : Answered
Chosen Option : B

Q.12 In the USA the most widely used format on standardized tests is:
2

- Ans ☒ A. Matching list
☒ B. Short answers
☒ C. Essays type
☒ D. Multiple choice questions

Question Type : MCQ
Question ID : 4335764153
Option 1 ID : 43357616609
Option 2 ID : 43357616610
Option 3 ID : 43357616611
Option 4 ID : 43357616612
Status : Answered
Chosen Option : D

Q.12 Broad field curriculum is a modification of;
3

- Ans ☒ A. Activity centred curriculum
☒ B. Learner centred curriculum
☒ C. Subject centred curriculum
☒ D. None of these

Question Type : MCQ
Question ID : 4335764215
Option 1 ID : 43357616857
Option 2 ID : 43357616858
Option 3 ID : 43357616859
Option 4 ID : 43357616860
Status : Answered
Chosen Option : A

Q.12 The most appropriate meaning of learning is
4

- Ans ☒ A. Acquisition of skills
☒ B. Modification of behavior
☒ C. Personal adjustment
☒ D. Inculcation of knowledge

Question Type : MCQ
 Question ID : 4335763387
 Option 1 ID : 43357613545
 Option 2 ID : 43357613546
 Option 3 ID : 43357613547
 Option 4 ID : 43357613548
 Status : Answered
 Chosen Option : B

Q.12 The theory of multiple intelligence says that-
5

- Ans ☒ A. intelligence can be rapidly accelerated
☒ B. intelligence can be of several kinds
☒ C. paper-pencil tests are not helpful
☒ D. intelligence can be multiplied with effective pedagogy

Question Type : MCQ
 Question ID : 4335763920
 Option 1 ID : 43357615677
 Option 2 ID : 43357615678
 Option 3 ID : 43357615679
 Option 4 ID : 43357615680
 Status : Answered
 Chosen Option : D

Q.12 Which types of test items are highly structured?
6

- Ans ☒ A. Oral test
☒ B. Essay type test
☒ C. Objective type test
☒ D. None of these

Question Type : MCQ
 Question ID : 4335764076
 Option 1 ID : 43357616301
 Option 2 ID : 43357616302
 Option 3 ID : 43357616303
 Option 4 ID : 43357616304
 Status : Answered
 Chosen Option : C

Q.12 To use previous learned material in new situation is
7

- Ans ☒ A. Comprehension
☒ B. Application
☒ C. Knowledge
☒ D. analysis

Question Type : MCQ
Question ID : 4335763536
Option 1 ID : 43357614141
Option 2 ID : 43357614142
Option 3 ID : 43357614143
Option 4 ID : 43357614144
Status : Answered
Chosen Option : B

Q.12 A good drama does not include
8

- Ans ☒ A. Interesting story
☒ B. Alive dialogues
☒ C. Very long play
☒ D. Subject full of feelings

Question Type : MCQ
Question ID : 4335763660
Option 1 ID : 43357614637
Option 2 ID : 43357614638
Option 3 ID : 43357614639
Option 4 ID : 43357614640
Status : Answered
Chosen Option : C

Q.12 Micro teaching is a
9

- Ans ☒ A. demonstration method
☒ B. teaching method
☒ C. training technique
☒ D. remedial teaching

Question Type : MCQ
Question ID : 4335763745
Option 1 ID : 43357614977
Option 2 ID : 43357614978
Option 3 ID : 43357614979
Option 4 ID : 43357614980
Status : Answered
Chosen Option : B

Q.13 The learning activities should be planned by the teacher in compliance with the-----

0

- Ans ☒ A. abilities and interests of students
☒ B. performance of students
☒ C. reaction of students
☒ D. assignments given by other teachers

Question Type : MCQ
 Question ID : 4335763963
 Option 1 ID : 43357615849
 Option 2 ID : 43357615850
 Option 3 ID : 43357615851
 Option 4 ID : 43357615852
 Status : Answered
 Chosen Option : A

Section : Part III

Q.13 Seeing Sita, Mohan said " She is the wife of my mother's only grand son". How is
 1 mohan related sita?

- Ans ☒ A. Son
☒ B. Father
☒ C. Father-in-Law
☒ D. Husband

Question Type : MCQ
 Question ID : 4335764898
 Option 1 ID : 43357619589
 Option 2 ID : 43357619590
 Option 3 ID : 43357619591
 Option 4 ID : 43357619592
 Status : Answered
 Chosen Option : C

Q.13 The executive is given an advance grant to meet temporary and running requirements
 2 of Government of India in the beginning of the new financial year until the demands are
 voted by the legislature. This is known as :

- Ans ☒ A. Vote of Credit
☒ B. Vote on Account
☒ C. Appropriation Bill
☒ D. Advance Account

Question Type : MCQ
 Question ID : 4335764436
 Option 1 ID : 43357617741
 Option 2 ID : 43357617742
 Option 3 ID : 43357617743
 Option 4 ID : 43357617744
 Status : Answered
 Chosen Option : B

Q.13 Which of the following statements is/are correct?

- 3 (1) First Law Commission recommended Indian Penal Code, 1855.
(2) Bharatiya Nyaya Sanhita, 2023 received the assent of the President on the 25th December, 2023

Ans ☒ A. 1 Only
☒ B. 2 Only
☒ C. Both 1 and 2
☒ D. Neither 1 nor 2

Question Type : MCQ
Question ID : 4335764463
Option 1 ID : 43357617849
Option 2 ID : 43357617850
Option 3 ID : 43357617851
Option 4 ID : 43357617852
Status : Answered
Chosen Option : C

Q.13 The main source of carbon monoxides, as air pollutants, is
4

Ans ☒ A. Thermal decomposition of fats
☒ B. Dye-making
☒ C. Blast furnaces
☒ D. Gasoline motor exhausts

Question Type : MCQ
Question ID : 4335764390
Option 1 ID : 43357617557
Option 2 ID : 43357617558
Option 3 ID : 43357617559
Option 4 ID : 43357617560
Status : Answered
Chosen Option : D

Q.13 John has stamps from different countries. 1/3rd of them are India's stamps. If he has 36
5 Indian stamps, how many stamps does he have in total?

Ans ☒ A. 12
☒ B. 36
☒ C. 48
☒ D. 108

Question Type : MCQ
Question ID : 4335764718
Option 1 ID : 43357618869
Option 2 ID : 43357618870
Option 3 ID : 43357618871
Option 4 ID : 43357618872
Status : Answered
Chosen Option : D

Q.13 Which of the following statements is/are correct?

- 6 (1) The Bakashali Manuscript written in the Gatha language (a refined version of old Prakrit) using the Sharada script deals with topics such as fractions, square roots, arithmetic and geometric progressions.
(2) In the field of geometry, Aryabhatta described the various properties of a circle giving a very accurate value for pi (π) correct to four decimal places at 3.1416.
(3) Sharangadhara Samhita is an important text on political system of ancient India.
Select the correct answer from the given options:

- Ans ☒ A. 1, 2 and 3
☒ B. 1 and 3 only
☒ C. 1 and 2 only
☒ D. 2 only

Question Type : MCQ
Question ID : 4335764473
Option 1 ID : 43357617889
Option 2 ID : 43357617890
Option 3 ID : 43357617891
Option 4 ID : 43357617892
Status : Answered
Chosen Option : A

Q.13 In three coloured boxes - Red, Green and Blue, 108 balls are placed. There are twice as many balls in the green and red boxes combined as there are in the blue box and twice as many in the blue box as there are in the red box. How many balls are there in the green box?

- Ans ☒ A. 18
☒ B. 36
☒ C. 45
☒ D. none of these

Question Type : MCQ
Question ID : 4335764952
Option 1 ID : 43357619805
Option 2 ID : 43357619806
Option 3 ID : 43357619807
Option 4 ID : 43357619808
Status : Answered
Chosen Option : B

Q.13 The selling price and the cost price of an article are in a ratio 5: 4. If the profit is 2000 rupees, find the selling price.

- Ans ☒ A. 10,000 rupees
☒ B. 12,000 rupees
☒ C. 15,000 rupees
☒ D. 20,000 rupees

Question Type : MCQ
Question ID : 4335764767
Option 1 ID : 43357619065
Option 2 ID : 43357619066
Option 3 ID : 43357619067
Option 4 ID : 43357619068
Status : Answered
Chosen Option : A

Q.13 _____ is done when a force moves an object through some distance.
9

- Ans ☒ A. work
☒ B. force
☒ C. energy
☒ D. all of these

Question Type : MCQ
Question ID : 4335764540
Option 1 ID : 43357618157
Option 2 ID : 43357618158
Option 3 ID : 43357618159
Option 4 ID : 43357618160
Status : Answered
Chosen Option : A

Q.14 What is the number of official food groups on the USDA's Food Pyramid?
0

- Ans ☒ A. 4
☒ B. 5
☒ C. 6
☒ D. 10

Question Type : MCQ
Question ID : 4335764589
Option 1 ID : 43357618353
Option 2 ID : 43357618354
Option 3 ID : 43357618355
Option 4 ID : 43357618356
Status : Answered
Chosen Option : B

Q.14 Choose the correct option instead of the question mark in the given question.
1

Loksabha : Speaker :: Rajyasabha : ?

- Ans ☒ A. Prime Minister
☒ B. President
☒ C. Vice President
☒ D. MP

Question Type : MCQ
Question ID : 4335764828
Option 1 ID : 43357619309
Option 2 ID : 43357619310
Option 3 ID : 43357619311
Option 4 ID : 43357619312
Status : Answered
Chosen Option : C

Q.14 If in a certain code, 'POT' is written as ATOP and 'TRAP' is written as APART, then how
2 is 'ARENA' written in that code?

- Ans ☐ A. AARENA
☐ B. AANREA
☐ C. AANEAR
☒ D. AANERA

Question Type : MCQ
Question ID : 4335764819
Option 1 ID : 43357619273
Option 2 ID : 43357619274
Option 3 ID : 43357619275
Option 4 ID : 43357619276
Status : Answered
Chosen Option : D

Q.14 What is the correct sequence of hill stations in descending order according to height
3 above mean sea level?

- Ans ☐ A. Kodaikanal, Darjeeling, Shimla and Mahabaleshwar
☒ B. Shimla, Kodaikanal, Darjeeling and Mahabaleshwar
☐ C. Kodaikanal, Shimla, Mahabaleshwar and Darjeeling
☐ D. Mahabaleshwar, Shimla, Darjeeling and Kodaikanal

Question Type : MCQ
Question ID : 4335764606
Option 1 ID : 43357618421
Option 2 ID : 43357618422
Option 3 ID : 43357618423
Option 4 ID : 43357618424
Status : Answered
Chosen Option : B

Q.14 Which of the following order is correct, regarding the life cycle of the butterfly?
4

- Ans ☒ A. Egg, Larva , Pupa , Adult
☐ B. Larva, Egg, Pupa, Adult
☐ C. Pupa, Egg, Larva, Adult
☐ D. Larva, Pupa, Egg, Adult

Question Type : MCQ
Question ID : 4335764519
Option 1 ID : 43357618073
Option 2 ID : 43357618074
Option 3 ID : 43357618075
Option 4 ID : 43357618076
Status : Answered
Chosen Option : A

Q.14 Which of the following is a polyhedron
5

- Ans ☒ A. Prism
☒ B. cylinder
☒ C. cone
☒ D. None of these

Question Type : MCQ
Question ID : 4335764680
Option 1 ID : 43357618717
Option 2 ID : 43357618718
Option 3 ID : 43357618719
Option 4 ID : 43357618720
Status : Answered
Chosen Option : A

Q.14 A Wooden Box of Dimensions 8 m x 7 m x 6 m is to carry Rectangular Boxes of
6 dimensions 8 cm x 7 cm x 6 cm. What is the Maximum Number of Boxes that can be carried in the Wooden box?

- Ans ☒ A. 9900000
☒ B. 1000000
☒ C. 1200000
☒ D. 9800000

Question Type : MCQ
Question ID : 4335764733
Option 1 ID : 43357618929
Option 2 ID : 43357618930
Option 3 ID : 43357618931
Option 4 ID : 43357618932
Status : Answered
Chosen Option : B

Q.14 In the alphabet, which Letter will be in Middle of 8th and 22nd Letter from the right end
7 ?

- Ans ☒ A. K
☒ B. L
☒ C. M
☒ D. N

Question Type : MCQ
Question ID : 4335764930
Option 1 ID : 43357619717
Option 2 ID : 43357619718
Option 3 ID : 43357619719
Option 4 ID : 43357619720
Status : Answered
Chosen Option : B

**Test
Prime**

By Adda247

PREVIOUS YEAR PAPERS PDF



PRACTICE MORE, SCORE HIGHER!



**Free
25,000+
PDF's**


High-Quality | Exam-Wise | Updated Regularly



**ATTEMPT AS
MOCK**



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise &
Exam-wise PDFs



Download &
Study Offline



Attempt as Mock
& Track Score



Smart Analysis
& Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD TEST PRIME

Test

Prime



SUCCESS GALLERY!

★ MEET THE ACHIEVERS ★



Kunal, RRB JE



Shivam, UPSSSC AGTA



Priya, ANM



KHALILUR, LDA



Manoj, PWD



Atin, JENPAS



Shatarupa, OPSC



Arpita, JENPAS



Shital, SSC JE (Mech)



Nancy, UGC NET



Atul, SSC JE (ELCT)



Rahul, SSC JE (CIVIL)



Anand, SSC JE (ELCT)



Mohan, SSC JE (ELCT)



Saurabh, UGC NET



Ved, SSC JE (Mech)

★ THEY DID IT. YOU CAN TOO ★

READ THEIR STORIES!



Q.14 Which of the following is mainly responsible for the causes of water pollution?

8

- Ans ☒ A. Afforestation
☒ B. Oil refineries
☒ C. Paper factories
☒ D. Both Oil refineries and Paper factories

Question Type : MCQ
 Question ID : 4335764644
 Option 1 ID : 43357618573
 Option 2 ID : 43357618574
 Option 3 ID : 43357618575
 Option 4 ID : 43357618576
 Status : Answered
 Chosen Option : D

Q.14 Which system was declared illegal in India by the India Act V of 1843 ?

9

- Ans ☒ A. Sati
☒ B. Infanticide
☒ C. Slavery
☒ D. Dowry

Question Type : MCQ
 Question ID : 4335764353
 Option 1 ID : 43357617409
 Option 2 ID : 43357617410
 Option 3 ID : 43357617411
 Option 4 ID : 43357617412
 Status : Answered
 Chosen Option : A

Q.15 In the given number series what number will come in place of the question mark
 0 Symbol.

512, 256, 128, 64, ?

- Ans ☒ A. 28
☒ B. 30
☒ C. 32
☒ D. 34

Question Type : MCQ
 Question ID : 4335764859
 Option 1 ID : 43357619433
 Option 2 ID : 43357619434
 Option 3 ID : 43357619435
 Option 4 ID : 43357619436
 Status : Answered
 Chosen Option : C