ALHCA



Test Booklet Code

ZZ

This Booklet contains 24 pages.

Do not open this Test Booklet until you are asked to do so.

Read carefully the Instructions on the Back Cover of this Test Booklet.

Important Instructions:

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on **Side-1** and **Side-2** carefully with **blue/black** ball point pen only.
- 2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are 720.
- 3. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses.
- 4. Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 5. On completion of the test, the candidate must hand over the Answer Sheet to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 6. The CODE for this Booklet is **ZZ**. Make sure that the CODE printed on **Side-2** of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
- 7. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 8. Use of white fluid for correction is *not* permissible on the Answer Sheet.


Name of the Candidate (in Capitals) :	
Roll Number : in figures	
: in words	
Centre of Examination (in Capitals) :	
Candidate's Signature :	Invigilator's Signature :
Facsimile signature stamp of	
Centre Superintendent :	


ALHCA/ZZ/Page 1 English


- 1. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is
 - (1) 330 m/s
 - (2) 339 m/s
 - (3) 300 m/s
 - (4) 350 m/s
- 2. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is
 - (1) smaller
 - (2) 5 times greater
 - (3) equal
 - (4) 10 times greater
- 3. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s² at a distance of 5 m from the mean position. The time period of oscillation is
 - (1) $2\pi s$
 - (2) π s
 - (3) 1 s
 - (4) 2 s
- 4. The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is
 - (1) independent of the distance between the plates.
 - (2) linearly proportional to the distance between the plates.
 - (3) inversely proportional to the distance between the plates.
 - (4) proportional to the square root of the distance between the plates.


- is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is
 - (1) 40Ω
 - (2) 25Ω
 - (3) 500Ω
 - (4) 250Ω
- 6. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from
 - (1) the current source
 - (2) the magnetic field
 - (3) the induced electric field due to the changing magnetic field
 - (4) the lattice structure of the material of the rod
- 7. An inductor 20 mH, a capacitor 100 μF and a resistor 50 Ω are connected in series across a source of emf, $V = 10 \sin 314 \ t$. The power loss in the circuit is
 - $(1) \quad 0.79 \text{ W}$
 - $(2) \quad 0.43 \text{ W}$
 - (3) 1·13 W
 - (4) 2.74 W
- 8. A metallic rod of mass per unit length 0.5 kg m⁻¹ is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0.25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
 - (1) 7·14 A
 - (2) 5.98 A
 - (3) 11.32 A
 - (4) 14.76 A

- 9. A carbon resistor of $(47 \pm 4.7) \text{ k}\Omega$ is to be marked with rings of different colours for its identification. The colour code sequence will be
 - (1) Violet Yellow Orange Silver
 - (2) Yellow Violet Orange Silver
 - (3) Green Orange Violet Gold
 - (4) Yellow Green Violet Gold
- 10. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
 - (1) 10
 - (2) 11
 - (3) 9
 - (4) 20
- 11. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n?









- 2. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0.20° . To increase the fringe angular width to 0.21° (with same λ and D) the separation between the slits needs to be changed to
 - (1) 1.8 mm
 - $(2) \quad 1{\cdot}9 \; mm$
 - (3) 1·7 mm
 - (4) 2·1 mm
- 13. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
 - (1) small focal length and large diameter
 - (2) large focal length and small diameter
 - (3) small focal length and small diameter
 - (4) large focal length and large diameter
- 14. Unpolarised light is incident from air on a plane surface of a material of refractive index 'μ'. At a particular angle of incidence 'i', it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation?
 - (1) Reflected light is polarised with its electric vector parallel to the plane of incidence
 - (2) Reflected light is polarised with its electric vector perpendicular to the plane of incidence
 - (3) $i = \tan^{-1}\left(\frac{1}{\mu}\right)$
 - $(4) \quad i = \sin^{-1}\left(\frac{1}{\mu}\right)$


- 15. An em wave is propagating in a medium with a velocity $\vec{V} = \hat{V} \hat{i}$. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along
 - (1) z direction
 - (2) + z direction
 - (3) x direction
 - (4) v direction
- 16. The refractive index of the material of a prism is $\sqrt{2}$ and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is
 - (1) 60°
 - (2) 45°
 - (3) zero
 - (4) 30°
- 17. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be
 - (1) 30 cm away from the mirror
 - (2) 36 cm away from the mirror
 - (3) 36 cm towards the mirror
 - (4) 30 cm towards the mirror
- 18. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance
 - $(1) \quad 0.138 \text{ H}$
 - (2) 138·88 H
 - (3) 13.89 H
 - (4) 1·389 H

- 19. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is
 - (1) 20
 - (2) 10
 - (3) 15
 - (4) 30
- **20.** The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is
 - (1) 1:1
 - (2) 1:-1
 - (3) 1:-2
 - (4) 2:-1
- 21. An electron of mass m with an initial velocity $\vec{V}=V_0\,\hat{i}\,(V_0>0)$ enters an electric field $\vec{E}=-\,E_0\,\hat{i}\,(E_0={\rm constant}>0)$ at t=0. If λ_0 is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is


$$(1) \quad \frac{\lambda_0}{\left(1+\frac{eE_0}{mV_0}t\right)}$$

- $(2) \qquad \lambda_0 \left(1 + \frac{e E_0}{m V_0} t \right)$
- (3) λ_0
- (4) $\lambda_0 t$
- **22.** When the light of frequency $2v_0$ (where v_0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v_1 . When the frequency of the incident radiation is increased to $5v_0$, the maximum velocity of electrons emitted from the same plate is v_2 . The ratio of v_1 to v_2 is
 - (1) 1:2
 - (2) 1:4
 - (3) 2:1
 - (4) 4:1

23. In the combination of the following gates the output Y can be written in terms of inputs A and B as




- (1) $\overline{A \cdot B}$
- (2) $A \cdot \overline{B} + \overline{A} \cdot B$
- $(3) \overline{A+B}$
- (4) $\overline{A \cdot B} + A \cdot B$
- 24. In the circuit shown in the figure, the input voltage V_i is 20 V, V_{BE} = 0 and V_{CE} = 0. The values of I_B , I_C and β are given by



- (1) $I_B = 40 \mu A, I_C = 10 mA, \beta = 250$
- (2) $I_B = 25 \mu A$, $I_C = 5 mA$, $\beta = 200$
- (3) $I_B = 40 \mu A$, $I_C = 5 mA$, $\beta = 125$
- (4) $I_B = 20 \mu A$, $I_C = 5 mA$, $\beta = 250$
- **25.** In a p-n junction diode, change in temperature due to heating
 - (1) affects only reverse resistance
 - $(2) \quad \text{ affects only forward resistance} \\$
 - (3) affects the overall V I characteristics of p-n junction
 - (4) does not affect resistance of p-n junction

- 26. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere?
 - (1) Angular velocity
 - (2) Moment of inertia
 - (3) Angular momentum
 - (4) Rotational kinetic energy
- 27. The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are K_A , K_B and K_C , respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then



- $(1) \quad K_{A} < K_{B} < K_{C}$
- (2) $K_A > K_B > K_C$
- (3) $K_B > K_A > K_C$
- $(4) \quad K_{B} < K_{A} < K_{C}$
- **28.** If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is *not* correct?
 - (1) Raindrops will fall faster.
 - (2) Walking on the ground would become more difficult.
 - (3) 'g' on the Earth will not change.
 - (4) Time period of a simple pendulum on the Earth would decrease.
- **29.** A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy (K_t) as well as rotational kinetic energy (K_r) simultaneously. The ratio $K_t:(K_t+K_r)$ for the sphere is
 - (1) 7:10
 - (2) 5:7
 - (3) 2:5
 - (4) 10:7


- 30. A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to
 - (1) r^3
 - (2) r^2
 - (3) r^4
 - (4) r^5
- 31. A sample of 0·1 g of water at 100°C and normal pressure (1·013 × 10⁵ Nm⁻²) requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167·1 cc, the change in internal energy of the sample, is
 - (1) 104·3 J
 - (2) 208.7 J
 - (3) 84·5 J
 - (4) 42.2 J
- **32.** Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by Δl on applying a force F, how much force is needed to stretch the second wire by the same amount?
 - (1) 9 F
 - (2) 6 F
 - (3) F
 - (4) 4 F
- 33. The power radiated by a black body is P and it radiates maximum energy at wavelength, λ_0 . If the temperature of the black body is now changed so that it radiates maximum energy at wavelength $\frac{3}{4}\lambda_0$, the power radiated by it becomes nP. The value of n is
 - $(1) \frac{3}{4}$
 - (2) $\frac{4}{3}$
 - $(3) \quad \frac{81}{256}$
 - $(4) \quad \frac{256}{81}$

34. At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere?

(Given:


Mass of oxygen molecule (m) = 2.76×10^{-26} kg Boltzmann's constant $k_B = 1.38 \times 10^{-23}$ J K⁻¹)

- (1) $2.508 \times 10^4 \text{ K}$
- (2) $8.360 \times 10^4 \text{ K}$
- (3) $1.254 \times 10^4 \text{ K}$
- (4) $5.016 \times 10^4 \text{ K}$
- 35. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is




- (1) $\frac{2}{5}$
- (2) $\frac{2}{3}$
- (3) $\frac{2}{7}$
- $(4) \frac{1}{3}$
- 36. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is
 - (1) 13·2 cm
 - (2) 8 cm
 - (3) 16 cm
 - (4) 12·5 cm
- **37.** The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is
 - (1) 26.8%
 - (2) 20%
 - (3) 12.5%
 - $(4) \quad 6.25\%$

38. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to



- $(1) \quad \frac{3}{2} D$
- (2) D
- $(3) \quad \frac{5}{4} D$
- (4) $\frac{7}{5}$ D
- 39. Three objects, A: (a solid sphere), B: (a thin circular disk) and C: (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation
 - $(1) \quad W_C > W_B > W_A$
 - $(2) \quad W_{A} > W_{B} > W_{C}$
 - $(3) \quad W_{A} > W_{C} > W_{B}$
 - $(4) \quad W_B > W_A > W_C$
- **40.** Which one of the following statements is *incorrect*?
 - (1) Rolling friction is smaller than sliding friction.
 - (2) Limiting value of static friction is directly proportional to normal reaction.
 - (3) Coefficient of sliding friction has dimensions of length.
 - (4) Frictional force opposes the relative motion.
- 41. A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be
 - (1) 0.5
 - $(2) \quad 0.25$
 - $(3) \quad 0.4$
 - $(4) \quad 0.8$

2. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration 'a' towards the right. The relation between a and θ for the block to remain stationary on the wedge is



- (1) $a = \frac{g}{\csc \theta}$
- (2) $a = \frac{g}{\sin \theta}$
- (3) $a = g \tan \theta$
- (4) $a = g \cos \theta$
- A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field \overrightarrow{E} . Due to the force q \overrightarrow{E} , its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively
 - (1) 2 m/s, 4 m/s
 - (2) 1 m/s, 3 m/s
 - (3) 1.5 m/s, 3 m/s
 - (4) 1 m/s, 3.5 m/s
- **44.** The moment of the force, $\vec{F} = 4\hat{i} + 5\hat{j} 6\hat{k}$ at (2, 0, -3), about the point (2, -2, -2), is given by

$$(1) - 8\hat{i} - 4\hat{j} - 7\hat{k}$$

- $(2) \quad -4\hat{i} \hat{j} 8\hat{k}$
- (3) $-7\hat{i} 4\hat{j} 8\hat{k}$
- $(4) -7\hat{i} -8\hat{j} -4\hat{k}$
- 45. A student measured the diameter of a small steel ball using a screw gauge of least count 0.001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of 0.004 cm, the correct diameter of the ball is
 - (1) 0.521 cm
 - (2) 0.525 cm
 - (3) 0.529 cm
 - (4) 0.053 cm

- **46.** The difference between spermiogenesis and spermiation is
 - In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
 - (2) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
 - (3) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
 - (4) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.
- **47.** The amnion of mammalian embryo is derived from
 - (1) ectoderm and mesoderm
 - (2) endoderm and mesoderm
 - (3) ectoderm and endoderm
 - (4) mesoderm and trophoblast
- **48.** The contraceptive 'SAHELI'
 - (1) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
 - (2) increases the concentration of estrogen and prevents ovulation in females.
 - (3) is a post-coital contraceptive.
 - (4) is an IUD.
- **49.** Hormones secreted by the placenta to maintain pregnancy are
 - (1) hCG, hPL, progestogens, prolactin
 - (2) hCG, hPL, estrogens, relaxin, oxytocin
 - (3) hCG, progestogens, estrogens, glucocorticoids
 - (4) hCG, hPL, progestogens, estrogens

50. Match the items given in Column I with those in Column II and select the *correct* option given below:

Column I

Column II

- a. Proliferative Phase i. Breakdown of endometrial lining
- b. Secretory Phase
- ii. Follicular Phase
- c. Menstruation
- iii. Luteal Phase
- a b c
- $(1) \quad iii \qquad i \qquad \quad i$
- (2) i iii ii
- (3) iii i ii
- (4) ii iii i
- **51.** All of the following are part of an operon *except*
 - (1) an operator
 - (2) structural genes
 - (3) a promoter
 - (4) an enhancer
- **52.** A woman has an X-linked condition on one of her X chromosomes. This chromosome can be inherited by
 - (1) Only daughters
 - (2) Only sons
 - (3) Both sons and daughters
 - (4) Only grandchildren
- **53.** According to Hugo de Vries, the mechanism of evolution is
 - (1) Multiple step mutations
 - (2) Saltation
 - (3) Minor mutations
 - (4) Phenotypic variations
- **54.** AGGTATCGCAT is a sequence from the coding strand of a gene. What will be the corresponding sequence of the transcribed mRNA?
 - (1) AGGUAUCGCAU
 - (2) UGGTUTCGCAT
 - (3) UCCAUAGCGUA
 - (4) ACCUAUGCGAU

- Among the following sets of examples for 61. All of the following are included in 'Ex-situ 55. divergent evolution, select the *incorrect* option : conservation' except Forelimbs of man, bat and cheetah (1) Wildlife safari parks (2)(2)Heart of bat, man and cheetah Sacred groves Seed banks (3)Eve of octopus, bat and man (3)(4) Brain of bat, man and cheetah (4) Botanical gardens Conversion of milk to curd improves its 62. 56. Which part of poppy plant is used to obtain the nutritional value by increasing the amount of drug "Smack"? (1) Vitamin D (1) Flowers (2)Vitamin A (2)Latex (3)Vitamin E (3)Leaves (4) Vitamin B₁₂ (4) Roots Which of the following is **not** an autoimmune $|_{63}$. 57. In a growing population of a country, disease? pre-reproductive individuals are more than **(1) Psoriasis** the reproductive individuals. Rheumatoid arthritis (2)(2)reproductive individuals are less than the (3)Vitiligo post-reproductive individuals. (4) Alzheimer's disease (3)pre-reproductive individuals are less than the reproductive individuals. The similarity of bone structure in the forelimbs 58. (4)reproductive and pre-reproductive of many vertebrates is an example of individuals are equal in number. **(1)** Homology Analogy (2)64. Which following the (3)Adaptive radiation the production of antibiotics? Convergent evolution (4) Commensalism (1) Which of the following characteristics represent **59.** 'Inheritance of blood groups' in humans? (2)Mutualism **Dominance** a. (3)Amensalism Co-dominance b. (4) Parasitism c. Multiple allele
 - Incomplete dominance d.
 - e. Polygenic inheritance
 - (1) b, c and e
 - (2)a, b and c
 - (3)a, c and e
 - (4) b, d and e
- 60. In which disease does mosquito transmitted chronic inflammation pathogen cause lymphatic vessels?
 - (1)Elephantiasis
 - (2)Ascariasis
 - (3)Amoebiasis
 - (4)Ringworm disease

population interactions is widely used in medical science for

Match the items given in Column I with those in Column II and select the *correct* option given below:

Column II

Column I

a.	Eutr	ophicat	ion	i.	UV-B radiation
b.	Sani	tary lar	ndfill	ii.	Deforestation
c.	Snov	w blindr	ness	iii.	Nutrient
					enrichment
d.	Jhui	n cultiv	ation	iv.	Waste disposal
	a	b	\mathbf{c}		d
(1)	ii	i	iii		iv
(2)	i	iii	iv		ii
(3)	i	ii	iv		iii
(4)	iii	iv	i		ii

- following options correctly 69. 66. Which of the represents the lung conditions in asthma and emphysema, respectively?
 - Inflammation of bronchioles; Decreased respiratory surface
 - Increased number of bronchioles; Increased (2)respiratory surface
 - (3)Decreased respiratory surface: Inflammation of bronchioles
 - (4) Increased respiratory surface; Inflammation of bronchioles
- 67. Match the items given in Column I with those in Column II and select the *correct* option given below:

	$Column\ I$		$Column \; II$
a.	Tricuspid valve	i.	Between left atrium and left ventricle
b.	Bicuspid valve	ii.	Between right ventricle and pulmonary artery
c.	Semilunar valve	iii.	Between right atrium and right

ventricle

	a	b	\mathbf{c}
(1)	iii	i	ii
(2)	i	iii	ii
(3)	ii	i	iii
(4)	i	ii	iii

68. Match the items given in Column I with those in Column II and select the correct option given below:

	Colur	nn I			Column~II
a.	Tidal	volume		i.	$2500-3000~\mathrm{mL}$
b.	Inspir volun	•	leserve	ii.	1100 – 1200 mL
c.	Expir volun	•	eserve	iii.	500 – 550 mL
d.	Resid	ual volu	ıme	iv.	1000 – 1100 mL
	a	b	\mathbf{c}	d	
(1)	iii	ii	i	iv	
(2)	iii	i	iv	ii	
(3)	iv	iii	ii	i	
(4)	i	iv	ii	iii	

- Which of the following is an amino acid derived hormone?
 - Epinephrine (1)
 - (2)Ecdysone
 - (3)Estriol
 - Estradiol (4)
- 70. Which of the following structures or regions is *incorrectly* paired with its function?
 - Medulla oblongata: controls respiration

and cardiovascular

reflexes.

(2)consists of fibre Limbic system

> tracts that interconnect different regions of brain; controls movement.

band of fibers (3)Corpus callosum

connecting left and right cerebral hemispheres.

Hypothalamus production of (4)

> releasing hormones and regulation of temperature, hunger and thirst.

- 71. The transparent lens in the human eye is held in its place by
 - (1) ligaments attached to the ciliary body
 - (2)ligaments attached to the iris
 - (3)smooth muscles attached to the ciliary body
 - smooth muscles attached to the iris (4)
- **72.** Which of the following hormones can play a significant role in osteoporosis?
 - Aldosterone and Prolactin **(1)**
 - (2)Progesterone and Aldosterone
 - (3)Parathyroid hormone and Prolactin
 - Estrogen and Parathyroid hormone (4)

Select the *incorrect* match: Which of the following gastric cells indirectly **73.** (1) Diplotene bivalents Lampbrush help in erythropoiesis? chromosomes (1) Chief cells Allosomes (2) Sex chromosomes (2)Mucous cells (3)Polytene Oocvtes of amphibians chromosomes (3)Parietal cells Submetacentric - L-shaped chromososmes (4) (4)Goblet cells chromosomes Nissl bodies are mainly composed of Match the items given in Column I with those in | 78. **74. (1)** Proteins and lipids Column II and select the correct option given (2)DNA and RNA below: Free ribosomes and RER (3) $Column\ I$ Column II (4) Nucleic acids and SER Fibrinogen i. Osmotic balance a. **79.** Which of these statements is *incorrect*? Globulin b. ii. Blood clotting Enzymes of TCA cycle are present in Albumin iii. Defence mechanism c. mitochondrial matrix. (2)Glycolysis occurs in cytosol. a b \mathbf{c} Oxidative phosphorvlation takes place in (3)(1) iii i ii outer mitochondrial membrane. i (2)ii iii Glycolysis operates as long as it is supplied (4) ii i (3)iii with NAD that can pick up hydrogen atoms. (4)i ii iii 80. Which of the following events does not occur in rough endoplasmic reticulum? Which of the following is an occupational **75.** Protein folding respiratory disorder? (2)Protein glycosylation (1) Anthracis (3)Phospholipid synthesis (2)Silicosis Cleavage of signal peptide (4)(3)Emphysema Many ribosomes may associate with a single (4)Botulism mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as **76.** Calcium is important in skeletal muscle contraction because it (1) Polysome (2)Polyhedral bodies binds to troponin to remove the masking of (1) Nucleosome (3)active sites on actin for myosin. Plastidome (4) activates the myosin ATPase by binding to (2)it. Which of the following terms describe human 82. dentition? (3)prevents the formation of bonds between (1) Thecodont, Diphyodont, Homodont the myosin cross bridges and the actin filament. (2)Thecodont, Diphyodont, Heterodont

detaches the myosin head from the actin

(4)

filament.

(3)

(4)

Pleurodont, Diphyodont, Heterodont

Pleurodont, Monophyodont, Homodont

83.		tify the vertebrate group of animals acterized by crop and gizzard in its digestive em.	89.		ımn I	_			umn I with those in orrect option given
	(1)	Amphibia		DCIO	w . Colui	T			Column II
	(2)	Reptilia							
	(3)(4)	Osteichthyes Aves			(Fund	ction)			(Part of Excretory System)
	(4)	Aves		a.	Ultra	filtration	1	i.	Henle's loop
84.	Which	ch one of these animals is <i>not</i> a eotherm?		b.	Conc of ur	entration	1	ii.	Ureter
	(1)	Macropus						:::	Their arm bladden
	(2)	Chelone		c.	urine	sport of		111.	Urinary bladder
	(3)	Psittacula		d.	Stora	ge of uri	ne	iv.	Malpighian
	(4)	Camelus							corpuscle
85.		ch of the following features is used to identify ale cockroach from a female cockroach?						v.	Proximal convoluted tubule
	(1)	Presence of a boat shaped sternum on the			a	b	\mathbf{c}	d	
		9 th abdominal segment		(1)	iv	v	ii	ii	i
	(2)	Presence of caudal styles		(2)	iv	i	ii	ii	i
	(3)	Presence of anal cerci		(3)	v	iv	i	ii	i
	(4)	Forewings with darker tegmina		(4)		iv	i	ii	
86.		ch of the following organisms are known as f producers in the oceans?	90.		v ch the				umn I with those in
	(1)	Dinoflagellates		Colu	ımn I	and se	lect t	the c	orrect option given
	(2)	Diatoms		belo	w:				
	(3)	Euglenoids			Colu	$mn\ I$		Col	lumn II
	(4)	Cyanobacteria		a.	Glyco	suria	i.		imulation of uric
87.	Cilia	tes differ from all other protozoans in							in joints
	(1)	using flagella for locomotion		b.	Gout		ii.		s of crystallised s within the kidney
	(2)	having a contractile vacuole for removing excess water		c.	Rena	l calculi	iii.	Infla	ammation in
	(3)	having two types of nuclei						glon	neruli
	(4)	using pseudopodia for capturing prey		d.	Glom neph	erular ritis	iv.	Pres urin	sence of glucose in e
88.		ch of the following animals does <i>not</i> undergo amorphosis?			a	b	\mathbf{c}	d	
	(1)	Earthworm		(1)	iii	ii	iv	i	
	(2)	Tunicate		(2)	i	ii	iii	iv	J .
	(3)	Starfish		(3)	iv	i	ii	ii	i
	(4)	Moth		(4)	ii	iii	i	iv	<i>T</i>

- cellular 98. What is the role of NAD⁺ in 91. respiration? It functions as an enzyme. (1)
 - (2)It functions as an electron carrier.
 - (3)It is the final electron acceptor for anaerobic respiration.
 - (4) It is a nucleotide source for ATP synthesis.
- 92. Which one of the following plants shows a very close relationship with a species of moth, where none of the two can complete its life cycle without the other?
 - (1) Hydrilla
 - (2)Yucca
 - Viola(3)
 - (4) Banana
- Oxygen is **not** produced during photosynthesis by 93.
 - Green sulphur bacteria
 - (2)Nostoc
 - (3)Chara
 - (4)Cycas
- 94. In which of the following forms is iron absorbed by plants?
 - (1) Ferric
 - (2)Ferrous
 - (3)Both ferric and ferrous
 - (4) Free element
- Double fertilization is 95.
 - Fusion of two male gametes of a pollen tube with two different eggs
 - (2)Fusion of one male gamete with two polar nuclei
 - Syngamy and triple fusion (3)
 - Fusion of two male gametes with one egg
- Which of the following elements is responsible for 96. maintaining turgor in cells?
 - (1) Magnesium
 - (2)Sodium
 - (3)Calcium
 - (4) Potassium
- Pollen grains can be stored for several years in 105. The stage during which separation of the paired 97. liquid nitrogen having a temperature of
 - (1) − 120°C
 - (2)-80°C
 - (3)- 160°C
 - $(4) 196^{\circ}C$

- Which among the following is **not** a prokaryote?
 - (1) Saccharomyces
 - (2)Mycobacterium
 - Oscillatoria (3)
 - (4) Nostoc
- 99. The two functional groups characteristic of sugars are
 - (1) hydroxyl and methyl
 - (2)carbonyl and methyl
 - (3)carbonyl and hydroxyl
 - (4) carbonyl and phosphate
- **100.** Which of the following is **not** a product of light reaction of photosynthesis?
 - **(1)** ATP
 - (2)NADH
 - (3)Oxygen
 - NADPH (4)
- **101.** Stomatal movement is *not* affected by
 - Temperature
 - (2)Light
 - (3)CO2 concentration
 - (4) O₂ concentration
- 102. The Golgi complex participates in
 - Fatty acid breakdown
 - (2)Formation of secretory vesicles
 - (3)Activation of amino acid
 - (4) Respiration in bacteria
- **103.** Which of the following is true for nucleolus?
 - Larger nucleoli are present in dividing cells. (1)
 - (2)It is a membrane-bound structure.
 - (3)It is a site for active ribosomal RNA synthesis.
 - It takes part in spindle formation.
- 104. Stomata in grass leaf are
 - **(1)** Dumb-bell shaped
 - (2)Kidney shaped
 - (3)Barrel shaped
 - (4) Rectangular
- homologous chromosomes begins is
 - **(1)** Pachytene
 - (2)Diplotene
 - (3)Zygotene
 - Diakinesis (4)

- **106.** Which of the following is commonly used as a **112.** Select the *correct* match: vector for introducing a DNA fragment in human (1) lymphocytes? (1) Retrovirus (2)(2)Ti plasmid (3)(3)pBR 322 (4) λ phage (4) **107.** Use of bioresources by multinational companies and organisations without authorisation from the concerned country and its people is called Bio-infringement (1) (1) (2)**Biopiracy** (2)(3)Bioexploitation (3)(4) Biodegradation (4)
 - Alec Jeffreys - Streptococcus pneumoniae - TMV Alfred Hershev and Martha Chase François Jacob and - Lac operon Jacques Monod Matthew Meselson Pisum sativum and F. Stahl 113. Which of the following has proved helpful in preserving pollen as fossils? Pollenkitt Cellulosic intine Sporopollenin Oil content 108. In India, the organisation responsible for 114. The experimental proof for semiconservative assessing the safety of introducing genetically replication of DNA was first shown in a modified organisms for public use is **Fungus** (1)Indian Council of Medical Research (ICMR) (2)**Bacterium** Scientific (3)Virus and Industrial (4) **Plant** Genetic Engineering Appraisal Committee 115. Which of the following pairs is wrongly matched? Committee on Genetic (1)Starch synthesis in pea Multiple alleles Manipulation (RCGM) (2)ABO blood grouping Co-dominance (3)T.H. Morgan Linkage 109. The correct order of steps in Polymerase Chain (4) XO type sex Grasshopper determination (1) Extension, Denaturation, Annealing Annealing, Extension, Denaturation **116.** Offsets are produced by Meiotic divisions (1)Denaturation, Annealing, Extension (2)Mitotic divisions Denaturation, Extension, Annealing (3)Parthenogenesis (4) Parthenocarpy Nucleic acid **117.** Select the *correct* statement : Dihybrid cross Franklin Stahl coined the term "linkage". (2)Punnett square was developed by a British
 - Ribozyme
 - (2) $F_2 \times Recessive parent$
 - G. Mendel **Transformation** (3)
 - (4)T.H. Morgan Transduction
 - 111. A 'new' variety of rice was patented by a foreign company, though such varieties have been present in India for a long time. This is related to
 - **(1)** Co-667

(1)

(2)

(3)

(4)

(2)

(3)

(4)

(1)

Council for

(GEAC)

Reaction (PCR) is

110. Select the *correct* match :

Research

Research (CSIR)

- (2)Sharbati Sonora
- (3)Basmati
- (4) Lerma Rojo

- scientist.
 - (3)Transduction was discovered by S. Altman.

 - Spliceosomes take part in translation.
- 118. Which of the following flowers only once in its life-time?
 - (1) Bamboo species
 - (2)Jackfruit
 - (3)Papaya
 - (4)Mango

119. Niche is

- (1) all the biological factors in the organism's environment
- (2) the physical space where an organism lives
- (3) the functional role played by the organism where it lives
- (4) the range of temperature that the organism needs to live
- **120.** In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen?
 - (1) Carbon
 - (2) C1
 - (3) Oxygen
 - (4) Fe
- **121.** What type of ecological pyramid would be obtained with the following data?

Secondary consumer : 120 g

Primary consumer : 60 g

Primary producer: 10 g

- (1) Inverted pyramid of biomass
- (2) Pyramid of energy
- (3) Upright pyramid of biomass
- (4) Upright pyramid of numbers
- **122.** Which of the following is a secondary pollutant?
 - (1) CO
 - (2) CO_2
 - (3) O_3
 - (4) SO_{2}
- **123.** World Ozone Day is celebrated on
 - (1) 5th June
 - (2) 21st April
 - (3) 22nd April
 - (4) 16th September
- **124.** Natality refers to
 - (1) Death rate
 - (2) Birth rate
 - (3) Number of individuals entering a habitat
 - (4) Number of individuals leaving the habitat

125. Match the items given in Column I with those in Column II and select the *correct* option given below:

Column I Column II

- a. Herbarium i. It is a place having a collection of preserved plants and animals.
- b. Key

 ii. A list that enumerates methodically all the species found in an area with brief description aiding identification.
- c. Museum iii. Is a place where dried and pressed plant specimens mounted on sheets are kept.
- d. Catalogue iv. A booklet containing a list of characters and their alternates which are helpful in identification of various taxa.

	a	b	\mathbf{c}	d
(1)	i	iv	iii	ii
(2)	iii	ii	i	iv
(3)	iii	iv	i	ii
(4)	ii	iv	iii	i

- **126.** Which one is *wrongly* matched?
 - (1) Uniflagellate gametes Polysiphonia
 - (2) Biflagellate zoospores Brown algae
 - (3) Unicellular organism Chlorella
 - (4) Gemma cups Marchantia
- **127.** After karyogamy followed by meiosis, spores are produced exogenously in
 - (1) Neurospora
 - (2) Alternaria
 - (3) Saccharomyces
 - (4) Agaricus
- 128. Winged pollen grains are present in
 - (1) Mustard
 - (2) Cycas
 - (3) Pinus
 - (4) Mango

- **129.** Pneumatophores occur in
 - (1) Halophytes
 - (2) Free-floating hydrophytes
 - (3) Submerged hydrophytes
 - (4) Carnivorous plants
- 130. Plants having little or no secondary growth are
 - (1) Grasses
 - (2) Deciduous angiosperms
 - (3) Cycads
 - (4) Conifers
- 131. Casparian strips occur in
 - (1) Epidermis
 - (2) Pericycle
 - (3) Endodermis
 - (4) Cortex
- **132.** Secondary xylem and phloem in dicot stem are produced by
 - (1) Apical meristems
 - (2) Vascular cambium
 - (3) Axillary meristems
 - (4) Phellogen
- **133.** Select the *wrong* statement :
 - (1) Cell wall is present in members of Fungi and Plantae.
 - (2) Mushrooms belong to Basidiomycetes.
 - (3) Mitochondria are the powerhouse of the cell in all kingdoms except Monera.
 - (4) Pseudopodia are locomotory and feeding structures in Sporozoans.
- **134.** Which of the following statements is *correct*?
 - (1) Ovules are not enclosed by ovary wall in gymnosperms.
 - (2) Selaginella is heterosporous, while Salvinia is homosporous.
 - (3) Stems are usually unbranched in both *Cycas* and *Cedrus*.
 - (4) Horsetails are gymnosperms.
- **135.** Sweet potato is a modified
 - (1) Stem
 - (2) Adventitious root
 - (3) Rhizome
 - (4) Tap root

- **136.** The correct order of N-compounds in its decreasing order of oxidation states is
 - (1) HNO₃, NO, N₂, NH₄Cl
 - (2) HNO_3 , NO, NH_4Cl , N_2
 - (3) NH_4Cl, N_2, NO, HNO_3
 - (4) HNO₃, NH₄Cl, NO, N₂
- **137.** The correct order of atomic radii in group 13 elements is
 - (1) B < Al < In < Ga < Tl
 - (2) B < Al < Ga < In < Tl
 - (3) B < Ga < Al < In < Tl
 - (4) B < Ga < Al < Tl < In
- **138.** Considering Ellingham diagram, which of the following metals can be used to reduce alumina?
 - (1) Fe
 - (2) Zn
 - (3) Cu
 - (4) Mg
- **139.** Which one of the following elements is unable to form MF_6^{3-} ion?
 - (1) Ga
 - (2) Al
 - (3) In
 - (4) B
- **140.** Which of the following statements is *not* true for halogens?
 - (1) All form monobasic oxyacids.
 - (2) All are oxidizing agents.
 - (3) Chlorine has the highest electron-gain enthalpy.
 - (4) All but fluorine show positive oxidation states.
- **141.** In the structure of ClF₃, the number of lone pairs of electrons on central atom 'Cl' is
 - (1) one
 - (2) two
 - (3) three
 - (4) four

- 142. The difference between amylose and amylopectin 147. The compound A on treatment with Na gives B, is
 - (1) Amylopectin have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6 \alpha$ -linkage
 - $1 \rightarrow 4$ (2)Amylose have α-linkage and $1 \rightarrow 6 \beta$ -linkage
 - (3)Amylose is made up of glucose galactose
 - (4) Amylopectin have $1 \rightarrow 4$ α -linkage and $1 \rightarrow 6 \beta$ -linkage
- 143. Regarding cross-linked or network polymers, which of the following statements is *incorrect*?
 - (1) They contain covalent bonds between various linear polymer chains.
 - They are formed from bi- and tri-functional (2)monomers.
 - They contain strong covalent bonds in their (3)polymer chains.
 - (4)Examples are bakelite and melamine.
- **144.** A mixture of 2.3 g formic acid and 4.5 g oxalic acid is treated with conc. H₂SO₄. The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be
 - **(1)** 1.4
 - (2)3.0
 - (3)4.4
 - (4) 2.8
- **145.** Which of the following oxides is most acidic in nature?
 - (1) MgO
 - (2)BeO
 - (3)CaO
 - (4) BaO
- gives m-nitroaniline because
 - In spite of substituents nitro group always goes to only m-position.
 - (2)electrophilic substitution reactions amino group is meta directive.
 - In acidic (strong) medium aniline is present (3)as anilinium ion.
 - In absence of substituents nitro group always goes to m-position.

- and with PCl₅ gives C. B and C react together to give diethyl ether. A, B and C are in the order
 - C_2H_5OH , C_2H_6 , C_2H_5Cl (1)
 - (2)C₂H₅OH, C₂H₅Cl, C₂H₅ONa
 - C₂H₅OH, C₂H₅ONa, C₂H₅Cl (3)
 - $C_{2}H_{5}Cl$, $C_{2}H_{6}$, $C_{2}H_{5}OH$ (4)
- **148.** Hydrocarbon (A) reacts with bromine substitution to form an alkyl bromide which by Wurtz reaction is converted hydrocarbon containing less than four carbon atoms. (A) is
 - $CH \equiv CH$ (1)
 - (2) $CH_9 = CH_9$
 - (3) CH₄
 - (4) $CH_3 CH_3$
- **149.** The compound C_7H_8 undergoes the following reactions:

$$C_7H_8 \xrightarrow{3 \text{ Cl}_2/\Delta} A \xrightarrow{Br_2/Fe} B \xrightarrow{Zn/HCl} C$$

The product 'C' is

- (1) *m*-bromotoluene
- (2)o-bromotoluene
- (3)p-bromotoluene
- 3-bromo-2,4,6-trichlorotoluene (4)
- 146. Nitration of aniline in strong acidic medium also 150. Which oxide of nitrogen is not a common pollutant introduced into the atmosphere both due to natural and human activity?
 - $(1) N_2O_5$
 - (2) NO_2
 - (3)NO
 - (4) N_2O

151. Which of the following molecules represents the 154. In the reaction order of hybridisation sp², sp², sp, sp from left to right atoms?

(1)
$$HC \equiv C - C \equiv CH$$

(2)
$$CH_2 = CH - C \equiv CH$$

(3)
$$CH_3 - CH = CH - CH_3$$

(4)
$$CH_2 = CH - CH = CH_2$$

152. Which of the following carbocations is expected to be most stable?

$$(1) \qquad \bigvee_{Y \quad H}^{NO_2}$$

$$(2) \qquad \begin{array}{c} \text{NO}_2 \\ \\ \text{} \\ \text{Y} \quad \text{H} \end{array}$$

$$(3) \qquad \overset{\text{NO}_2}{Y}$$

$$(4) \qquad \underset{Y}{\overset{NO_2}{\bigoplus}}$$

153. Which of the following is correct with respect to - I effect of the substituents ? (R = alkyl)

$$(1) \quad -\mathrm{NH}_2 < -\mathrm{OR} < -\mathrm{F}$$

(2)
$$-NR_2 < -OR < -F$$

(3)
$$-NR_2 > -OR > -F$$

$$(4) \quad -\mathrm{NH}_2>-\mathrm{OR}>-\mathrm{F}$$

$$\begin{array}{c} \text{OH} & \text{O-Na+} \\ \hline \\ \text{O} & + \text{CHCl}_3 + \text{NaOH} \end{array} \longrightarrow \begin{array}{c} \text{O-Na+} \\ \hline \\ \text{O} \end{array}$$

the electrophile involved is

- (1) dichloromethyl cation (CHCl₂)
- formyl cation (CHO) (2)
- (3)dichlorocarbene (:CCl₂)
- (4) dichloromethyl anion (CHCl₂)
- 155. Carboxylic acids have higher boiling points than ketones and even alcohols aldehydes, comparable molecular mass. It is due to their
 - formation of intramolecular H-bonding
 - formation of carboxylate ion (2)
 - (3)formation of intermolecular H-bonding
 - (4) more extensive association of carboxylic acid via van der Waals force of attraction
- 156. Compound A, C₈H₁₀O, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

(1)
$$H_3C - CH_2 - OH \text{ and } I_2$$

(2)
$$\sim$$
 CH $_2$ – CH $_2$ – OH and I $_2$

(3)
$$CH_3$$
 OH and I_2

(4)
$$\sim$$
 CH – CH $_3$ and I $_2$ OH

157. Identify the major products P, Q and R in the 159. For the redox reaction following sequence of reactions:

$$\begin{array}{c} \text{Anhydrous} \\ & \text{AlCl}_3 \\ \\ & P \xrightarrow{\text{(i) O}_2} Q + R \end{array}$$

 \mathbf{R}

P Q

(1)
$$CH_2CH_2CH_3$$
 CHO , $CH_3CH_2 - OH$

$$(2) \begin{picture}(200,0) \put(0,0){\line(1,0){100}} \put(0,0){\line(1,0$$

(3)
$$CH(CH_3)_2$$
 $CH_3 - CO - CH_3$

$$(4) \quad \begin{array}{c} \text{CH(CH}_3)_2 \\ \\ \end{array}, \quad \begin{array}{c} \text{OH} \\ \\ \end{array}, \quad \text{CH}_3\text{CH(OH)CH}_3 \\ \end{array}$$

- 158. Which of the following compounds can form a zwitterion?
 - (1) Aniline
 - (2)Acetanilide
 - (3)Glycine
 - Benzoic acid (4)

$$MnO_4^- + C_2O_4^{2-} + H^+ \longrightarrow Mn^{2+} + CO_2 + H_2O$$

the correct coefficients of the reactants for the balanced equation are

16

	MnO_4^-	$C_2^{O_4^{2-}}$	H^{+}
(1)	16	5	2

160. Which one of the following conditions will favour maximum formation of the product in the reaction.

$$A_2(g) + B_2(g) \rightleftharpoons X_2(g) \quad \Delta_r H = -X kJ$$
?

- (1) Low temperature and high pressure
- (2) Low temperature and low pressure
- (3)High temperature and low pressure
- High temperature and high pressure
- **161.** When initial concentration of the reactant is doubled, the half-life period of a zero order reaction
 - (1) is halved
 - (2)is doubled
 - (3)remains unchanged
 - (4)is tripled
- **162.** The correction factor 'a' to the ideal gas equation corresponds to
 - density of the gas molecules (1)
 - (2)volume of the gas molecules
 - (3)forces of attraction between molecules
 - (4)electric field present between the molecules
- 163. The bond dissociation energies of X_2 , Y_2 and XYare in the ratio of 1:0.5:1. ΔH for the formation of XY is -200 kJ mol⁻¹. The bond dissociation energy of X2 will be
 - 200 kJ mol^{-1} (1)
 - 100 kJ mol^{-1} (2)
 - 400 kJ mol^{-1} (3)
 - 800 kJ mol^{-1}

- 164. Magnesium reacts with an element (X) to form an | 168. The correct difference between firstionic compound. If the ground state electronic configuration of (X) is $1s^2 2s^2 2p^3$, the simplest formula for this compound is
 - $Mg_{2}X_{2}$
 - (2) MgX_{2}
 - $Mg_{2}X_{2}$
 - $Mg_{2}X$ (4)
- **165.** Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is
 - (1)
 - (2)
 - (3)
 - (4)
- **166.** Consider the following species:

CN⁺, CN⁻, NO and CN

Which one of these will have the highest bond order?

- (1) NO
- CN^{-} (2)
- (3)CN
- CN^+ (4)
- **167.** Which one is a *wrong* statement?
 - (1) Total orbital angular momentum of electron in 's' orbital is equal to zero.
 - (2)An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.
 - (3)The value of m for d_{2} is zero.
 - (4)The electronic configuration of N atom is

$$\begin{array}{c|c} 1s^2 & 2s^2 & 2p_x^1 \ 2p_y^1 \ 2p_z^1 \end{array}$$

- second-order reactions is that
 - the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
 - (2)the half-life of a first-order reaction does not depend on [A]0; the half-life of a second-order reaction does depend on [A]₀
 - (3)the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
 - (4) a first-order reaction can be catalyzed: a second-order reaction cannot be catalyzed
- **169.** In which case is the number of molecules of water maximum?
 - (1) 18 mL of water
 - (2) 0.18 g of water
 - (3) 10^{-3} mol of water
 - 0.00224 L of water vapours at 1 atm and (4)
- 170. Among CaH₂, BeH₂, BaH₂, the order of ionic character is
 - (1) $BeH_2 < CaH_2 < BaH_2$
 - (2) CaH₂ < BeH₂ < BaH₂
 - (3) BaH₂ < BeH₂ < CaH₂
 - $BeH_9 < BaH_9 < CaH_9$
- 171. Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below:

$$BrO_{4}^{-} \xrightarrow{1.82 \text{ V}} BrO_{3}^{-} \xrightarrow{1.5 \text{ V}} HBrO$$

$$Br^{-} \xleftarrow{1.0652 \text{ V}} Br_{2} \xleftarrow{1.595 \text{ V}}$$

Then the species undergoing disproportionation is

- BrO_{2}^{-} (1)
- (2) BrO_{4}^{-}
- **HBrO** (3)
- Br_{9}

172. The solubility of $BaSO_4$ in water is $2\cdot42\times10^{-3}~{\rm gL}^{-1}$ at 298 K. The value of its solubility product $(K_{\rm sp})$ will be

(Given molar mass of $BaSO_4 = 233 \text{ g mol}^{-1}$)

- (1) $1.08 \times 10^{-10} \text{ mol}^2 \text{ L}^{-2}$
- (2) $1.08 \times 10^{-12} \text{ mol}^2 \text{ L}^{-2}$
- (3) $1.08 \times 10^{-8} \text{ mol}^2 \text{ L}^{-2}$
- (4) $1.08 \times 10^{-14} \text{ mol}^2 \text{ L}^{-2}$
- **173.** Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations:
 - a. 60 mL $\frac{M}{10}$ HCl + 40 mL $\frac{M}{10}$ NaOH
 - b. $55 \text{ mL } \frac{\text{M}}{10} \text{ HCl} + 45 \text{ mL } \frac{\text{M}}{10} \text{ NaOH}$
 - c. 75 mL $\frac{M}{5}$ HCl + 25 mL $\frac{M}{5}$ NaOH
 - d. 100 mL $\frac{M}{10}$ HCl + 100 mL $\frac{M}{10}$ NaOH

pH of which one of them will be equal to 1?

- (1) b
- (2) a
- (3) c
- (4) d
- 174. On which of the following properties does the coagulating power of an ion depend?
 - (1) The magnitude of the charge on the ion alone
 - (2) Size of the ion alone
 - (3) The sign of charge on the ion alone
 - (4) Both magnitude and sign of the charge on the ion
- 175. Given van der Waals constant for NH $_3$, H $_2$, O $_2$ and CO $_2$ are respectively 4·17, 0·244, 1·36 and 3·59, which one of the following gases is most easily liquefied?
 - (1) NH₃
 - (2) H₂
 - $(3)\quad {\rm CO_2}$
 - (4) O₂

- is 176. Iron carbonyl, $Fe(CO)_5$ is
 - (1) tetranuclear
 - (2) mononuclear
 - (3) dinuclear
 - (4) trinuclear
 - 177. The type of isomerism shown by the complex $[CoCl_2(en)_2]$ is
 - (1) Geometrical isomerism
 - (2) Coordination isomerism
 - (3) Linkage isomerism
 - (4) Ionization isomerism
 - **178.** Which one of the following ions exhibits d-d transition and paramagnetism as well?
 - (1) CrO_4^{2-}
 - (2) $Cr_2O_7^{2-}$
 - (3) MnO_4^{2-}
 - $(4) \quad MnO_4^-$

Column I

- **179.** The geometry and magnetic behaviour of the complex $[Ni(CO)_4]$ are
 - (1) square planar geometry and diamagnetic
 - (2) tetrahedral geometry and diamagnetic
 - (3) tetrahedral geometry and paramagnetic
 - (4) square planar geometry and paramagnetic

Column II

180. Match the metal ions given in Column I with the spin magnetic moments of the ions given in Column II and assign the *correct* code:

a.	Co ³⁺		i.	$\sqrt{8}$ B.M.
b.	Cr^{3+}		ii.	$\sqrt{35}$ B.M.
c.	Fe^{3+}		iii.	$\sqrt{3}$ B.M.
d.	Ni^{2+}		iv.	$\sqrt{24}$ B.M.
			v.	$\sqrt{15}$ B.M.
	_	1.		
	a	b	\mathbf{c}	d
(1)		v		d i
(1) (2)	iv	v ii	ii iii	
	iv i	v ii	ii	i

ii

iii

i

(4)

iv

SPACE FOR ROUGH WORK

ALHCA/ZZ/Page 22 English

SPACE FOR ROUGH WORK

ALHCA/ZZ/Page 23 English

Read carefully the following instructions:

- 1. Each candidate must show on demand his/her Admit Card to the Invigilator.
- 2. No candidate, without special permission of the Superintendent or Invigilator, would leave his/her seat.
- 3. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign the Attendance Sheet twice. Cases where a candidate has not signed the Attendance Sheet second time will be deemed not to have handed over the Answer Sheet and dealt with as an unfair means case.
- 4. Use of Electronic/Manual Calculator is prohibited.
- 5. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Hall. All cases of unfair means will be dealt with as per Rules and Regulations of this examination.
- 6. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 7. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

ALHCA/ZZ/Page 24 English