## PHYSICS Waves dda 247 **1.** The ratio of frequencies of fundamental 7. The two nearest harmonics of a tube closed at one end and open at other end are 220 harmonic produced by an open pipe to that Hz and 260 Hz. What is the fundamental of a closed pipe having the same length is frequency of the system? (2017-Delhi) (2023)(b) 30 Hz (a) 20 Hz (a) 3:1 (b) 1:2 (c) 40 Hz (d) 10 Hz (c) 2:1(d) 1:3 8. Two cars moving in opposite directions **2.** If the initial tension on a stretched string is approach each other with speed of 22 m/s doubled, then the ratio of the initial and and 16.5 m/s respectively. The driver of the final speeds of a transverse wave along the first car blows a horn having a frequency string is: (2022)400 Hz. The frequency heard by the driver (a) 1:1 (b) $1:\sqrt{2}$ of the second car is [velocity of sound 340 (d) $\sqrt{2}:1$ (c) 1:2 m/s]: (2017-Delhi) **3.** In a guitar, two strings A and B made of (a) 361 Hz (b) 411 Hz same material are slightly out of tune and (d) 350 Hz (c) 448 Hz produce beats of frequency 6 Hz. When Due to Doppler effect, the shift in 9. tension in B is slightly decreased, the beat wavelength observed is 0.1Å, for a star frequency increases to 7 Hz. If the frequency producing a wavelength 6000Å. The velocity of A is 530 Hz, the original frequency of B of recession of the star will be: will be : (2020)(2017-Gujrat) (a) 524 Hz (b) 536 Hz (a) $20 \text{ kms}^{-1}$ (b) $2.5 \text{ kms}^{-1}$ (c) 537 Hz (d) 523 Hz (d) $5 \text{ kms}^{-1}$ (c) $10 \text{ kms}^{-1}$ **4.** The length of the string of a musical **10.** A metal rod of 1 m length, is dropped exact instrument is 90 cm and has a fundamental vertically on to a hard metal floor. With an frequency of 120 Hz. Where should it be oscilloscope, it is determined that the pressed to produce fundamental frequency impact produces a longitudinal wave of 1.2 (2020 Covid Re-NEET) of 180 Hz? kHz frequency. The speed of sound in the (a) 60 cm (b) 45 cm metal rod is: (2017-Gujrat) (d) 75 cm (c) 80 cm (b) 2400 m/s (a) 600 m/s 5. The fundamental frequency in an open (d) 1200 m/s (c) 1800 m/sorgan pipe is equal to the third harmonic of 11. Two open organ pipes of fundamental a closed organ pipe. If the length of the frequencies $n_1$ and $n_2$ are joined in series. closed organ pipe is 20 cm, the length of the The fundamental frequency of the new pipe open organ pipe is: (2018)(a) 12.5 cm (b) 8 cm (2017-Gujrat) so obtained will be: (c) 13.2 cm (d) 16 cm (b) $\frac{n_1+n_2}{2}$ (a) $(n_1 + n_2)$ A tuning fork is used to produce resonance 6. (c) $\sqrt{n_1^2 + n_2^2}$ (d) $\frac{n_1 n_2}{n_1 + n_2}$ in a glass tube. The length of the air column in this tube can be adjusted by a variable **12.** Three sound waves of equal amplitudes piston. At room temperature of 27°C two have frequencies (n-1), n, (n+1). They successive resonances are produced at 20 superimpose to give beats. The number of cm and 73 cm of column length. If the beats produced per second will be: frequency of the tuning fork is 320 Hz, the (2016-II) velocity of sound in air at 27°C is: (2018)(a) 3 (b) 2 (a) 350 m/s(b) 339 m/s (c) 1 (d) 4 (c) 330 m/s(d) 350 m/s

Adda247 Publications

For More Study Material Visit: adda247.com

en organ pipe	18
e first overtone	
The length of	
(2016-II)	
	The length of

(a)  $\frac{L}{2}$ (b) 4L

(d) 2L (c) L

- **14.** A body of mass m is attached to the lower end of a spring whose upper end is fixed. The spring has negligible mass. When the mass m is slightly pulled down and released, it oscillates with a time period of 3 s. When the mass m is increased by 1 kg, the time period of oscillations becomes 5 s. (2016-II) The value of m in kg is:
  - (a)  $\frac{16}{9}$
  - (b)  $\frac{9}{16}$ (d)  $\frac{4}{3}$ (c)  $\frac{3}{4}$
- 15. An air column, closed at one end and open at the other, resonates with a tuning fork when the smallest length of the column is 50 cm. The next larger length of the column resonating with the same tuning fork is:

(2016-I)

(a)	66.7 cm	(b)	100 cm
(c)	150 cm	(d)	200 cm

**16.** A uniform rope of length L and mass  $m_1$ hangs vertically from a rigid support. A block of mass  $m_2$  is attached to the free end of the rope. A transverse pulse of wavelength  $\lambda_1$  is produced at the lower end of the rope. The wavelength of the pulse when it reaches the top of the rope is  $\lambda_2$ . The ratio  $\lambda_2/\lambda_1$  is: (2016-I)

(a) 
$$\sqrt{\frac{m_1}{m_2}}$$
 (b)  $\sqrt{\frac{m_1+m_2}{m_2}}$   
(c)  $\sqrt{\frac{m_2}{m_2}}$  (d)  $\sqrt{\frac{m_1+m_2}{m_1}}$ 

**17.** A siren emitting a sound of frequency 800 Hz moves away from an observer towards a cliff at a speed of  $15ms^{-1}$ . Then, the frequency of sound that the observer hears in the echo reflected from the cliff is:

(Take velocity of sound in air =  $330 ms^{-1}$ ) (2016-I)

- (a) 765 Hz
- (b) 800 Hz
- (c) 838 Hz
- (d) 885 Hz


8. The fundamental frequency of a closed organ pipe of length 20 cm is equal to the second overtone of an organ pipe open at both the ends. The length of organ pipe open at both the ends is: (2015) (b) 120 cm

(a) 100 cm (c) 140 cm

- (d) 80 cm
- 19. A source of sound S emitting waves of frequency 100 Hz and an observer O are located at some distance from each other. The source is moving with a speed of 19.4  $ms^{-1}$  at an angle of  $60^{\circ}$  with the source observer line as shown in the figure. The observer is at rest. The apparent frequency observed by the observer (velocity of sound

in air 330  $ms^{-1}$ ) is:

(2015 Re)



(a) 106 Hz (c) 103 Hz

(d) 100 Hz

**20.** The number of possible natural oscillations of air column in a pipe closed at one end of length 85 cm whose frequencies lie below 1250 Hz are (velocity of sound = 340  $ms^{-1}$ ):

(2014)

- (a) 4 (b) 5 (c) 7 (d) 6
- **21.** If  $n_1, n_2$  and  $n_3$  are the fundamental frequencies of three segments into which a string is divided, then the original fundamental frequency n of the string is given by: (2014)
  - (a)  $\frac{1}{n} = \frac{1}{n_1} + \frac{1}{n_2} + \frac{1}{n_3}$

(b) 
$$\frac{1}{\sqrt{n}} = \frac{1}{\sqrt{n_1}} + \frac{1}{\sqrt{n_2}} + \frac{1}{\sqrt{n_3}}$$

(c) 
$$\sqrt{n} = \sqrt{n_1} + \sqrt{n_2} + \sqrt{n_3}$$

- (d)  $n = n_1 + n_2 + n_3$
- 22. A speeding motorcyclist sees traffic jam ahead him. He slows down to 36 km per hour. He finds that traffic has eased and a car moving ahead of him at 18 km hour<sup>-1</sup> is honking at a frequency of 1392 Hz. If the speed of sound is  $343 m s^{-1}$ , the frequency of the honk as heard by him will be (2014) (a) 1332 Hz (b) 1372 Hz (c) 1412 Hz (d) 1454 Hz

For More Study Material Visit: adda247.com

- 23. If we study the vibration of a pipe open at both ends, then the following statement is not true: (2013)
  - (a) Pressure change will be maximum at both ends
  - (b) Open end will be anti-node
  - (c) Odd harmonics of the fundamental frequency will be generated
  - (d) All harmonics of the fundamental frequency will be generated
- 24. A source of unknown frequency gives 4 beats/s, when sounded with a source of known frequency 250 Hz. The second harmonic of the source of unknown frequency gives five beats per second, when sounded with a source of frequency 513 Hz. The unknown frequency is: (2013)

  (a) 260 Hz
  (b) 254 Hz
  (c) 246 Hz
  (d) 240 Hz

- **25.** A wave travelling in the +ve x-direction having displacement along y-direction as 1m, wavelength  $2\pi$  m and frequency of  $1/\pi$ Hz is represented by: (2013)
  - (a)  $y = \sin(2\pi x + 2\pi)$
  - (b)  $y = \sin(x 2t)$
  - (c)  $y = \sin(2\pi x 2\pi t)$
  - (d)  $y = \sin(10\pi x 20\pi)$

**Adda247 Publications** 

For More Study Material Visit: adda247.com