Test Booklet Code

46

ENGLISH

Do not open this Test Booklet until you are asked to do so.

This Booklet contains 32 pages, including Rough Page.

Important Instructions:

- 1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
- 2. The test is of 3 hours duration and the Test Booklet contains 180 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
- 3. Wherever the symbols/constants are not mentioned, they are to be considered as per their standard meaning/value.
- 4. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- 5. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer
- 6. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 7. On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 8. The CODE for this Booklet is "46". Make sure to enter this code in the OMR answer sheet.

- 9. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- Use of white fluid for correction is NOT permissible on the Answer Sheet.
- Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 12. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 13. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 14. Use of Electronic/Manual Calculator is prohibited.
- 15. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination along with Public Examinations (Prevention of unfair means act 2024).
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 17. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 18. If a candidate marks more than one answers for a question in the OMR Sheet, it will be treated as incorrect and negative marking will be applicable.

Name of the Candidate (in Capitals): JTKARSH	LAS 1
Roll Number : in figures 23.0210530	22
: in words	
Centre of Examination (in Capitals): P.M. SHRL [DVT SR SEC SCHOOL, SEC 4/2
Candidate's Signature:	Invigilator's Signature
Facsimile signature stamp of Centre Superintendent:	
46_English]	1 Contd





A physical quantity P is related to four observations a, b, c and d as follows:

$$P = a^3b^2/c\sqrt{d}$$

The percentage errors of measurement in a, b, c and d are 1%, 3%, 2%, and 4% respectively. The percentage error in the quantity P is

- (1) 2%
- (2) 13%
- (3) 15%
- 10% (4)
- 2 The intensity of transmitted light when a polaroid sheet, placed between two crossed polaroids at 22.5° from the polarization axis of one of the polaroid, is (I_0) is the intensity of polarised light after passing through the first polaroid):

- 3 A 2 amp current is flowing through two different small circular copper coils having radii ratio 1:2. The ratio of their respective magnetic moments will be
 - (1) 1:2
- 2:1
- (3) 4:1
- 1:4
- Consider the diameter of a spherical object 4 being measured with the help of a Vernier callipers. Suppose its 10 Vernier Scale Divisions (V.S.D.) are equal to its 9 Main Scale Divisions (M.S.D.). The least division in the M.S. is 0.1 cm and the zero of V.S. is at x = 0.1 cm when the jaws of Vernier callipers are closed.

If the main scale reading for the diameter is M = 5 cm and the number of coinciding vernier division is 8, the measured diameter after zero error correction, is

- (1) 5.08 cm. (2) 4.98 cm
- (3) 5.00 cm
- (4) 5.18 cm

46_English]




- A photon and an electron $(\max_{s, m} m) h_{av_e}$ energy E. The ration $(\lambda_{photon}/\lambda_{electron})$ of their de B_{rogli_e} wavelengths is: (c is the speed of light)
 - (2) $c\sqrt{\frac{2m}{E}}$ (1) $c\sqrt{2mE}$
 - $(3) \quad \frac{1}{c} \sqrt{\frac{E}{2m}} \qquad \qquad (4) \quad \sqrt{\frac{E}{2m}}$
- De-Broglie wavelength of an electron orbiting in the n = 2 state of hydrogen atom is $cl_{0se t_0}$ (Given Bohr radius = 0.052 nm)
 - (1) 0.67 nm
- (3) 2.67 nm
- (2) 1.67 nm (4) 0.067 nm
- An unpolarized light beam travelling in air is 7 incident on a medium of refractive index 1.73 at Brewster's angle. Then-
 - (1) reflected light is partially polarized and the angle of reflection is close to 300
 - (2) both reflected and transmitted light are perfectly polarized with angles of reflection and refraction close to 60° and 30°, respectively.
 - (3) transmitted light is completely polarized with angle of refraction close to 30°
 - (4) reflected light is completely polarized and the angle of reflection is close to 60°
- The kinetic energies of two similar cars A and B are 100 J and 225 J respectively. On applying breaks, car A stops after 1000 m and car B stops after 1500 m. If F_A and F_B are the forces applied by the breaks on cars A and B, respectively, then the ratio F_A/F_B is
 - $(1) + \frac{2}{3}$

- 9 A wire of resistance R is cut into 8 equal pieces. From these pieces two equivalent resistances are made by adding four of these together in parallel. Then these two sets are added in series. The net effective resistance of the combination is:
 - $(1) \quad \frac{R}{32}$
- (2) $\frac{R}{16}$
- $(3) \quad \frac{R}{8}$
- (4) $\frac{R}{64}$
- 10 An oxygen cylinder of volume 30 litre has 18.20 moles of oxygen. After some oxygen is withdrawn from the cylinder, its gauge pressure drops to 11 atmospheric pressure at temperature 27°C. The mass of the oxygen withdrawn from the cylinder is nearly equal to:


[Given, $R = \frac{100}{12}$ $J \mod^{-1}K^{-1}$, and molecular mass of $O_2 = 32$, 1 atm pressure = 1.01 × $10^5 N/m$]

- (1) 0.144 kg
- (2) **0**.116 kg
- (3) 0.156 kg
- (4) 0.125 kg
- In a certain camera, a combination of four similar thin convex lenses are arranged axially in contact. Then the power of the combination and the total magnification in comparison to the power (p) and magnification (m) for each lens will be, respectively
 - (1) p^4 and 4m
- (2) $4p \text{ and } m^4$
- (3) p^4 and m^4
- (4) 4p and 4m
- AB is a part of an electrical circuit (see figure). The potential difference ${}^{4}V_{A} V_{B}$ ", at the instant when current i = 2 A and is increasing at a rate of 1 amp/second is:



- (1) 6 volt
- (2) 9 volt
- (3) 10 volt
- (4) 5 volt
- 46_English]

- A body weighs 48 N on the surface of the earth. The gravitational force experienced by the body due to the earth at a height equal to one-third the radius of the earth from its surface is:
 - (1) 27 N
- (2)_32 N
- (3) 36 N
- (4) 16 N
- A full wave rectifier circuit with diodes (D_1) and (D_2) is shown in the figure. If input supply voltage $V_{in} = 220\sin(100 \pi t)$ volt, then at $t = 15 \ msec$



- (1) D_1 is reverse biased, D_2 is forward biased
- (2) D_1 and D_2 both are forward biased
- (3) D_1 and D_2 both are reverse biased
- (4) D_1 is forward biased, D_2 is reverse biased
- bus service with a bus leaving in either direction every T min. A girl is driving scooty with a speed of 60 km/h in the direction X to Y notices that a bus goes past her every 30 minutes in the direction of her motion, and every 10 minutes in the opposite direction. Choose the correct option for the period T of the bus service and the speed (assumed constant) of the buses.
 - (1) 25 min, 100 km/h
 - (2) 10 min, 90 km/h
 - (3) 15 min, 120 km/h
 - (4) 9 min, 40 km/h

| Contd...

- The Sun rotates around its centre once in 27 days. What will be the period of revolution if the Sun were to expand to twice its present radius without any external influence? Assume the Sun to be a sphere of uniform density.
 - (1) 105 days 👸
- (2) 115 days
- (3) 108 days · · ·
- (4) 100 days
- 17 The electric field in a plane electromagnetic wave is given by


$$E_z = 60\cos(5x + 1.5 \times 10^9 t)V/m$$

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):

- (1) $B_x = 2 \times 10^{-\frac{5}{7}} \cos (5x + 1.5 \times 10^9 t)T$
- (2) $B_z = 60\cos(5x+1.5\times10^9t)T$
- (3) $B_y = 60 \sin^3(5x + 1.5 \times 10^9 t)T$
- (4) $B_y = 2 \times 10\sqrt{7} \cos(5x + 1.5 \times 10^9 t)T$
- A and B have their centres separated by a certain distance. Charge on each sphere is q and the force of repulsion between them is F. A third identical uncharged conducting sphere is brought in contact with sphere A first and then with B and finally removed from both. New force of repulsion between spheres A and B (Radii of A and B are negligible compared to the distance of separation so that for calculating force between them they can be considered as point charges) is best given as:
 - $(1) \quad \frac{2F}{3}$
- (2) $\frac{F}{2}$
- (3) $\frac{3F}{8}$
- (4) $\frac{3F}{5}$


46_English]

- An electric dipole with dipole $m_0 m_{ent}$ 5×10^{-6} Cm is aligned with the direction of uniform electric field of $m_0 m_{ent}$ 4×10^5 N/C. The dipole is then rotated th_{rough} an angle of 60° with respect to the electric field. The change in the potential energy of th_e dipole is:
 - (1) 1.0 J
- (2) 1.2 J
- (3) 1.5 J
- (4) 0.8 J
- 20 A microscope has an objective of focal length 2 cm, eyepiece of focal length 4 cm and the tube length of 40 cm. If the distance of distinct vision of eye is 25 cm, the magnification in the microscope is
 - (1) 125
- (2) 150
- (3) 250
- (4) 100
- The output (Y) of the given logic implementation is similar to the output of an a _____ gate.




- (1) NAND
- (2) OR
- (3) NOR
- (4) AND


- A uniform rod of mass 20 kg and length 5 m leans against a smooth vertical wall making an angle of 60° with it. The other end rests on a rough horizontal floor. The friction force that the floor exerts on the rod is (take g = 10 m/s²)
 - (1) $100 \sqrt{3} \text{ N}$
- (2) 200 N
- (3) $200\sqrt{3}$ N
- (4) 100 N
- 23 The current passing through the battery in the given circuit, is:





- (1) 0.5 A
- (2) 2.5 A
- (3) 1.5 A
- (4) 2.0 A
- A model for quantized motion of an electron in a uniform magnetic field B states that the flux passing through the orbit of the electron is n(h/e) where n is an integer, h is Planck's constant and e is the magnitude of electron's charge. According to the model, the magnetic moment of an electron in its lowest energy state will be (m) is the mass of the electron)
 - (1) $\frac{he}{2\pi m}$
- (2) $\frac{heB}{\pi m}$
- (3) $\frac{heB}{2\pi m}$
- (4) $\frac{he}{\pi m}$
- 46_English]

Which of the following options represent the variation of photoelectric current with property of light shown on the x-axis?









- (1) A and C
- (2) A and D
- (3) B and D

5


(4) A only

An electron (mass 9×10^{-31} kg and charge 1.6×10^{-19} C) moving with speed c/100 (c = speed of light) is injected into a magnetic $\xrightarrow{\rightarrow}$ field \xrightarrow{B} of magnitude 9×10^{-4} T perpendicular

field B of magnitude 9×10^{-4} T perpendicular to its direction of motion. We wish to apply an

uniform electric field $\stackrel{\rightarrow}{E}$ together with the magnetic field so that the electron does not deflect from its path. Then (speed of light $c = 3 \times 10^8 \text{ ms}^{-1}$)

- (1) $\stackrel{\rightarrow}{E}$ is perpendicular to $\stackrel{\rightarrow}{B}$ and its magnitude is $27 \times 10^2 \text{ V m}^{-1}$
- (2) \overrightarrow{E} is parallel to \overrightarrow{B} and its magnitude is 27×10^2 V m⁻¹
- (3) $\stackrel{\rightarrow}{E}$ is parallel to $\stackrel{\rightarrow}{B}$ and its magnitude is $27 \times 10^4 \text{ V m}^{-1}$
- (4) $\stackrel{\rightarrow}{E}$ is perpendicular to $\stackrel{\rightarrow}{B}$ and its magnitude is $27 \times 10^4 \text{ V m}^{-1}$
- Consider a water tank shown in the figure. It has one wall at x = L and can be taken to be very wide in the z direction. When filled with a liquid of surface tension S and density ρ , the liquid surface makes angle $\theta_0(\theta_0 << 1)$ with the x-axis at x = L. If y(x) is the height of the surface then the equation for y(x) is:



(take $\theta(x) = \sin \theta(x) = \tan \theta(x) = \frac{dy}{dx}$, g is the acceleration due to gravity)

(1)
$$\frac{d^2y}{dx^2} = \frac{\rho g}{S} \dot{y}$$
 (2)
$$\frac{d^2y}{dx^2} = \sqrt{\frac{\rho g}{S}}$$

(3)
$$\frac{dy}{dx} = \sqrt{\frac{\rho g}{S}}x - (4) \quad \frac{d^2y}{dx^2} = \frac{\rho g}{S}x$$

46_English]

A pipe open at both ends has a fundamental frequency f in air. The pipe is now dipped vertically in a water drum to half of its length. The fundamental frequency of the air column is now equal to:


(1)
$$f$$
 (2) $\frac{3f}{2}$

(3)
$$2f$$
 (4) $\frac{f}{2}$

- A parallel plate capacitor made of circular plates is being charged such that the surface charge density on its plates is increasing at a constant rate with time. The magnetic field arising due to displacement current is:
 - (1) constant between the plates and zero outside the plates
 - (2) non-zero everywhere with maximum at the imaginary cylindrical surface connecting peripheries of the plates
 - (3) zero between the plates and non-zero outside
 - (4) zero at all places
- Three identical heat conducting rods are connected in series as shown in the figure. The rods on the sides have thermal conductivity 2K while that in the middle has thermal conductivity K. The left end of the combination is maintained at temperature 3T and the right end at T. The rods are thermally insulated from outside. In steady state, temperature at the left junction is T_1 and that at the right junction is T_2 . The ratio T_1/T_2 is

- (1) $\frac{4}{3}$ (2)
- (3) $\frac{5}{4}$ (4) $\frac{3}{2}$

A constant voltage of 50 V is maintained 31 between the points A and B of the circuit shown in the figure. The current through the branch CD of the circuit is:



- (1) 2.0 A(2) 2.5 A (3) 3.0 A (4) 1.5 A
- In some appropriate units, time (t) and position 32 (x) relation of a moving particle is given by $t = x^2 + x$. The acceleration of the particle is


(1)
$$-\frac{2}{(2x+1)^3}$$
 (2) $+\frac{2}{(x+1)^3}$

- (3) $+\frac{2}{2x+1}$ (4) $-\frac{2}{(x+2)^3}$
- Two gases A and B are filled at the same 33 pressure in separate cylinders with movable pistons of radius r_A and r_B , respectively. On supplying an equal amount of heat to both the systems reversibly under constant pressure, the pistons of gas A and B are displaced by 16 cmand 9 cm, respectively. If the change in their internal energy is the same, then the ratio

 r_A/r_B is equal to (1) $\frac{3}{4}$ (2) $\frac{2}{\sqrt{3}}$


- 46 English 1

In an oscillating spring mass system, a spring 34 is connected to a box filled with sand. As the box oscillates, sand leaks slowly out of the box vertically so that the average frequency $\omega(t)$ and average amplitude A(t) of the system change with time t. Which one of the following options schematically depicts these changes



[Contd...

A sphere of radius R is cut from a larger solid 35 sphere of radius 2R as shown in the figure. The ratio of the moment of inertia of the smaller sphere to that of the rest part of the sphere about the Y-axis is:



- The plates of a parallel plate capacitor are 36 separated by d. Two slabs of different dielectric

constant K_1 and K_2 with thickness $\frac{3}{8}d$ and $\frac{d}{2}$,


respectively are inserted in the capacitor. Due to this, the capacitance becomes two times larger than when there is nothing between the plates.

If $K_1 = 1.25 K_2$, the value of K_1 is:

- (1) 2.33
- (2) 1.60
- (3) 1.33
- (4) 2.66
- There are two inclined surfaces of equal length 37 (L) and same angle of inclination 45° with the horizontal. One of them is rough and the other is perfectly smooth. A given body takes 2 times as much time to slide down on rough surface than on the smooth surface. The coefficient of kinetic friction (μ_k) between the object and the rough surface is close to
 - (1) 0.40
- (2) 0.5
- (3) 0.75
- (4) 0.25

46_English]

A bob of heavy mass m is suspended by a light l. The bob is given a horizontal l. 38 A bob of nearly string of length 1. The bob is given a horizontal string of length 1. The bob is given a horizontal string of length 1. string or length. velocity v_0 as shown in figure. If the $\frac{\text{string}}{\text{string}}$ gets slack at some point P making an angle θ from the horizontal, the ratio of the speed v of the bob at point P to its initial speed v_0 is:



 $\left(\frac{1}{2+3\sin\theta}\right)^{1/2}$

- (2) $\left(\frac{\cos\theta}{2+3\sin\theta}\right)^{1/2}$
- (3) $\left(\frac{\sin\theta}{2+3\sin\theta}\right)^{1/2}$
- $(\sin\theta)^{1/2}$ (4)
- 1
- A container has two chambers of volumes $V_1 = 2$ litres and $V_2 = 3$ litres separated by a partition made of a thermal insulator. The chambers contains $n_1 = 5$ and $n_2 = 4$ moles of ideal gas at pressures $p_1 = Natm$ and $p_2 = 2$ atm, respectively. When the partition is removed, the mixture attains an equilibrium pressure of:
 - (1) 1.6 atm
- (2) 1.4 atm
- (3) 1.8 atm
- (4) 1.3 atm

[Contd...

- To an ac power supply of 220 V at 50 Hz, a 40 resistor of 20 Ω , a capacitor of reactance 25 Ω and an inductor of reactance 45Ω are connected in series. The corresponding current in the circuit and the phase angle between the current and the voltage is, respectively -
 - (1) 7.8 A and 459
 - (2) 15.6 A and 30°
 - (3) 15.6 A and 45°
 - (4) 7.8 A and 30°
- The radius of Martian orbit around the Sun is 41 about 4 times the radius of the orbit of Mercury. The Martian year is 687 Earth days. Then which of the following is the length of 1 year on Mercury?
 - (1) 225 earth days
 - (2) 172 earth days
 - (3) 124 earth days
 - 88 earth days
- A balloon is made of a material of surface 42 tension S and its inflation outlet (from where gas is filled in it) has small area A. It is filled with a gas of density ρ and takes a spherical shape of radius R. When the gas is allowed to flow freely out of it, its radius r changes from R to 0 (zero) in time T. If the speed v(r) of gas coming out of the balloon depends on r as r^a and $T \propto S^{\alpha} A^{\beta} \delta^{\gamma} R^{\delta}$ then

(1)
$$a = -\frac{1}{2}, \alpha = \frac{1}{2}, \beta = -1, \gamma = -\frac{1}{2}, \delta = \frac{5}{2}$$

(2)
$$a = -\frac{1}{2}, \alpha = \frac{1}{2}, \beta = -1, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(3)
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -\frac{1}{2}, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(4)
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -1, \gamma = +1, \delta = \frac{3}{2}$$

- A particle of mass m is moving around the 43 origin with a constant force F pulling it towards the origin. If Bohr model is used to describe its motion, the radius r of the nth orbit and the particle's speed win the orbit depend on n as
 - (1) $r \propto n^{1/3}$; $v \propto n^{2/3}$
 - (2) $r \propto n^{2/3}$; $v \propto n^{1/3}$
 - (3) $r \propto n^{4/3}$; $v \propto n^{-1/3}$
 - (4) $r \propto n^{1/3}$; $v \propto n^{1/3}$
- Two identical point masses P and Q, suspended 44 from two separate massless springs of spring constants k_1 and k_2 , respectively, oscillate vertically. If their maximum speeds are the same, the ratio (A_O/A_P) of the amplitude A_O of mass Q to the amplitude A_P of mass P is:
 - $(1) \quad \frac{k_1}{k_2}$
- A ball of mass 0.5 kg is dropped from a height 45 of 40 m. The ball hits the ground and rises to a height of 10 m. The impulse imparted to the ball during its collision with the ground is (Take $g = 9.8 \ m/s^2$)
 - (1) 7 NS
- (2) 0
- (3) 84 NS
- (4) 21 NS

- Given below are two statements:

 Statement I: Ferromagnetism is considered as an extreme form of paramagnetism.

 Statement II: The number of unpaired electrons in a Cr²⁺ ion (Z = 24) is the same as that of a Nd³⁺ ion (Z = 60).

 In the light of the above statements, choose the correct answer from the options given below:
 - (1) Both Statement I and Statement II are false
 - (2) Statement I is true but Statement II is false
 - (3) Statement I is false but Statement II is true
 - (4) Both Statement Land Statement II are true
- 47 For the reaction $A(g) \rightleftharpoons 2B(g)$, the backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[Given: R = 0.0831 Datm mol⁻¹ K⁻¹] $K_{\rm p}$ for the reaction at 1000 K is

- (1) 2.077×10^5
- (2) 0.033
- (3) 0.021
- (4) 83.1
- 48 Total number of possible isomers (both structural as well as stereoisomers) of cyclic ethers of molecular formula C₄H₈O is:
 - (1) 8
- (2) 10
- (3) 11
- (4) 6
- 49 Given below are two statements:

Statement I: A hypothetical diatomic molecule with bond order zero is quite stable. Statement II: As bond order increases, the bond length increases.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

46_English |

Identify the suitable reagent for the following conversion.

$$\bigcirc OCH_3 \longrightarrow \bigcirc CHO$$

- (1) (i) AlH(iBu)₂ (ii) H₂O
- (2) (i) NaBH₄, (ii) H^+/H_2O
- (3) H₂ / Pd-BaSO₄
- (4) (i) LiAlH₄, (ii) H⁺/H₂O
- The major product of the following reaction is:

$$\begin{array}{c}
O \\
CN \\
\hline
(i) CH_3MgBr \\
(excess) \\
\hline
(ii) H_3O^+
\end{array}$$

(1)
$$CH_3$$
 OH CH_3

$$(4) \bigcirc CH_3 \bigcirc CN$$

$$CN$$

52 If the molar conductivity (Λ_m) of a 0.050 mol L⁻¹ solution of a monobasic weak acid is 90 S cm² mol⁻¹, its extent (degree) of dissociation will be

[Assume $\Lambda_{+}^{\circ} = 349.6 \,\mathrm{S \, cm^2 \, mol^{-1}}$ and

 $\Lambda_{-}^{\circ} = 50.4 \,\mathrm{S} \,\mathrm{cm}^2 \,\mathrm{mol}^{-1}.$

- (1) 0.125
- (2) 0.225
- (3) 0.215
- (4) 0.115

Which one of the following reactions does 53 NOT belong to "Lassaigne's test"?

(1)
$$2Na + S \longrightarrow Na_2S$$

(2) Na + X
$$\longrightarrow$$
 + NaX

(3)
$$2CuO + C \longrightarrow 2Cu + CO_2$$

(4) Na + C + N
$$\longrightarrow$$
 NaCN

- The correct order of decreasing acidity of the 54 following aliphatic acids is:
 - (1) $CH_3COOH > (CH_3)_5CHCOOH >$ $(CH_3)_3CCOOH > HCOOH$
 - (2) $HCOOH > CH_3COOH > \cdot$ $(CH_3)_2CHCOOH > (CH_3)_3CCOOH$
 - (3) HCOOH > (CH₃)₃CCOOH > $(CH_3)_2CHCOOH > CH_3COOH$
 - (4) $(CH_3)_3CCOOH > (CH_3)_2CHCOOH >$ CH₃COOH > HCOOH
- Match List I with List II. 55

List II

(Name of

(Deficiency

Vitamin)

disease)

- Vitamin B₁₂ A.
- I. Cheilosis
- Vitamin D В.
- II. Convulsions
- Vitamin B₂ C.
- III. Rickets
- Vitamin B₆ D.
- IV. Pernicious anaemia

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-II, B-III, C-I, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-I, B-III, C-II, D-IV

- Out of the following complex compounds, 56 which of the compound will be having the minimum conductance in solution?
 - (1) $\left[\operatorname{Co}(\operatorname{NH}_3)_4\operatorname{Cl}_2\right]$
 - (2) $\left[\operatorname{Co}(\operatorname{NH}_3)_6\right]\operatorname{Cl}_3$ (3) $\left[\operatorname{Co}(\operatorname{NH}_3)_5\operatorname{Cl}\right]\operatorname{Cl}^{-1}$

 - (4) $\left[\operatorname{Co}(\operatorname{NH}_3)_3\operatorname{Cl}_3\right]$
- Sugar 'X' 57

A. is found in honey.

is a keto sugar.

exists in α and β anomeric forms.

D. is laevorotatory.

'X' is:

- (1) D-Fructose
- (2) Maltose
- (3) Sucrose
- (4) D-Glucose
- How many products (including stereoisomers) 58 are expected from monochlorination of the following compound?

- (1) 3
- (3) 6
- Which one of the following compounds can **59** exist as cis-trans isomers?
 - (1) 2-Methylhex-2-ene
 - (2) 1,1-Dimethylcyclopropane
 - (3) 1,2-Dimethylcyclohexane
 - (4) Pent-1-ene

Which one of the following reactions does 60 NOT give benzene as the product?

(1)
$$\frac{\text{Mo}_2\text{O}_3}{\text{n-hexane}} = \frac{273\text{K}, 10 - 20 \text{ atm.}}{273\text{ K}}$$

$$(3) \qquad \bigotimes^{\Theta} N \underset{Cl}{\otimes} N \underset{warm}{\longrightarrow} H_2O$$

(4)
$$\sim -c - o Na \frac{\text{sodalime}}{\Delta}$$

Phosphoric acid ionizes in three steps with 61 their ionization constant values

$$K_{a_1}$$
, K_{a_2} and K_{a_3} , respectively,

while K is the overall ionization constant.

Which of the following statements are true?

A.
$$\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$$

H₃PO₄ is a stronger acid than H₂PO₄

C.
$$K_{a_1} > K_{a_2} \times K_{a_3}$$

D.
$$K_{a_1} = \frac{K_{a_3} + K_{a_2}}{2}$$

Choose the correct answer from the options given below:

- (1) A and C only
- (2) B, C and D only
- (3) A, B and C only
- (4) A and B only
- 46 English |

- Among the following, choose the ones with 62 equal number of atoms.
 - A. 212 g of Na_2CO_3 (s) [molar mass = 106 g]
 - B. 248 g of Na₂O (s) [molar mass = 62 g]
 - C. 240 g of NaOH (s) [molar mass = $40 \frac{1}{gl}$
 - D. $12 \text{ g of } H_2(g) \text{ [molar mass} = 2 \text{ g]}$
 - E. 220 g of $CO_2(g)$ [molar mass = 44 g]

Choose the correct answer from the options given below:

- (1) A, B, and D only
- (2) B, C, and D only
- (3) B, D, and E only
- (4) A, B, and C only
- Given below are two statements: 63

Statement I: Tike nitrogen that can form ammonia, arsenic can form arsine.

Statement II Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct
- 64 Dalton's Atomic theory could not explain which of the following?
 - (1) Law of constant proportion
 - (2) Law of multiple proportion
 - (3) Law of gaseous volume
 - (4) Law of conservation of mass

- The correct order of decreasing basic strength of the given amines is:
 - (1) N-ethylethanamine > ethanamine > benzenamine > N-methylaniline
 - (2) N-ethylethanamine > ethanamine > N-methylaniline > benzenamine
 - (3) benzenamine > ethanamine > N-methylaniline > N-ethylethanamine
 - (4) N-methylaniline > benzenamine > ethanamine > N-ethylethanamine
- Which of the following statements are true?
 - A. Unlike Ga that has a very high melting point, Cs has a very low melting point.
 - B. On Pauling scale, the electronegativity values of N and Cl are not the same.
 - C. Ar, K⁺, Cl⁻, Ca²⁺, and S²⁻ are all isoelectronic species.
 - D. The correct order of the first ionization enthalpies of Na, Mg, Al, and Si is Si > Al > Mg > Na.
 - E. The atomic radius of Cs is greater than that of Li and Rb.

Choose the **correct answer** from the options given below:

- (1) C and E only
- (2) C and D only
- (3) A, C, and E only
- (4) A, B, and E only
- 67 Match List I with List II

List-I

List-II

- A. XeO_3
- I. sp³d; linear
- B. XeF₂
- ID sp³; pyramidal
- C. XeOF₄
- III. sp³d³; distorted
- 2. 12. 4
- octahedral IV. sp³d²; square
- D. XeF_6
- pyramidal

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-III, D-IV
- (2) A-IV, B-II, C-III, D-I
- (3) A-IV, B-II, C-I, D-III
- (4) A-II, B-I, C-IV, D-III

68 The standard heat of formation, in kcal/mol of Ba²⁺ is:

[Given: standard heat of formation of

 SO_4^{2-} ion (aq) = -216 kcal/mol,

standard heat of crystallisation of

 $BaSO_4(s) = -4.5$ kcal/mol, standard heat of formation of $BaSO_4(s) = -349$ kcal/mol]

- (1) 133.0
- (2) + 133.0
- (3) + 220.5
- (4) 128.5
- 69 Among the given compounds I-III, the correct order of bond dissociation energy of C-H bond marked with * is:

- $(1) \quad I > II > III$
- (2) III > II > I
- (3) II > III > I
- (4) | | > | > | | |
- 70 Predict the major product 'P' in the following sequence of reactions -

13

[Cont

71 Match List - I with List - II

List-I

List-II

- A. Haber process
- Fe catalyst I.
- В, Wacker oxidation
- PdCl₂ П.
- C. Wilkinson catalyst
- III. $[(PPh_3)_3RhCl]$
- D. Ziegler catalyst
- IV. TiCl₄ with
- $AI(CH_3)_3$

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-I, B-II, C-III, D-IV
- (3) A-I, B-IV, C-III, D-II
- (4) A-I, B-II, G-IV, D-III
- 72 Energy and radius of first Bohr orbit of He⁺ and Li²⁺ are

[Given $R_H = 2.18 \times 10^{-18} \text{ J}, a_0 = 52.9 \text{ pm}$]

- (1) $E_n(Li^{2+}) = -8.72 \times 10^{-18} J;$

 - $r_n(Li^{2+}) = 26.4 \text{ pm}$ $E_n(He^+) = -19.62 \times 10^{-18} \text{ J};$
 - $r_n(He^+) = 17.6 \text{ pm}$
- (2) $E_n(Li^{2+}) = 19.62 \times 10^{-16} J;$ $r_n(Li^{2+}) = 17.6 \text{ pm}$

$$E_n(He^+) = -8.72 \times 10^{-16} J;$$

- $r_n(He^+) = 26.4 \text{ pm}$
- (3) $E_n(Li^{2+}) = -8.72 \times 10^{-16} J$;
 - $r_n(Li^{2+}) = 17.6 \text{ pm}$
 - $E_n(He^+) = 19.62 \times 10^{-16} J;$
 - $r_n(He^+) = 17.6 \text{ pm}$
- (4) $E_n(Li^{2+}) = -19.62 \times 10^{-18} J$;
 - $r_n(Li^{2+}) = 17.6 \text{ pm}$
 - $E_n(He^+) = -8.72 \times 10^{-18} J;$
 - $r_n(He^+) = 26.4 \text{ pm}$
- 46_English |

Given below are two statements: one is 73 labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): $\int I \text{ undergoes } S_{N^2}$ reaction faster than Cl.

Reason (R) Flodine is a better leaving group because of its large size.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is not the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A
- If the half-life $(t_{1/2})$ for a first order reaction 74 is 1 minute, then the time required for 99.9% completion of the reaction is closest to:
 - (1) 4 minutes
- (2) 5 minutes
- (3) 10 minutes
- (4) 2 minutes
- Which of the following aqueous solution will 75 exhibit highest boiling point?
 - (1) $0.01M \text{ KNO}_3$
 - (2) $0.01M \text{ Na}_2 \text{SO}_4$
 - (3) $0.015 \text{M} \text{C}_6 \text{H}_{12} \text{O}_6$
 - (4) 0.01M Urea
- **76** Higher yield of NO in

$$N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$$
 can be obtained at

[ΔH of the reaction = + 180.7 kJ mol⁻¹]

- A. higher temperature
- B. lower temperature
- higher concentration of N₂
- D. higher concentration of O₂

Choose the correct answer from the options given below:

- (1) B, C only
- (2) B, C, D only
- (3) A, C, D only
- (4) A, D only

77 Match List I with List II

	List I		List II
	(lon)		(Group Number
	9		in Cation Analysis)
Α.	Cb ²⁺	Ι.	Group-I
B.	Mg_1^{2+}	II.	Group-III
C.	P62+	III.	Group-IV

D. APT IV. Group-VI
Choose the correct answer from the options

given below:

78 The ratio of the wavelengths of the light absorbed by a Hydrogen atom when it undergoes $n = 2 \rightarrow n = 3$ and $n = 4 \rightarrow n = 6$ transitions, respectively, is

(1)
$$\frac{1}{16}$$
 (2) $\frac{1}{9}$ (3) $\frac{1}{2}$ (4) $\frac{1}{2}$

79 The correct order of the wavelength of light absorbed by the following complexes is,

A.
$$\left[\text{Co(NH}_3)_6 \right]^{3+}$$
 B. $\left[\text{Co(CN)}_6 \right]^{3-}$ C. $\left[\text{Cu(H}_2\text{O})_4 \right]^{2+}$ D. $\left[\text{Ti(H}_2\text{O})_6 \right]^{3+}$

Choose the **correct** answer from the options given below:

(1)
$$B < A < D < C$$

(2)
$$C < D < A < B$$

(3)
$$C < A < D < B$$

(4)
$$B < D < A < C$$

80 Identify the correct orders against the property mentioned

A.
$$H_2O > NH_3 > CHCl_3$$
 – dipole moment

B.
$$XeF_4 > XeO_3 > XeF_2$$
 – number of lone pairs on central atom

C.
$$O-H > C-H > N-O - bond length$$

D.
$$N_2 > O_2 > H_2$$
 - bond enthalpy

Choose the **correct** answer from the options given below:

81 Match List I with List II

List I	List II
(Mixture)	(Method of
London Ma	Separation)

Choose the **correct** answer from the options given below:

82 If the rate constant of a reaction is 0.03 s⁻¹, how much time does it take for 7.2 mol L⁻¹ concentration of the reactant to get reduced to 0.9 mol L⁻¹?

(Given:
$$\log 2 = 0.301$$
)

- Which among the following electronic 83 configurations belong to main group elements?
 - A. [Ne]3s¹
- C. $[Kr]4d^{10}_{5}s^{2}5p^{5}$ D. $[Ar]3d^{10}4s^{1}$
- E. $[Rn]5f^{0}6d^{2}7s^{2}$

Choose the correct answer from the option given below:

- (1) A and C only
- (2) D and E only
- (3) A, C and D only
- (4) B and E only
- 84 Match List - I with List - II
 - List-I

List-II

(Example)


(Type of Solution)


- A. Humidity
- Solid in solid I.
- Alloys *** B.
- II. Liquid in gas
- C. **Amalgams**
- III. Solid in gas
- Smoke
- IV. Liquid in solid


Choose the correct answer from the options given below:


- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-II, C-I, D-IV
- (4) A-II, B-IV, C-I, D-III
- 85 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour pressure of 70 torr. The vapour pressures of pure X and Y are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?
 - (1) The solution shows negative deviation.
 - (2) The solution is ideal.
 - (3) The solution has volume greater than the sum of individual volumes.
 - (4) The solution shows positive deviation.

 $C(s) + 2H_2(g) \rightarrow CH_4(g); \Delta H = -74.8 \text{ kJ}_{M_0[-1]}$ Which of the following diagrams gives an accurate representation of the above reaction? $[R \rightarrow reactants; P \rightarrow products]$









- 87 Which one of the following compounds does **not** decolourize bromine water?

46_English |

Consider the following compounds: 88 $\underline{K}O_2$, $H_2\underline{O}_2$ and $H_2\underline{S}\underline{O}_4$.

The oxidation states of the underlined elements in them are, respectively,

- (1) +2, -2, and +6
- (2) +1, -2, and +4
- (3) +4, -4, and +6
- (4) +1, -1, and +6
- Given below are two statements: 89

Statement I: Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at 273 - 278 K. It decomposes easily in the dry state.

Statement II: Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct
- Which of the following are paramagnetic? 90

 - A. $[\operatorname{NiCl}_4]^{2-}$ B. $\operatorname{Ni}(\operatorname{CO})_4$ C. $[\operatorname{Ni}(\operatorname{CN})_4]^{2-}$ D. $[\operatorname{Ni}(\operatorname{H}_2\operatorname{O})_6]^{2+}$ E. $\operatorname{Ni}(\operatorname{PPh}_2)$
 - E. $Ni(PPh_3)_4$

Choose the correct answer from the options given below:

- (1) B and E only
- (2) A and D only
- (3) A, D and E only
- (4) A and C only

Match List - I with List - II. 91

List - I

List - II

- A. Progesterone
- I. Pars intermedia
- B. Relaxin
- II. Ovary
- C. Melanocyte
- III. Adrenal
- stimulating hormone
- Medulla IV. Corpus luteum

D. Catecholamines Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-I, D-III
- The blue and white selectable markers have 92 been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct

[Contd...

Given below are two statements: One is labelled as Assertion (A) and the other is 93 labelled as Reason (R).

Assertion (A): Cells of the tapetum possess dense cytoplasm and generally have more than one nucleus.

Reason (R)* Presence of more than one nucleus in the tapetum increases the efficiency of nourishing the developing microspore mother cells.

In light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A
- 94 Match List I with List II.

List I

List II

- A. Pteridophyte
- Salvia I.
- B. Bryophyte
- II. Ginkgo
- C. Angiosperm
- III. Polytrichum
- Gymnosperm
- IV. Salvinia
- Choose the option with all correct matches.
- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-II, D-I
- 95 Match List - II.

List -M

List - II

- A. Heart
- I. Erythropoietin
- B. Kidney
- II. Aldosterone
- C. Gastro-intestinal
- III. Atrial natriuretic
- tract 🥨
- factor
- D. Adrenal Cortex IV. Secretin

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-III, C-IV, D-II
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-III, D-IV
- 46_English]

- Who proposed that the genetic code for amino acids should be made up of three nucleotides? 96
 - (1) Francis Crick
 - (2) Jacque Monod
 - (3) Franklin Stahl
 - (4) George Gamow
- Which of the following is the unit of 97 productivity of an Ecosystem?
 - (1) KCal m^{-2}
 - (2) KCal m^{-3}
 - (3) (KCal m⁻²)yr⁻¹
 - gm^{-2}
- Which of the following is an example of a 98 zygomorphic flower?

THE THE

- (1) Datura
- (2) Pea
- (3) Chilli
- (4) Petunia
- 1
- Match List I with List II: 99

10 List I

List II

- A. The Evil Quartet
- I. Cryopreservation
- B. Ex situ
- II. Alien species
- conservation
- invasion
- C. Lantana
- III. Causes of
- camara
- biodiversity
- losses
- O D. Dodo
- IV. Extinction
- Choose the option with all correct matches.
- (1) A-III, B-I, C-II, D-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-III, B-II, C-I, D-IV



Given below are two statements: 100

Statement 1: In ecosystem, there is unidirectional flow of energy of sun from producers to consumers.

Statement II: Ecosystems are exempted from 2nd law of thermodynamics.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect
- (2) Statement I is correct but statement II is incorrect
- (3) Statement I is incorrect but statement II is correct

Et of

153

- (4) Both statement I and statement II are correct
- The protein portion of an enzyme is called:
 - (1) Coenzyme
 - (2) Apoenzyme
 - (3) Prosthetic group
 - (4) Cofactor
- Twins are born to a family that lives next door to you. The twins are a boy and a girl. Which of the following must be true?
 - (1) They are fraternal twins.
 - (2) They were conceived through in vitro fertilization.
 - (3) They have 75% identical genetic content.
 - (4) They are monozygotic twins.
- 103 After maturation, in primary lymphoid organs, the lymphocytes migrate for interaction with antigens to secondary lymphoid organ(s) / tissue(s) like:
 - A. thymus
- B. bone marrow
- C. spleen
- D. Tymph nodes
- Peyer's patches


Choose the correct answer from the options given below:

- (1) A, B, C only
- (2) E, A, B only
- (3) C, D, E only
- (4) B, C, D only
- 46_English |

- In frog, the Renal portal system is a special 104 venous connection that acts to link:
 - (1) Liver and kidney
 - (2) Kidney and intestine
 - (3) Kidney and lower part of body
 - (4) Liver and intestine
- Which of the following enzyme(s) are NOT essential for gene cloning?
 - A. Restriction enzymes
 - DNA ligase В.
 - DNA mutase C.
 - DNA recombinase
 - DNA polymerase

Choose the correct answer from the options given below:

- (1) A and B only
- (2) D and E only
- (3) B and C only
- (4) C and D only
- With the help of given pedigree, find out the 106 probability for the birth of a child having no disease and being a carrier (has the disease mutation in one allele of the gene) in F3 generation.



- Carrier female
- O Unaffected female
- Affected female
- (1) 1/2

19

- (2) 1/8
- (3) Zero
- (4) 1/4

- 107 feature of gymnosperms? Which one of the following is the characteristic
- \exists Seeds are naked.
- 2 Seeds are absent.
- 3 Gymnosperms have flowers for reproduction.
- Seeds are enclosed in fruits
- 108 The first menstruation is called:
- \equiv Menarche (2) Diapause
- Ovulation (4) Menopause
- 109 of the following? In bryophytes, the gemmae help in which one
- \exists Asexual reproduction

113

- $\overline{2}$ Nutrient absorption
- $\overline{\omega}$ Gaseous exchange
- Sexual reproduction
- 110 mother cell in an angiosperm plant? female gametophyte from the megaspore to occur for the development of a mature How many meiotic and mitotic divisions need
- \exists 1 Meiosis and 2 Mitosis
- $\overline{\Omega}$ 1 Meiosis and 3 Mitosis
- \Im No Meiosis and 2 Mitosis
- 2 Meiosis and 3 Mitosis
- 111 Role of the water vascular system in Echinoderms is:
- Respiration and Locomotion
- Excretion and Locomotion
- C. Capture and transport of food
- D. Digestion and Respiration
- Digestion and Excretion

given below: Choose the correct answer from the options

- \equiv A and C Only
- 2 B and C Only
- B, D and E Only
- A and B Only

- 112 Read the following statements on plant growth and development.
- >
- Β. Parthenocarpy can be induced by auxins. Plant growth regulators can be involved growth. in promotion as well as inhibition of
- C re-differentiation. Dedifferentiation is a pre-requisite for
- D Abscisic acid is a plant growth promoter,
- ij Apical dominance promotes the growth of lateral buds.

Choose the option with all correct statements

- \equiv A, C, E only (2) A, D, E only
- B, D, E only (4) A, B, C only
- present at the time of birth and is a non-specific type of defence in the human body? Which of the following type of immunity is birth and is a non-
- \equiv Innate Immunity
- $\overline{\mathcal{O}}$ Cell-mediated Immunity
- \odot Humoral-Immunity
- Acquired Immunity
- 1114 Why can't insulin be given orally to diabetic patients?
- Ξ It will be digested in Gastro-Intestinal (GI) tract
- (2) Because of structural variation
- 3 Its bioavailability will be increased
- 4 Human body will elicit strong immune response
- 115 of population? represents the Verhulst-Pearl Logistic Growth Which one of the following equations

$$(1) \frac{dN}{dt} = rN \left(\frac{K - N}{K} \right)$$

(2)
$$\frac{dN}{dt} = rN \frac{N - K}{N}$$

(3)
$$\frac{dN}{dt} = N\left(\frac{r - K}{K}\right)$$

$$(4) \frac{dN}{dt} = r \left(\frac{K - N}{K} \right)$$

$$(4) \frac{dN}{dt} = r \left(\frac{K - N}{K} \right)$$

- 116 Silencing of specific mRNA is possible via RNAi because of -
- \equiv Inhibitory ssRNA(*)
- (2) Complementary tRNA
- \Im Non-complementary ssRNA
- Complementary dsRNA

117 Match List I with List II

List I

List II

- Adenosine
- Nitrogen base
- æ Adenylic acid
- Nucleotide
- D. Alanine

 \mathbf{C}

Adenine

- Nucleoside Amino acid
- Choose the option with all correct matches.

121

- Ξ A-III, B-II, C-IV, Di
- 2 A-III, B-II, C-I, D-IV
- \Im A-II, B-III, C-I, DIV
- A-III, B-IV, C-II, D-I
- 118 Frogs respire in water by skin and buccal cavity and on land by skin, buccal cavity and

Choose the correct answer from the

- following:
- \equiv The statement is true for both the environment
- (2) for land The statement is false for water but true
- \Im The statement is false for both the environment
- 4 for land The statement is true for water but false
- 119 All living members of the class Cyclostomata
- \equiv Endoparasite
- (2) Symbiotic
- \odot Ectoparasite 4
- Free living

- 120 Identify the statement that is NOT correct.
- Ξ The heavy and light chains are held together by disulfide bonds.
- 2 Antigen binding site is located at C-terminal region of antibody molecules.
- \odot Constant region of heavy and light chains are located at C-terminus of antibody molecules.
- 4 Each antibody has two light and two heavy chains.
- Given below are two statements: one labelled as Reason (R). labelled as Assertion (A) and the other is

cell. deliver it to intracellular targets and outside the made by the endoplasmic reticulum and Golgi apparatus is to package the materials Assertion (A): The primary function of the

Reason (R): Vesicles containing materials are modified and released from the trans face the cis face of the Golgi apparatus, and they made by the endoplasmic reticulum fuse with of the Golgi apparatus.

correct answer from the options given below: In the light of the above statements, choose the

- Ξ Both A and R are true but R is not the correct explanation of A
- 2 A is true but R is false
- \odot A is false but R is true
- 4 Both A and R are true and R is the correct explanation of A

[Contd...

122 Consider the following:

- A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.
- B. The gap between the first meiotic division and the second meiotic division is much shorter for males compared to females.
- C. The first polar body is associated with the formation of the primary oocyte.
- D. Luteinizing Hormone (LH) surge leads to disintegration of the endometrium and onset of menstrual bleeding.

Choose the **correct** answer from the options given below:

- (1) A and C are true
- (2) B and D are true
- (3) B and C are true
- (4) A and B are true

123 Match List I with List II:

List I

List II

- A. Scutellum
- I. Persistent nucellus
- B. Non-albuminous seed
- II. Cotyledon of Monocot seed
- C. Epiblast
- III. Groundnut
- D. Perisperm
- IV. Rudimentary cotyledon

Choose the option with all correct matches.

- (1) A-IV, B-III, C-II, D-I
- (2) A-IV, B-III, C-I, D-II
- (3) A-II, B-IV, C-III, D-I
- (4) A-II, B-III, C-IV, D-I

What is the main function of the spindle fibers during mitosis?

- (1) To synthesize new DNA
- (2) To repair damaged DNA
- (3) To regulate cell growth

46_English]

- (4) To separate the chromosomes

- Which of the following statements about RuBisCO is true?
 - (1) It has higher affinity for oxygen than carbon dioxide.
 - (2) It is an enzyme involved in the photolysis of water.
 - (3) It catalyzes the carboxylation of RuBp
 - (4) It is active only in the dark.

126 Given below are two statements:

Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.

Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel. In the light of the above statements, choose the

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect
- (2) Statement I is correct but statement II is incorrect
- (3) Statement I is incorrect but statement II is correct.
- (4) Both statement I and statement II are correct
- Which factor is important for termination of transcription?
 - (1) σ (sigma)
- (2) ρ (rho)
- (3) γ (gamma)
- (4) α (alpha)
- 128 Consider the following statements regarding function of adrenal medullary hormones:
 - A. It causes pupilary constriction
 - B. It is a hyperglycemic hormone
 - C. It causes piloerection
 - D. It increases strength of heart contraction Choose the **correct** answer from the options given below:
 - (1) B, C and D Only
 - (2) A, C and D Only
 - (3) D Only
 - (4) C and D Only

- 129 Histones are enriched with -
 - (1) Leucine & Lysine
 - (2) Phenylalanine & Leucine
 - (3) Phenylalanine & Arginine
 - (4) Lysine & Arginine
- 130 Genes R and Y follow independent assortment. If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?
 - (1) Phenotypic ratio 3:1
 - (2) Phenotypic ratio 9:3:3:1
 - (3) Phenotypic ratio 9:7
 - (4) Phenotypic ratio 1:2:1
- 131 Which of the following hormones released from the pituitary is actually synthesized in the hypothalamus?
 - (1) Anti-diuretic hormone (ADH)
 - (2) Follicle-stimulating hormone (FSH)
 - (3) Adenocorticotrophic hormone (ACTH)
 - (4) Luteinizing hormone (LH)
- 132 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): All vertebrates are chordates but all chordates are not vertebrate.

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is not the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

- 133 Given below are two statements:
 - Statement I: Fig fruit is a non-vegetarian fruit as it has enclosed fig wasps in it.
 - Statement II: Fig wasp and fig tree exhibit mutual relationship as fig wasp completes its life cycle in fig fruit and fig fruit gets pollinated by fig wasp.


In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both statement I and statement II are incorrect
- (2) Statement I is correct but statement II is incorrect
- (3) Statement I is incorrect but statement II is correct
- (4) Both statement I and statement II are correct
- 134 Sweet potato and potato represent a certain type of evolution. Select the correct combination of terms to explain the evolution.
 - (1) Homology, divergent
 - (2) Homology, convergent
 - (3) Analogy, divergent
 - (4) Analogy, convergent 💭
- Which of the following microbes is NOT involved in the preparation of household products?
 - A. Aspergillus niger
 - B. Lactobacillus
 - C. Trichoderma polysporum
 - D. Saccharomyces cerevisiae
 - E. Propionibacterium sharmanii

Choose the **correct** answer-from the options given below:

- (1) A and C only
- (2) C and D only
- (3) C and E only
- (4) A and B only

Identify the part of a bio-reactor which is used as a foam braker from the given figure.



- (1) B
- (2) D
- (3) C
- (4) A

Name the class of enzyme that usually catalyze the following reaction:

$$S-G+S^{\#} \rightarrow S+S^{\#}-G$$

Where, $G \rightarrow a$ group other than hydrogen

 $S \rightarrow a$ substrate

→ another substrate

- (1) Lyase
- (2) Transferase
- (3) Ligase
- (4) Hydrolase

Match List I with List II: 138

List I

List II

- Chlorophyll a I.
- Yellow-green
- B. Chlorophyll b
- II. Yellow
- C. Xanthophylls
- III. Blue-green
- D. Carotenoids
- IV. Yellow to

O

Yellow-orange

Choose the option with all correct matches.

- (1) A-III, B-I, C-II, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-I, B-IV, C-III, D-II
- (4) A-III, B-IV, C-II, D-I

46_English]

- The correct sequence of events in the life cycle 139
 - Fusion of antherozoid with egg.
 - Attachment of gametophyte to substratum.
 - Reduction division to produce haploid C.
 - Formation of sporophyte.
 - Release of antherozoids into water.

Choose the correct answer from the options

- (1) B, E, A, C, D
- (2) B, E, A, D, C
- (3) D, E, A, B, C
- (4) D, E, A, C, B

Match List - I with List - II. 140

List - I

- List II
- Centromere A. В. Cilium
- Mitochondrion I. II.
- C. Cristae
- Cell division III. Cell movement
- Cell membrane
- IV. Phospholipid Bilayer

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-IV, B-II, G-III, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-I, B-II, C-III, D-IV

141 Find the correct statements:

- In human pregnancy, the major organ systems are formed at the end of 12 weeks.
- In human pregnancy the major organ systems are formed at the end of 8 weeks.
- In human pregnancy heart is formed after one month of gestation.
- In human pregnancy, limbs and digits develop by the end of second month.
- In human pregnancy the appearance of hair is usually observed in the fifth month.

Choose the correct answer from the options given below:

- (1) B and C Only
- (2) B, C, D and E Only
- (3) A, C, D and E Only
- (4) A and E Only

- Each of the following characteristics represent a Kingdom proposed by Whittaker. Arrange the following in increasing order of complexity
 - Multicellular heterotrophs with cell wall
 - Heterotrophs with tissue/organ/organ system level of body organization.
 - Prokaryotes with cell wall made of polysaccharides and amino acids.
 - D. Eukaryotic autotrophs with tissue/organ level of body organization.
 - Eukaryotes E. with cellular body organization.

Choose the correct answer from the options given below:

- (1) C, E, A, D, B (2) A, C, E, D, B
- (3) C, E, A, B, D (4) A, C, E, B, D

143 Which are correct:

- Computed tomography and magnetic resonance imaging detect cancers of internal organs.
- Chemotherapeutics drugs are used to kill non-cancerous cells.
- α -interferon activate the cancer patients' immune system and helps in destroying the tumour.
- Chemotherapeutic drugs are biological response modifiers.
- In the case of leukaemia blood cell counts E. are decreased.

Choose the correct answer from the options given below:

- (2) C and D only (1) D and E only
- (4) B and D only (3) A and C only
- 144 Which of the following genetically engineered organisms was used by Eli Lilly to prepare human insulin?
 - (1) Yeast
- (2) Virus
- (3) Phage
- (4) Bacterium

- What is the pattern of inheritance for polygenic
 - (1) Non-mendelian inheritance pattern
 - (2) Autosomal dominant pattern
 - (3) X-linked recessive inheritance pattern
 - (4) Mendelian inheritance pattern Chair B
- Which of the following are the post-146 transcriptional events in an eukaryotic cell?
 - A. Transport of pre-mRNA to cytoplasm prior to splicing.
 - B. Removal of introns and joining of exons.
 - C. Addition of methyl group at 5' end of hnRNA.
 - D. Addition of adenine residues at 3' end of hnRNA.
 - E. Base pairing of two complementary RNAs.

Choose the correct answer from the options given below:

- (2) B, C, E only (1) B, C, D only
- (4) A, B, C only (3) C, D, E only
- Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?
 - (1) Abscisic acid (2) Gibberellin
- - (3) Cytokinin
- (4) Ethylene
- 148 Which one of the following statements refers to Reductionist Biology?
 - (1) Physiotogical approach to study and understand living organisms.
 - (2) Chemical approach to study and understand living organisms.
 - (3) Behavioural approach to study and understand living organisms.
 - (4) Physico-chemical approach to study and understand living organisms.

[Contd..

Match List - I with List - II. List - II 152

Scanned with OKEN Scanner

5

A. Emphysema

- Rapid spasms in muscle
- due to low Ca⁺⁺ in 2

body fluid

II. Damaged alveolar respiratory surface walls and decreased

B. Angina

Pectoris

- C. Glomerulonot enough oxygen Acute chest pain when
- Choose the correct answer from the options D. Tetany nephritis IV. Inflammation of Lis reaching to heart glomeruli of kidney
- \exists A-III, B-I, C-II, D-IV

given below:

- \odot A-II, B-IV, C-III, D-I A-II, B-III, C-IV, D-I
- A-III, B-I, C-IV, D-II
- 150 \equiv is an example of which of the following? Epiphytes that are growing on a mango branch
- Mutualism \odot Predation
- Amensalism (4) Commensalism
- 151 Match List I with List II: List-I List-II
- Alfred Hershey Chase and Martha pneumoniae Streptococcus

A

Frederick Griffith Euchromatin Ξ. and light-stained Loosely packed and dark-stained Densely packed

C.

Β.

Ħ.

Heterochromatin <u>.</u> DNA as genetic material

D.

- given below: from the options confirmation
- Choose the correct answer
- \exists A-IV, B-II, C-I, D-III
- િ
- A-IV, B-III, C-I, D-II
- A-III, B-II, C-IV, D-I A-II, B-IV, C-I, D-III
- 46_English J

- \equiv Which chromosome in the human genome has Chromosome 1 Chromosome Y
- \Im Chromosome 10
- **£** Chromosome X
- 153 What are the potential drawbacks in adoption
- A High fatality risk to mother
- ₿. Expensive instruments and reagents
- C. Husband/wife necessary for being donors
- D. Less adoption of orphans
- Ī Not available in India
- Ŧ Possibility that the early embryo does not

given below: Choose the correct answer from the options

- \equiv A, C, D, E only
- \mathfrak{D} A, B, C, D only
- \Im A, B, C, F, F only
- B, D, F only

154 Match List -Lwith List - II.

List -

Head Enzymes

List - II

- Middle piece Ξ Sperm motility
- Acrosome Ξ

CΒ. \geq

- D. Tail <u>.</u> Energy Genetic material
- given below :--Choose the correct answer from the options
- Ξ A-IV, B-III, C-II, D-I
- 2 A-III, B-IV, C-II, D-I
- \Im A-III, B-II, C-I, D-IV
- A-IV, B-III, C-I, D-II

- 155 From the statements given below choose the correct option :
- prokaryotic ribosomes are 70S The eukaryotic ribosomes are 80S and
- **Β** Each ribosome has two sub-units.
- 0 and 40S while that of 70S are 50S and 30S. The two sub-units of 80S ribosome are 60S
- D and 20S and that of 70S are 50S and 20S The two sub-units of 80S ribosome are 60S
- Ţ and that of 70S are 50S and 30S The two sub-units of 80S are 60S and 30S
- Ξ B, D are true
- (2) A, B, E are true
- (3) D, E are true
- A, B, C are true
- 156 distilled alcoholic beverage produced by yeast? Which of the following is an example of non-
- Ξ Brandy

- 4 Whisky
- 157 India? Who is known as the father of Ecology in
- \equiv Ramdeo Misra
- \mathfrak{D} Ram Udar
- \Im Birbal Sahni
- S. R. Kashyap
- 158 endosperm separates the embryo by a protein-In the seeds of cereals, the outer covering of rich layer called:
- \equiv Coleorhiza
- (2) Integument
- \Im Aleurone layer
- Coleoptile

- 159 pad? about location of the male frog copulatory Which of the following statement is correct
- \equiv First digit of hind limb
- Second digit of fore limb
- 2 First digit of the fore limb
- 4 \Im First and Second digit of fore limb
- 160 prokaryotic cell which helps in cell wall A specialised membranous structure formation, DNA replication and respiration is:
- \equiv Chromatophores
- (2) Cristae
- Endoplasmic Reticulum
- Mesosome
- 161 Given below are two statements: Statement I: Transfer RNAs and ribosomal

place Statement II: RNA interference (RNAi) takes RNA do not interact with mRNA. of cellular defence in all eukaryotic organisms as a method

In the light of the above statements, choose the given below: most appropriate answer from the options

- Ξ Both Statement I and Statement II are incorrect
- 2 Statement I is correct but Statement II is incorrect
- \Im Statement I is incorrect but Statement II is correct
- 4 Both Statement I and Statement II are correct
- 162 the heart in a frog? carries deoxygenated blood from the body to What is the name of the blood vessel that
- Ξ Pulmonary artery
- (2) Pulmonary vein
- \mathfrak{S} Vena cava

[Contd...

163 Given below are two statements:

Statement 1: In the RNA world, RNA is considered the first genetic material evolved to carry out essential life processes. RNA acts as a genetic material and also as a catalyst for some important biochemical reactions in living systems. Being reactive, RNA is unstable.

Statement II: DNA evolved from RNA and is a more stable genetic material. Its double helical strands being complementary, resist changes by evolving repairing mechanism.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both statement I and statement II are incorrect
- (2) Statement I is correct but statement II is incorrect
- (3) Statement I is incorrect but statement II is correct
- (4) Both statement I and statement II are correct
- Which one of the following is an example of ex-situ conservation?
 - (1) Wildlife Sanctuary
 - (2) Zoos and botanical gardens
 - (3) Protected areas
 - (4) National Park
- Which one of the following enzymes contains 'Haem' as the prosthetic group?
 - (1) Carbonic anhydrase
 - (2) Succinate dehydrogenase
 - (3) Catalase
 - (4) RuBisCo

- 166 Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.
 - A. Prothallus stage
 - B. Meiosis in spore mother cells
 - C. Fertilisation
 - D. Formation of archegonia and antheridia in gametophyte.
 - E. Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the $option_S$ given below :

- (1) B, A, E, C, D
- (2) D, E, C, A, B
- (3) E, D, C, B, A
- (4) B, A, D, E, C
- 167 Which of following organisms cannot fix nitrogen?
 - A. Azotobacter
- B. Oscillatoria
- C. Anabaena
- D. Volvox
- E. Nostoc

Choose the *correct* answer from the options given below:

- (1) D only
- (2) B only
- (3) E only
- (4) A only
- 168 While trying to find out the characteristic of a newly found animal, a researcher did the histology of adult animal and observed a cavity with presence of mesodermal tissue towards the body wall but no mesodermal tissue was observed towards the alimentary canal. What could be the possible coelome of that animal?
 - (1) Pseudocoelomate
 - (2) Schizocoelomate
 - (3) Spongocoelomate
 - (4) Acoelomate

46_English |

Given below are two statements :

Statement I: In a floral formula \oplus stands for zygomorphic nature of the flower, and \underline{G} stands for inferior ovary.

Statement II: In a floral formula \oplus stands for actinomorphic nature of the flower and \underline{G} stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct

170 Given below are two statements:


Statement I: The primary source of energy in an ecosystem is solar energy.


Statement II: The rate of production of organic matter during photosynthesis in an ecosystem is called net primary productivity (NPP).

In the light of the above statements, choose the most appropriate answer from the options given below:


- (1) Both statement I and statement II are incorrect
- (2) Statement I is correct but statement II is incorrect
- (3) Statement I is incorrect but statement II is correct
- (4) Both statement I and statement II are correct

Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.





$$(3) \begin{array}{c} P \\ NaCl \\ H^+ \\ H_2O \end{array} \begin{array}{c} D \\ NaCl \\ K^+ \\ H_2O \end{array}$$



172 Streptokinase produced by bacterium Streptococcus is used for

- (1) Ethanol production
- (2) Liver disease treatment
- (3) Removing clots from blood vessels
- (4) Curd production

173 Cardiac activities of the heart are regulated by:

- A. Nodal tissue
- B. A special neural centre in the medulla oblongata
- C. Adrenal medullary hormones
- D. Adrenal cortical hormones

Choose the **correct** answer from the options given below:

- (1) A, B, C and D
- (2) A, C and D Only
- (3) A, B and D Only
- (4) A, B and C Only

[Contd...

174 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) FA typical unfertilised, angiosperm embryo sac at maturity is 8 nucleate and 7-celled.

Reason (R): The egg apparatus has 2 polar

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A
- Find the statement that is NOT correct with regard to the structure of monocot stem.
 - (1) Vascular bundles are scattered.
 - (2) Vascular bundles are conjoint and closed.
 - (3) Phloem parenchyma is absent.
 - (4) Hypodermis is parenchymatous.
- 176 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).


Assertion (A): Both wind and water pollinated flowers are not very colourful and do not produce nectar.

Reason (R): The flowers produce enormous amount of pollen grains in wind and water pollinated flowers.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both \mathbf{A} and \mathbf{R} are true but \mathbf{R} is **NOT** the correct explanation of A
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A

- Neoplastic characteristics of cells refer to:
 - A mass of proliferating cell
 - Rapid growth of cells B.
 - Invasion and damage to the surrounding C.
 - Those confined to original location Choose the correct answer from the options
 - (1) A, B, C only (2) A, B, D only
 - (3) B, C, D only (4) A, B only
- The complex II of mitochondrial electron 178 transport chain is also known as
 - (1) Succinate dehydrogenase
 - (2) Cytochrome c oxidase
 - (3) NADH dehydrogenase
 - (4) Cytochrome bc₁
- Polymerase chain reaction (PCR) amplifies 179 DNA following the equation.
 - $(1) \cdot 2^n$
- (2) 2n + 1
- $(3) 2N^2$
- $(4) N^2$



In the above represented plasmid an alien piece of DNA is inserted at EcoRI site. Which of the following strategies will be chosen to select the recombinant colonies?

- (1) Blue color colonies will be selected.
- (2) White color colonies will be selected.
- (3) Blue color colonies grown on ampicillin plates can be selected.
- (4) Using ampicillin & tetracyclin containing medium plate.

[Contd...

46_English]