est Booklet No

Test Booklet Code

**ENGLISH** 

Do not open this Test Booklet until you are asked to do so.

NARMADA

This Booklet contains 32 pages, including Rough Page.

## Important Instructions:

- The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
- The test is of 3 hours duration and the Test Booklet contains 180 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
- Wherever the symbols/constants are not mentioned, they are to be considered as per their standard meaning/ value.
- Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/ Hall. The candidates are allowed to take away this Test Booklet with them.
- The CODE for this Booklet is "47". Make sure to enter this code in the OMR answer sheet.


- The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/ Answer Sheet.
- 10. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 11. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 12. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 14. Use of Electronic/Manual Calculator is prohibited.
- 15. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination along with Public Examinations (Prevention of unfair means act 2024).
- No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 18. If a candidate marks more than one answers for a question in the OMR Sheet, it will be treated as incorrect and negative marking will be applicable.

Name of the Candida	ate (in Capitals):RU.OR.A.KSH	est first order a separate	
Roll Number :	in figures		
	in words		
Centre of Examinati	on (in Capitals): PM 581.RT GD	VT. SR. SEC. SCHO	OL SEC. 4/7
Candidate's Signatu	ire: Whyldella	Invigilator's Signature :	5 <hilla< td=""></hilla<>
Facsimile signature	stamp of Centre Superintendent:		
47 English ]	. 1		[ Contd



Centre Superintendent Centre No. 2302105 PM Shri G.S.S.S. Sec-4/7 Gurugram

The current passing through the battery in the 1 given circuit, is:



- (1) 1.5 A
- (3) 0.5 A
- (4) 2.5 A
- The electric field in a plane electromagnetic 2 wave is given by

$$E_z = 60\cos(5x + 1.5 \times 10^9 t)V/m$$
.

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):

- (1)  $B_y = 60 \sin (5x + 1.5 \times 10^9 t)T$ (2)  $B_y = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$
- (3)  $B_x = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t)T$ (4)  $B_z = 60 \cos (5x + 1.5 \times 10^9 t)T$
- A pipe open at both ends has a fundamental 3 frequency f in air. The pipe is now dipped vertically in a water drum to half of its length. The fundamental frequency of the air column is now equal to:

- 47 English |

2

An electron (mass 9×10<sup>-31</sup> kg and

charge 1.6×10<sup>-19</sup>C) moving with speed c/100 (c = speed of light) is injected into a magnetic


field  $\overrightarrow{B}$  of magnitude  $9 \times 10^{-4}$  T perpendicular to its direction of motion. We wish to apply an

uniform electric field E together with the magnetic field so that the electron does not deflect from its path. Then (speed of light  $c = 3 \times 10^8 \text{ ms}^{-1}$ 

- (1)  $\overrightarrow{E}$  is parallel to  $\overrightarrow{B}$  and its magnitude is 27×10<sup>4</sup> V m<sup>-1</sup>
- (2)  $\overrightarrow{E}$  is perpendicular to  $\overrightarrow{B}$  and its magnitude is 27×10<sup>4</sup> V m<sup>-1</sup>
- (3)  $\stackrel{\rightarrow}{E}$  is perpendicular to  $\stackrel{\rightarrow}{B}$  and its magnitude is 27×10<sup>2</sup> V m<sup>-1</sup>
- (4)  $\stackrel{\rightarrow}{E}$  is parallel to  $\stackrel{\rightarrow}{B}$  and its magnitude is 27×10<sup>2</sup> V m<sup>-1</sup>
- In a certain camera, a combination of four similar thin convex lenses are arranged axially 5 in contact. Then the power of the combination and the total magnification in comparison to the power (p) and magnification (m) for each lens will be, respectively

  - (1)  $p^4$  and  $m^4$  (2) 4p and 4m
  - (3)  $p^4$  and 4m
- (4)  $4p \text{ and } m^4$
- in the sales A 2 amp current is flowing through two different small circular copper coils having radii ratio 1:2. The ratio of their respective magnetic moments will be
  - (1) 4:1
- (3) 1:2

A constant voltage of 50 V is maintained between the points A and B of the circuit shown in the figure. The current through the branch CD of the circuit is:



- (1) 3.0 A (2) 1.5 A (3) 2.0 A (4) 2.5 A
- Two gases A and B are filled at the same pressure in separate cylinders with movable pistons of radius  $r_A$  and  $r_B$ , respectively. On supplying an equal amount of heat to both the systems reversibly under constant pressure, the pistons of gas A and B are displaced by  $16 \ cm$  and  $9 \ cm$ , respectively. If the change in their internal energy is the same, then the ratio


$r_A/r_B$ is equal to	9
$\sqrt{\frac{\sqrt{3}}{2}}$	$(2)\sqrt{\frac{4}{3}}$
(3) $\frac{3}{4}$	(4) $\frac{2}{\sqrt{3}}$

- A container has two chambers of volumes  $V_1 = 2$  litres and  $V_2 = 3$  litres separated by a partition made of a thermal insulator. The chambers contains  $n_1 = 5$  and  $n_2 = 4$  moles of ideal gas at pressures  $p_1 = 1$  atm and  $p_2 = 2$  atm, respectively. When the partition is removed, the mixture attains an equilibrium pressure of:
  - (1) 1.8 atm (2) 1.3 atm (3) 1.6 atm (4) 1.4 atm

The radius of Martian orbit around the Sun is about 4 times the radius of the orbit of Mercury. The Martian year is 687 Earth days. Then which of the following is the length of 1 year on Mercury.?

LO

- (1) 124 earth days
- (2) 88 earth days
- (3) 225 earth days
- (4) 172 earth days
- 11 To an ac power supply of 220 V at 50 Hz, a resistor of  $20 \Omega$ , a capacitor of reactance  $25 \Omega$  and an inductor of reactance  $45 \Omega$  are connected in series. The corresponding current in the circuit and the phase angle between the current and the voltage is, respectively
  - (1) 15.6 A and 45°
  - (2) 7.8 A and 30°
    (3) 7.8 A and 45°
  - (4) 15.6 A and 30°
- A wire of resistance R is cut into 8 equal pieces. From these pieces two equivalent resistances are made by adding four of these together in parallel. Then these two sets are added in series. The net effective resistance of the combination is:
  - $(1) \quad \frac{R}{8} \qquad \qquad (2) \quad \frac{R}{64} \qquad \qquad (3)$
  - (3)  $\frac{R}{32}$  (4)  $\frac{R}{16}$
- The output (Y) of the given logic implementation is similar to the output of an/a \_\_\_\_ gate.





- A and B have their centres separated by a certain distance. Charge on each sphere is q and the force of repulsion between them is F. A third identical uncharged conducting sphere is brought in contact with sphere A first and then with B and finally removed from both. New force of repulsion between spheres A and B (Radii of A and B are negligible compared to the distance of separation so that for calculating force between them they can be considered as point charges) is best given as:
  - (1)  $\frac{3F}{8}$
- (2)  $\frac{3F}{5}$
- $(3) \quad \frac{2F}{3}$
- $(4) \quad \frac{F}{2}$
- Consider the diameter of a spherical object being measured with the help of a Vernier callipers. Suppose its 10-Vernier Scale Divisions (V.S.D.) are equal to its 9 Main Scale Divisions (M.S.D.). The least division in the M.S. is 0.1 cm and the zero of V.S. is at x = 0.1 cm when the jaws of Vernier callipers are closed.


If the main scale reading for the diameter is M = 5 cm and the number of coinciding vernier division is 8, the measured diameter after zero error correction, is


- (1) 5.00 cm
- (2) 5.18 cm
- (3) 5.08 cm
- (A) 4.98 cm
- In some appropriate units, time (1) and position (x) relation of a moving particle is given by  $t = x^2 + x$ . The acceleration of the particle is
  - (1)  $+\frac{2}{2x+1}$
- (2)  $-\frac{2}{(x+2)^3}$
- $(3) \frac{2}{(2x+1)^3}$
- (4)  $+\frac{2}{(x+1)^3}$

Which of the following options represent the variation of photoelectric current with property of light shown on the x-axis?











- (1) B and D
- (2) A only
- (3) A and C
- (4) A and D

- A particle of mass m is moving around the origin with a constant force F pulling it towards the origin. If Bohr model is used to describe its motion, the radius r of the nth orbit and the particle's speed v in the orbit depend on n as
  - (1)  $r \propto n^{4/3}$ ;  $v \propto n^{-1/3}$
  - $(2) r \propto n^{1/3}; \ v \propto n^{1/3}$
  - (3)  $r \propto n^{1/3}$ ;  $v \propto n^{2/3}$
  - $(4) \quad r \propto n^{2/3}; \quad v \propto n^{1/3}$
- A bob of heavy mass m is suspended by a light string of length l. The bob is given a horizontal velocity  $v_0$  as shown in figure. If the string gets slack at some point P making an angle  $\theta$  from the horizontal, the ratio of the speed v of the bob at point P to its initial speed  $v_0$  is:



- $(1) \left(\frac{\sin\theta}{2+3\sin\theta}\right)^{1/2}$
- (2)  $(\sin \theta)^{1/2}$
- $(3) \left(\frac{9}{2+3\sin\theta}\right)^{1/2}$
- $(4) \left(\frac{\cos|\theta}{2+3\sin\theta}\right)^{1/2}$

A full wave rectifier circuit with diodes  $(D_1)$  and  $(D_2)$  is shown in the figure. If input supply voltage  $V_{in} = 220\sin(100 \pi t)$  volt, then at t = 15 msec



- (1)  $D_1$  and  $D_2$  both are reverse biased
- (2)  $D_1$  is forward biased,  $D_2$  is reverse biased?
- (3)  $D_1$  is reverse biased,  $D_2$  is forward biased
- (4)  $D_1$  and  $D_2$  both are forward biased
- A balloon is made of a material of surface tension S and its inflation outlet (from where gas is filled in it) has small area A. It is filled with a gas of density  $\rho$  and takes a spherical shape of radius R. When the gas is allowed to flow freely out of it, its radius r changes from R to 0 (zero) in time T. If the speed v(r) of gas coming out of the balloon depends on r as  $r^a$  and  $T \propto S^{\alpha}A^{\beta}\rho^{\gamma}R^{\delta}$  then

(1) 
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -\frac{1}{2}, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(2) 
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -1, \gamma = +1, \delta = \frac{3}{2}$$

(3) 
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = -\frac{1}{2}, \delta = \frac{5}{2}$$

(4) 
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

- A microscope has an objective of focal length 22 2 cm, eyepiece of focal length 4 cm and the tube length of 40 cm. If the distance of distinct vision of eye is 25 cm, the magnification in the microscope is
  - (1) 250
- (2) 100
- (3) 125
- 23 Two identical point masses P and Q, suspended from two separate massless springs of spring constants  $k_1$  and  $k_2$ , respectively, oscillate vertically. If their maximum speeds are the same, the ratio  $(A_Q/A_P)$  of the amplitude  $A_Q$ of mass Q to the amplitude  $A_P$  of mass P is:

- A parallel plate capacitor made of circular 24 plates is being charged such that the surface charge density on its plates is increasing at a constant rate with time. The magnetic field arising due to displacement current is:
  - (1) zero between the plates and non-zero outside
  - (2) zero at all places
  - (3) constant between the plates and zero outside the plates
    - (4) non-zero everywhere with maximum at the imaginary cylindrical surface connecting peripheries of the plates
- 25 An electric dipole with dipole moment  $10^{-5} \times 10^{-6}$  Cm is aligned with the direction of a Quniform electric field of magnitude  $C4 \times 10^5$  N/C. The dipole is then rotated through Oan angle of 60° with respect to the electric field. The change in the potential energy of the dipole is:
  - (1) 1.5 J
- (2) 0.8 J
- (3) 1.0 J
- (4) 1.2 J
- 47\_English |

There are two inclined surfaces of equal length 26 (L) and same angle of inclination 45° with the horizontal. One of them is rough and the other is perfectly smooth. A given body takes 2 times as much time to slide down on rough surface than on the smooth surface. The coefficient of

kinetic friction  $(\mu_k)$  between the object and the rough surface is close to

- (1) 0.75
- (2) 0.25
- (3) 0.40
- (4) 0.5
- De-Broglie wavelength of an electron orbiting 27 in the n = 2 state of hydrogen atom is close to (Given Bohr radius = 0.052 nm)
  - (1) 2.67 nm
- (2) 0.067 nm
- (3) 0.67 nm
- (4) 1.67 nm
- The Sun rotates around its centre once in 28 27 days. What will be the period of revolution if the Sun were to expand to twice its present radius without any external influence? Assume the Sun to be a sphere of uniform density.
  - (1) 108 days
- (2) 100 days
- (3) 105 days
- (4) 115 days
- 29 A physical quantity P is related to four observations a, b, c and d as follows:

$$P = a^3b^2 / c\sqrt{d}$$

The percentage errors of measurement in a, b, c and d are 1%, 3%, 2%, and 4% respectively. The percentage error in the quantity P is

- (1) 15%
- (2) 10%
- (3) 2%
- (4) 13%
- The plates of a parallel plate capacitor are 30 separated by d. Two slabs of different dielectric

constant  $K_1$  and  $K_2$  with thickness  $\frac{3}{8}d$  and  $\frac{d}{2}$ ,

respectively are inserted in the capacitor. Due to this, the capacitance becomes two times larger than when there is nothing between the plates.

If  $K_1 = 1.25 K_2$ , the value of  $K_1$  is:

- (1) 1.33
- (2) 2.66
- (3) 2.33
- (4) 1.60

A ball of mass 0.5 kg is dropped from a height of 40 m. The ball hits the ground and rises to a height of 10 m. The impulse imparted to the ball during its collision with the ground is  $(\text{Take } g = 9.8 \text{ m/s}^2)$ 

(1) 84 NS (2)

(2) 21 NS

(3) 7 NS (V

(4) 0

32 Two cities X and Y are connected by a regular bus service with a bus leaving in either direction every T min. A girl is driving scooty with a speed of 60 km/h in the direction X to Y notices that a bus goes past her every 30 minutes in the direction of her motion, and every 10 minutes in the opposite direction. Choose the correct option for the period T of the bus service and the speed (assumed constant) of the buses.

(1) 15 min, 120 km/h

- (2) 9 min, 40 km/h
- (3) 25 min, 100 km/h
- (4) 10 min, 90 km/h
- An oxygen cylinder of volume 30 litre has 18.20 moles of oxygen. After some oxygen is withdrawn from the cylinder, its gauge pressure drops to 11 atmospheric pressure at temperature 27°C. The mass of the oxygen withdrawn from the cylinder is nearly equal to:

[Given,  $R = \frac{G100}{12} J mol^{-1} K^{-1}$ , and

molecular mass of  $O_2 = 32$ , 1 atm pressure =  $1.01 \times 10^5 N/m$ ]

(1) 0.156 kg

(2) 0.125 kg

(3) 0.144 kg

(4) 0.116 kg


AB is a part of an electrical circuit (see figure). The potential difference " $V_A - V_B$ ", at the instant when current i = 2 A and is increasing at a rate of Tamp / second is:

 $A \xrightarrow{i} 000 \qquad | \qquad \qquad B$   $10 \text{ volt} \qquad (2) 5 \text{ volt}.$ 


- (3) 6 volt
- (4) 9 volt

is connected to a box filled with sand. As the box oscillates, sand leaks slowly out of the box vertically so that the average frequency  $\omega(t)$  and average amplitude A(t) of the system change with time t. Which one of the following options schematically depicts these changes correctly?

In an oscillating spring mass system, a spring



- 36 A model for quantized motion of an electron in a uniform magnetic field B states that the flux passing through the orbit of the electron is n(h/e) where n is an integer, h is Planck's constant and e is the magnitude of electron's charge. According to the model, the magnetic moment of an electron in its lowest energy state will be (m is the mass of the electron)
- $(3) \frac{he}{2\pi m}$
- 37 A body weighs 48 N on the surface of the earth. The gravitational force experienced by the body due to the earth at a height equal to one-third the radius of the earth from its surface is:
  - (1) 36 N
- (2) 16 N
- (3) 27 N
- (4) 32 N
- 38 Consider a water tank shown in the figure. It has one wall at x = L and can be taken to be very wide in the z direction. When filled with a liquid of surface tension S and density p, the liquid surface makes angle  $\theta_0(\theta_0 \ll 1)$  with the x-axis at x = L. If y(x) is the height of the surface then the equation for y(x) is:




- (take  $\theta(x) = \sin \theta(x) = \tan \theta(x) = \frac{dy}{dx}$ , g is the acceleration due to gravity)
- $y = \frac{dy}{dx} = \sqrt{\frac{\rho g}{S}}x \qquad (2) \quad \frac{d^2y}{dx^2} = \frac{\rho g}{S}x$
- (3)  $\frac{d^2y}{dx^2} = \frac{\rho g}{S}y$  (4)  $\frac{d^2y}{dx^2} = \sqrt{\frac{\rho g}{S}}$
- 47 English |

- The intensity of transmitted light when a polaroid sheet, placed between two crossed polaroids at 22.5° from the polarization axis of one of the polaroid, is  $(I_0)$  is the intensity of polarised light after passing through the first polaroid):
  - $\mathcal{L}\mathcal{T}\frac{I_0}{16}$
- (3)  $\frac{I_0}{4}$
- A photon and an electron (mass m) have 40 energy E. The  $(\lambda_{photon}/\lambda_{electron})$  of their de Broglie wavelengths is: (c is the speed of light)


  - $(1) \quad \frac{1}{c} \sqrt{\frac{E}{2m}} \qquad (2) \quad \sqrt{\frac{E}{2m}} \qquad (3)$

  - (4)  $c\sqrt{\frac{2m}{E}}$
- 41 An unpolarized light beam travelling in air is incident on a medium of refractive index 1.73 at Brewster's angle. Then-
  - (1) transmitted light is completely polarized with angle of refraction close to 30°
  - (2) reflected light is completely polarized and the angle of reflection is close to 60°
  - (3) reflected light is partially polarized and the angle of reflection is close to 30°
  - (4) both reflected and transmitted light are perfectly polarized with angles of reflection and refraction close to 60° and 30°, respectively.
- 42 A uniform rod of mass 20 kg and length 5 m leans against a smooth vertical wall making an angle of 60° with it. The other end rests on a rough horizontal floor. The friction force that the floor exerts on the rod is  $(take g = 10 \text{ m/s}^2)$
- (1)  $200\sqrt{3}$  N (2) 100 N (3)  $100\sqrt{3}$  N (4) 200 N

Three identical heat conducting rods are connected in series as shown in the figure. The rods on the sides have thermal conductivity 2K while that in the middle has thermal conductivity K. The left end of the combination is maintained at temperature 3T and the right end at T. The rods are thermally insulated from outside. In steady state, temperature at the left junction is  $T_1$  and that at the right junction is  $T_2$ . The ratio  $T_1/T_2$  is



- (1)  $\frac{5}{4}$
- (2)  $\frac{3}{2}$
- (3)  $\frac{4}{3}$  . (4)  $\frac{5}{3}$
- The kinetic energies of two similar cars A and B are 100 J and 225 J respectively. On applying breaks, car A stops after 1000 m and car B stops after 1500 m. If  $F_A$  and  $F_B$  are the forces applied by the breaks on cars A and B, respectively, then the ratio  $F_A/F_B$  is
  - (1) 1/2
  - (3)  $\frac{2}{3}$  (4)  $\frac{1}{3}$
- A sphere of radius R is cut from a larger solid sphere of radius 2R as shown in the figure. The ratio of the moment of inertia of the smaller sphere to that of the rest part of the sphere about the Y-axis is:



47\_English |

46 If the molar conductivity (Λ<sub>m</sub>) of a 0.050 mol L<sup>-1</sup> solution of a monobasic weak acid is 90 S cm<sup>2</sup> mol<sup>-1</sup>, its extent (degree) of dissociation will be

[Assume  $\Lambda_{+}^{\circ} = 349.6 \,\mathrm{S \, cm^{2} \, mol^{-1}}$  and

 $\Lambda_{-}^{\circ} = 50.4 \,\mathrm{S} \,\mathrm{cm}^{2} \,\mathrm{mol}^{-1}$ .]

- (X) 0.215
- (2) 0.115
- (3) 0.125
- (4) 0.225
- 47 Given below are two statements:

Statement I: A hypothetical diatomic molecule with bond order zero is quite stable.

Statement II: As bond order increases, the bond length increases.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is true but Statement II is false
- The ratio of the wavelengths of the light absorbed by a Hydrogen atom when it undergoes  $n = 2 \rightarrow n = 3$  and  $n = 4 \rightarrow n = 6$  transitions, respectively, is
  - (1)  $\frac{1}{4}$
- (2) (b)
- (3)  $\frac{1}{16}$
- (4)

49 The correct order of the wavelength of light absorbed by the following complexes is,

A. 
$$\left[\operatorname{Co(NH_3)_6}\right]_{0}^{3+}$$
 B.  $\left[\operatorname{Co(CN)_6}\right]^{3-}$ 

B. 
$$\left[\operatorname{Co}(\operatorname{CN})_{6}\right]^{3}$$

C. 
$$[Cu(H_2O)_4]^{2+}$$
 D.  $[Ti(H_2O)_6]^{3+}$ 

D. 
$$[Ti(H_2O)_6]^{3+}$$

Choose the correct answer from the options given below:

- (1) C < A < D < B
- (2) B < D < A < C
- (3) B < A < D < C
- (4) C < D < A < B
- 50 If the rate constant of a reaction is 0.03 s<sup>-1</sup>. how much time does it take for 7.2 mol L-1 concentration of the reactant to get reduced to 0.9 mol L-1?

(Given:  $\log 2 = 0.301$ )

- (1) 21.0 s
- (0.62) 69.3 s
- (3) 23.1 s
- (4) 210 s
- 51 Match List I with List II

# List I rude oil in petroleum industry

## List II (Method of Separation)

- I. Distillation under reduced pressure
- II. Steam distillation
- Glycerol from spent-lye
- III. Fractional distillation
- Aniline water
- IV. Simple

distillation

Choose the correct answer from the options given below:

- (1) A-III, B-IV, 6-II, D-I
- (2) A-IV, B-III, CI, D-II
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-I, D-II
- 47\_English |

The major product of the following reaction is:

$$\begin{array}{c}
O \\
CN \\
\hline
\begin{array}{c}
\text{(i) CH}_{3}\text{MgBr} \\
\text{(excess)} \\
\hline
\end{array}$$


(2) 
$$\bigcirc$$
 CN

- 53 Which one of the following compounds can exist as cis-trans isomers?
  - (1) 1,2-Dimethylcyclohexane
  - (2) Pent-1-ene
  - (3) 2-Methylhex-2-ene
  - (4) 1,1-Dimethylcyclopropane
- 54 Among the following, choose the ones with equal number of atoms.
  - A. 212 g of  $Na_2CO_3$  (s) [molar mass = 106 g]
  - B. 248 g of Na<sub>2</sub>O (s) [molar mass = 62 g]
  - C. 240 g of NaOH (s) [molar mass = 40 g]
  - D.  $12 g \text{ of } H_2(g) [\text{molar mass} = 2 g]$
  - E. 220 g of  $CO_2(g)$  [molar mass = 44 g]

Choose the correct answer from the options given below:

- (1) B, D, and E only
- (2) A, B, and C only
- (3) A, B, and D only
- (4) B, C, and D only

Among the given compounds I-III, the correct 55 order of bond dissociation energy of C-H bond marked with \* is:



- (1) II > III > I
- (2) II > I > III
- (3) I>II>III
- (4) III > II > I
- The standard heat of formation, 56 kcal/mol of Ba2+ is:

[Given: standard heat of formation of SO<sub>4</sub><sup>2</sup> ion (aq) = -216 kcal/mol, standard heat of crystallisation of

 $BaSO_4(s) = -4.5$  kcal/mol, standard heat of formation of BaSO<sub>4</sub>(s) = -349 kcal/mol]

- (1) + 220.5
- (3) 133.0
- (4) 1 133.0

57 Consider the following compounds:

KO2, H2O2 and H2SO4.

The oxidation states of the underlined elements in them are, respectively,

- (1) +4, -4, and +6
- (2) +1, -1, and +6
- (3) +2, -2, and +6
- (4) +1, -2, and +4

Out of the following complex compounds, 58 which of the compound will be having the minimum conductance in solution?

(1)  $C_0(NH_3)_5 CI CI$ 

- (2)  $\left[\operatorname{Co}(\operatorname{NH}_3)_3\operatorname{Cl}_3\right]$
- (3)  $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{4}\operatorname{Cl}_{2}\right]$
- (4)  $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{6}\right]\operatorname{Cl}_{3}$
- Which one of the following reactions does 59 NOT give benzene as the product?

 $-\stackrel{\bullet}{N} \equiv \stackrel{\bullet}{N} \stackrel{\Theta}{\ominus} \xrightarrow{\text{Warm}} \longrightarrow$ 

- red hot Iron Tube (4)
- Which of the following are paramagnetic? 60
  - A. [NiCl<sub>4</sub>]<sup>2-</sup>
- C.  $[Ni(CN)_4]^{2-}$  D.  $[Ni(H_2O)_6]^{2+}$
- E. Ni(PPh3)4

Choose the correct answer from the options given below:

- (1) A, D and E only
- (2) A and C only
  - (3) B and E only
  - (4) A and D only

11

[Contd...

Which one of the following compounds does 61 not decolourize bromine water?

62 Match List - I with List -

List-I

List-II

- A. Haber process
- Fe catalyst
- Wacker oxidation II. PdCl2
- Wilkinson catalyst [(PPh<sub>3</sub>)<sub>3</sub>RhCl]
- Ziegler catalyst IMTTiCl4 with Al(CH<sub>3</sub>)<sub>3</sub>

Choose the correct answer from the options given below:

- (1) A-I, B-IV, C-III, D-II
- (2) A-I, B-II, C-IV, D-III
- (3) A-II, B-III, C-I, D-IV
- (4) A-I, B-II, C-III, D-IV

Match List I with List II.

List I (Name of List II

Vitamin)

(Deficiency

- A. Vitamin B<sub>12</sub>
- disease) Cheilosis
- Vitamin D
- II. Convulsions
- Vitamin B<sub>2</sub>
- III. Rickets
- D. Vitamin B<sub>6</sub>

IV. Pernicious anaemia Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-IV, B-III, C-I, D-II
- (4) A-II, B-III, C-I, D-IV
- 7 English |

Given below are two statements:

Statement I: Ferromagnetism is considered as an extreme form of paramagnetism.

Statement II : The number of unpaired electrons in a  $Cr^{2+}$  ion (Z=24) is the same as that of a  $Nd^{3+}$  ion (Z = 60)

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II
- (3) Both Statement I and Statement II
- (A) Statement I is true but Statement II
- 65 If the half-life (t<sub>1/2</sub>) for a first order reaction is 1 minute, then the time required for 99.9% completion of the reaction is closest to:
  - (1) 10 minutes
- (2) 2 minutes
- (3) 4 minutes
- (4) 5 minutes
- 66 The correct order of decreasing basic strength of the given amines is:
  - (1) benzenamine > ethanamine > N-methylaniline > N-ethylethanamine
  - (2) N-methylaniline > benzenamine > ethanamine > N-ethylethanamine
  - (3) N-ethylethanamine > ethanamine > benzenamine > N-methylaniline
  - N-ethylethanamine > ethanamine > N-methylaniline > benzenamine

#### Match List I with List II

List I	List II
(Ion)	(Group Number
0	in Cation Analysis)
Co2ti	I Group-I

- Group-III
- III. Group-IV
- IV. Group-VI

Choose the correct answer from the options given below:

- A-III, B-IV, C-II, D-I (3) A-III, B-IV, C-I, D-II
- A-III, B-II, C-IV, D-I
- Phosphoric acid ionizes in three steps with 68 their ionization constant values

while K is the overall ionization constant. Which of the following statements are true?

- $\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$
- H<sub>3</sub>PO<sub>4</sub> is a stronger acid than H<sub>2</sub>PO<sub>4</sub>

D. 
$$K_{a_0} = \frac{K_{a_3} + K_{a_2}}{2}$$

Choose the correct answer from the options given below:

- (A) A, B and C only
- (2) A and B only
- (3) A and C only
- (4) B, C and D only

- Which of the following statements are true?
  - Unlike Ga that has a very high melting point, es has a very low melting point.
  - On Pauling scale, the electronegativity values of N and Cl are not the same.
  - Ar, K+ Cl-, Ca2+, and S2- are all isoelectronic species.
  - The correct order of the first ionization enthalpies of Na, Mg, Al, and Si is Si > Al > Mg > Na.
  - The atomic radius of Cs is greater than that of Li and Rb.

Choose the correct answer from the options given below:

- (1) A, C, and E only
- (2) A, B and E only
- (3) C and E only
- (4) C and D only
- Given below are two statements: 70

Statement I: Like nitrogen that can form ammonia, arsenic can form arsine.

Statement II: Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- Both Statement I and Statement II
- Both Statement I and Statement II are incorrect
- Statement I is correct but Statement II is incorrect

Which of the following aqueous solution will 71 exhibit highest boiling point?

- (1) 0.015M C6H12O6
- (2) 0.01M Urea
- (3) 0.01M KNO<sub>3</sub>
- (4) 0.01M Na<sub>2</sub>SO<sub>4</sub>

[Contd...

72 Given below are two statements:

Statement I: Benzenediazonium salt is prepared by the reaction of aniline with nitrous acid at 273 - 278 K. It decomposes easily in the dry state.

Statement II: Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- Identify the suitable reagent for the following conversion.

$$\bigcirc O \\ O \\ CH_3 \\ \longrightarrow \bigcirc CHO$$

- (1)  $H_2$  / Pd-BaSO<sub>4</sub>
- (i) LiAlH<sub>4</sub>, (ii) H+/H<sub>2</sub>O
- (3) (i) AlH(iBu)<sub>2</sub> (ii) H<sub>2</sub>O
- (4) (i) NaBH<sub>4</sub>, (ii) H<sup>+</sup>/H
  <sub>2</sub>O
- Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): reaction faster than CI
Reason (R)

Reason (R): Iodine is a better leaving group because of its large size.

In the light of the above statements, choose the correct answer from the options given

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is not the correct explanation of A
- (4) A is true but R is false
- 47\_English |

- The correct order of decreasing acidity of the 75 following aliphatic acids is:
  - (1) HCOOH > (CH<sub>3</sub>)<sub>3</sub>CCOOH > (CH<sub>3</sub>)<sub>2</sub>CHCOOH > CH<sub>3</sub>COOH
  - (2) (CH<sub>3</sub>)<sub>3</sub>CCOOH > (CH<sub>3</sub>)<sub>2</sub>CHCOOH > CH<sub>3</sub>COOH > HCOOH
  - (2) CH<sub>3</sub>COOH > (CH<sub>3</sub>)<sub>2</sub>CHCOOH > (CH<sub>3</sub>)<sub>3</sub>CCOOH > HCOOH
  - (4)  $HCOOH > CH_3COOH >$  $(CH_3)_2$ CHCOOH >  $(CH_3)_3$ CCOOH
- Which one of the following reactions does 76 NOT belong to "Lassaigne's test"?

(1) 
$$2CuO \pm C \longrightarrow 2Cu + CO_2$$

(1) 
$$2\text{CuO} + \text{C} \xrightarrow{\Delta} 2\text{Cu} + \text{CO}_2$$
  
(2)  $\text{Na} + \text{C} + \text{N} \xrightarrow{\Delta} \text{NaCN}$ 

(3) 
$$2Na + S \longrightarrow Na_2S$$

- (4) Na + X  $\longrightarrow$  + NaX
- How many products (including stereoisomers) are expected from monochlorination of the following compound?

- (L) 6
- (2) 2
- (3) 3
- (4) 5
- 78 Sugar 'X'
  - A. is found in honey.
  - B. is a keto sugar.
  - exists in  $\alpha$  and  $\beta$  anomeric forms.
  - D. is laevorotatory.
  - 'X' is:
  - (X) Sucrose
- (2) D-Glucose
- (3) D-Fructose
- (4) Maltose

- 79 Dalton's Atomic theory could not explain which of the following?
  - (1) Law of gaseous volume
  - (2) Law of conservation of mass
  - (3) Law of constant proportion
  - (4) Law of multiple proportion

£

80 Higher yield of NO in

 $N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$  can be obtained

 $[\Delta H \text{ of the reaction} = + 180.7 \text{ kJ mol}^{-1}]$ 

- A. higher temperature
- B. lower temperature
- C. higher concentration of N<sub>2</sub>
- D. higher concentration of O2

Choose the **correct** answer from the options given below:

- (1) A, C, D only
- (2) A, D only
- (3) B, C only
- (4) B, C, D only
- 81 Match List I with List II

List-I

List-II

- A. XeO<sub>3</sub>
- I. sp<sup>3</sup>d; linear
- B. XeF<sub>2</sub>
- II. sp<sup>3</sup>; pyramidal
- C. XeOF₄
- III. sp<sup>3</sup>d<sup>3</sup>; distorted

octahedral

D. XeF<sub>6</sub>

IV. sp<sup>3</sup>d<sup>2</sup>; square pyramidal

Choose the correct answer from the options given below

- (1) A-IV, B-II, C-I, D-III
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-II, C-III, D-I

82 Match List - I with List - II

List-I

List-H

(Example)

(Type of Solution)
Solid in solid

- A. Humidity
- II. Liquid in gas
- B. AlloysC. Amalgams
- III. Solid in gas
- D. Smoke
- IV. Liquid in solid

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II
- 83 Energy and radius of first Bohr orbit of He<sup>+</sup> and Li<sup>2+</sup> are


[Given  $R_H = 2.18 \times 10^{-18} \text{ J}$ ,  $a_0 = 52.9 \text{ pm}$ ]


- (1)  $E_n(Li^{2+}) = -8.72 \times 10^{-16} \text{ J};$   $r_n(Li^{2+}) = 17.6 \text{ pm}$   $E_n(He^+) = -19.62 \times 10^{-16} \text{ J};$ 
  - $r_{\rm n}({\rm He^+}) = 17.6~{\rm pm}$
- (2)  $E_n(Li^{2+}) = -19.62 \times 10^{-18} \text{ J};$   $r_n(Li^{2+}) = 17.6 \text{ pm}$   $E_n(He^+) = -8.72 \times 10^{-18} \text{ J};$  $r_n(He^+) = 26.4 \text{ pm}$
- (3)  $E_n(Li^{2+}) = -8.72 \times 10^{-18} \text{ J};$   $r_n(Li^{2+}) = 26.4 \text{ pm}$   $E_n(He^+) = -19.62 \times 10^{-18} \text{ J};$  $r_n(He^+) = 17.6 \text{ pm}$
- (4)  $E_n(Li^{2+}) = -19.62 \times 10^{-16} \text{ J};$   $r_n(Li^{2+}) = 17.6 \text{ pm}$   $E_n(He^+) = -8.72 \times 10^{-16} \text{ J};$  $r_n(He^+) = 26.4 \text{ pm}$
- Which among the following electronic configurations belong to main group elements?
  - A. [Ne]3s<sup>1</sup>
- B.  $[Ar]3d^34s^2$
- C.  $[Kr]4d^{10}5s^25p^{5}$
- D. [Ar]3d<sup>10</sup>4s<sup>1</sup>
- E. [Rn]5f<sup>0</sup>6d<sup>2</sup>7s<sup>2</sup>


Choose the **correct** answer from the option given below:


- (1) A, C and D only (2)—B and E only
- (3) A and C only
- (4) D and E only

85  $C(s) + 2H_2(g) \rightarrow CH_4(g); \Delta H = -74.8 \text{ kJ mol}^{-1}$ Which of the following diagrams gives an accurate representation of the above reaction?  $[R \rightarrow reactants; P \rightarrow products]$ 









86 Predict the major product 'P' in the following sequence of reactions -

47\_English |

Identify the correct orders against the property mentioned

A. H<sub>2</sub>O > NH<sub>3</sub> > CHCl<sub>3</sub> - dipole moment

B. XeF<sub>4</sub> > XeO<sub>3</sub> > XeF<sub>2</sub> - number of lone pairs on central atom

C. O-H > C-H > N-O - bond length

D.  $N_2 > O_2 > H_2$  - bond enthalpy

Choose the correct answer from the options given below:

(2) A, D only

(3) B, D only

(4) A, C only

Total number of possible isomers (both 88 structural as well as stereoisomers) of cyclic ethers of molecular formula C4H8Q is:

(1). 11

(2) 6

(4) 10

89 For the reaction  $A(g) \rightleftharpoons 2B(g)$ , the backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[Given :  $R = 0.0831 L atm mol - [K^{-1}]$ 

K<sub>P</sub> for the reaction at 1000 K is

(1) 0.021

(2) 83.1

(3) 2.077 × 10<sup>5</sup>

(4) 0.033

90 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour-pressure of 70 torr. The vapour pressures of pure X and Y are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?

> (1) The solution has volume greater than the sum of individual volumes.

(2) The solution shows positive deviation.

(3) The solution shows negative deviation.

(4) The solution is ideal.

- 91 Which of the following is the unit of productivity of an Ecosystem?
  - (1) (KCal m<sup>-2</sup>)yr<sup>-1</sup>
  - (2) gm<sup>-2</sup>
  - (3) KCal m<sup>-2</sup>
  - (4) KCal m<sup>-3</sup>
- 92 The first menstruation is called:
  - (1) Ovulation
  - (2) Menopause
  - (3) Menarche
  - (4) Diapause
- Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A): All vertebrates are chordates but all chordates are not vertebrate.

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is not the correct explanation of A
- (4) A is true but R is false
- 94 Genes R and Y followindependent assortment.

  If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?
  - (1) Phenotypic ratio = 9:7
  - (2) Phenotypic ratio -1:2:1
  - (3) Phenotypic ratio 3:1
  - (4) Phenotypic ratio 9:3:3:1

95) Given below are two statements:

Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.

Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel. In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect
- What is the main function of the spindle fibers during mitosis?
  - (1) To regulate cell growth
  - (2) To separate the chromosomes
  - (3) To synthesize new DNA
  - (4) To repair damaged DNA
- 97 How many meiotic and mitotic divisions need to occur for the development of a mature female gametophyte from the megaspore mother cell in an angiosperm plant?
  - (1) No Meiosis and 2 Mitosis
  - (2) 2 Meiosis and 3 Mitosis
  - (3) 1 Meiosis and 2 Mitosis
  - (4) 1 Meiosis and 3 Mitosis
- 98 Identify the statement that is NOT correct.
  - Constant region of heavy and light chains are located at C-terminus of antibody molecules.
  - (2) Each antibody has two light and two heavy chains.
  - (3) The heavy and light chains are held together by disulfide bonds.
  - (4) Antigen binding site is located at C-terminal region of antibody molecules.

- 99 Consider the following:
  - A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.
  - B. The gap between the first meiotic division and the second meiotic division is much shorter for males compared to females.
  - C. The first polar body is associated with the formation of the primary oocyte.
  - D. Luteinizing Hormone (LH) surge leads to disintegration of the endometrium and onset of menstrual bleeding.

Choose the correct answer from the options given below:

- (1) B and C are true
- (2) A and B are true
- (3) A and C are true
- (4) B and D are true
- 100 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Cells of the tapetum possess dense cytoplasm and generally have more than one nucleus.

Reason (R): Presence of more than one nucleus in the tapetum increases the efficiency of nourishing the developing microspore mother cells.

In light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is false but R is true
- (2¥ Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A
- (4) A is true but R is false
- 47\_English |

The blue and white selectable markers have been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement II and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- In bryophytes, the gemmae help in which one of the following?
  - (1) Gaseous exchange.
  - (2) Sexual reproduction
  - (3) Asexual reproduction
  - (4) Nutrient absorption
- 103 Match List I with List II.


## List I List II

- A. Adenosine II. Nitrogen base
- B. Adenylic acide II. Nucleotide
- C. Adenine
  D. Alanine
  III. Nucleoside

Choose the option with all correct matches.

- (1) A-II, B-III, CIPD-IV
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-II, C-IV, D-I
- (4) A-III, B-II, C-I, D-IV

104 With the help of given pedigree, find out the probability for the birth of a child having no disease and being a carrier (has the disease mutation in one allele of the gene) in F3 generation.



- Affected male
- Carrier female
- Unaffected female
- Affected female
- Zero

- Consider the following statements regarding function of adrenal medullary hormones:
  - It causes pupilary constriction
  - It is a hyperglycemic hormone B.
  - It causes piloerection C.
  - It increases strength of heart contraction Choose the correct answer from the options given below:
  - (1) D Only
  - (2) C and D Only
  - (3) B, Cland D Only
  - (4) A, Cand D Only
  - Which of the following is an example of a 106 zygomorphic flower?
- (2) Petunia
- (4) Pea

- Who proposed that the genetic code for amino 107) acids should be made up of three nucleotides?
  - (1) Franklin Stahl
  - (2) George GamoW)
  - (3) Francis Crick
  - (4) Jacque Monod
- Given below are two statements: 108

Statement I: In ecosystem, there is unidirectional flow of energy of sun from producers to consumers.

Statement II: Ecosystems are exempted from 2<sup>nd</sup> law of thermodynamics.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement-I and statement II are correct
- (3) Both statement I and statement II are incorrect
- Statement I is correct but statement II is incorrect
- Sweet potato and potato represent a certain 109 type of evolution. Select the correct combination of terms to explain the evolution.
  - (1) Analogy, divergent
  - (2) Analogy, convergent
  - (3) Homology, divergent
  - (4) Homology, convergent
- All living members of the class Cyclostomata are:
  - (1) Ectoparasite (2) Free living
  - (3) Endoparasite (4) Symbiotic
- Histones are enriched with -111
  - (1) Phenylalanine & Arginine
  - (2) Lysine & Arginine
  - (3) Leucine & Lysine
  - (4) Phenylalanine & Leucine

- 112 Which one of the following equations represents the Verhulst-Pearl Logistic Growth of population?
  - (1)  $\frac{dN}{dt} = N \left( \frac{r_{C} K}{c K} \right)$
  - (2)  $\frac{dN}{dt} = r \left( \frac{K N}{K} \right)$
  - (3)  $\frac{dN}{dt} = rN\left(\frac{K-N}{K}\right)$
  - $(4) \quad \frac{dN}{dt} = rN\left(\frac{N-K}{N}\right)$
- 113 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The primary function of the Golgi apparatus is to package the materials made by the endoplasmic reticulum and deliver it to intracellular targets and outside the cell.

Reason (R): Vesicles containing materials made by the endoplasmic reticulum fuse with the cis face of the Golgi apparatus, and they are modified and released from the trans face of the Golgi apparatus.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is not the correct explanation of A
- (4) A is true but R is false

- 114 Which of the following statements about RuBisCO is true?
  - (1) It catalyzes the carboxylation of RuBP.
  - (2) It is active only in the dark.
  - (3) It has higher affinity for oxygen than carbon dioxide.
  - (4) It is an enzyme involved in the photolysis of water.
- 115 Match List I with List II.
  - List I

List - II

- A. Progesterone
- I. Pars intermedia
- B. Relaxin
- II. Ovary
- C. Melanocyte stimulating hormone
- III. Adrenal Medulla
- D. Catecholamines IV. Corpus luteum Choose the **correct** answer from the options given below:
- (1) A-III, B-II, C-IV, D-I
- (2) A-IV, B-II, C-I, D-III
- (3) A-IV, B-II, C-III, D-I
- (4) A-II, B-IV, C-I, D-III
- The protein portion of an enzyme is called:
  - (1) Prosthetic group
  - (2) Cofactor
  - (3) Coenzyme
  - (4) Apoenzyme
- Which of the following enzyme(s) are NOT essential for gene cloning?
  - A. Restriction enzymes
  - B. DNA ligase
  - C. DNA mutase
  - D. DNA recombinase
  - E. DNA polymerase

Choose the correct answer from the options given below

- (1) B and Conly
- (2) C and D only
- (3) A and B only
- (4) D and E only

118	Which of the following type of immunity is	122 Given below are two statements:
110	present at the time of birth and is a non-	Statement I : Fig fruit is a non-vegetarian fruit
	specific type of defence in the human body?	as it has enclosed fig wasps in it.
gên.		Statement II: Fig wasp and fig tree exhibit mutual relationship as fig wasp completes its
	(1) Humoral Immunity	life cycle in fig fruit and fig fruit gets
	(2) Acquired Immunity	mallinated by fig Wasp.
	(3) Innate Immunity	the shove statements, choose the
	(4) Cell-mediated Immunity	most appropriate answer from the option
	(4) Con-modulos	airon balow :
Sale.		(1) Statement I is incorrect but statement II
119	Which factor is important; for termination of	is correct  (2) Both statement I and statement II
	transcription?	are correct
	(1) γ (gamma) (2) α (alpha)	(3) Both statement I and statement II
	(1) (d) a (rha)	incorrect in a
	(3) $\sigma$ (sigma) (4) $\rho$ (rho)	(4) Statement I is correct but statement II
		is incorrect
120	Which of the following hormones released	Oleganiar system in
120	from the pituitary is actually synthesized in the	Role of the water vascular system in
	hypothalamus ?	Echinoderms is:  A. Respiration and Locomotion
AS	(1) Adenocorticotrophic hormone (ACTH)	i di cogmotion
	(1) Adenocorticotropinio	1 tunnaport of food
Pale	(2) Luteinizing hormone (LH)	D. Digestion and Respiration
	(3) Anti-diuretic hormone (ADH)	Digestion and Exerction
	(4) Follicle-stimulating hormone (FSH)	Choose the correct answer from the options
	(4) Tomore	given below:
	O inchestis NOT	(1) B, D and E Only
121	Which of the following microbes is NOT	(2) A and B Only
	involved in the preparation of household	(3) A and C Only
	products?	(4) B and C Only
	A. Aspergillus niger	lymphoid organs,
	- 11-1	124 After maturation, in primary lymphoid organs, the lymphocytes migrate for interaction with
		the lymphocytes migrate for interaction antigens to secondary lymphoid organ(s) /
	C. Trichoderma polysporum	1 -(a) lil/A'
	D. Saccharomyces cerevisiae	B. I Dolle Illust
	E. Propionibacterium sharmanii	C spleen D lymph nodes
	Choose the correct answer from the options	the land
	choose the correct and	Choose the correct answer from the
	given below:	given below:
	(1) C and E only	(1) C. D. E only
	(2) A and B only	(2) B, C, D only
	(3) A and C only	(3) A, B, C only (4) E, A, B only
The same	17 July 17 Jul	(4) E, A, B only
	(4) C and D only	Conton

125	Ma	atch List I with Lis	t II	
		List I		List II
	A.	The Evil Quartet	I.	Cryopreservation
1	B.	Ex situ		Alien species
		conservation	-	invasion
	· C.	Lantana	III.	Causes of
		camara LO		biodiversity
	light.	C)		losses
		Dodo	IV.	Extinction
	Ch	oose the option-with	h all	correct matches
	(1)	A-III, B-II, CFIV,	D-I	Retries at
	(2)	A-III, B-II, C-I, D	-IV	- 3. O (1)
	(3)	A-III, B-I, C-II, D	-IV	and the Market
	(4)	A-III, B-IV, C-II,	D-I	
17		The state of the s		smotor/ (as 1
126	Rea	development	eme	nts on plant growth
		development.	-	The second secon
	A.	Parthenocarpy can	be	induced by auxins.
	B.	Plant growth regu	lator	's can be involved
		growth.	wel	as inhibition of
	C.	Dedifferentiation is		70 0000
		differentiation.	зар	re-requisite for re-
	D.	Abscisic acid is a p	olant	growth promoter
	E.,	Apical dominance	pron	otes the growth of
		rateral buds.		
	Cho	ose the option with	all c	correct statements.
	\ A /	D. D. F. Only 1/2		D ~
_	(3)	A, C, E only (4)	) A	, D, E only
127	1	60.1		
	/ Iviat	ch List I with List	II.	inter Class Andrée Maintin
	Α.	List I		ist II
	В.	Pteridophyte II.		alvia
	C.	1. )		inkgo
	D.	h Ma	. P	olytrichum
		ose the option with	. Sc	alvinia
	(1)	ose the option with A-IV, B-III, C-II, I	all	correct matches.
	101	, 4241, 1	J-1	

(2) A-III, B-IV, €4I, D-I

(3) A-IV, B-III, ©-1, D-II

(4) A-III, B-IV, Ç-I, D-II

47\_English ]

- Why can't insulin be given orally to diabetic patients?
  - (1) Its bioavailability will be increased
  - (2) Human body will elicit strong immune response
  - (3) It will be digested in Gastro-Intestinal (GI) tract
  - (4) Because of structural variation
- Which one of the following is the characteristic feature of gymnosperms?
  - (1) Gymnosperms have flowers for reproduction.
  - (2) Seeds are enclosed in fruits.
  - (3) Seeds are naked.
  - (4) Seeds are absent.
- Frogs respire in water by skin and buccal cavity and on land by skin, buccal cavity and lungs.

Choose the correct answer from the following:

- (1) The statement is false for both the environment
- (2) The statement is true for water but false for land
- The statement is true for both the environment
- The statement is false for water but true for land
- Silencing of specific mRNAsis possible via RNAi because of -
  - (1) Non-complementary ssRNA
  - (2) Complementary dsRNA
  - (3) Inhibitory ssRNA
  - (4) Complementary tRNA
- 132 Twins are born to a family that lives next door to you. The twins are a boy and a girl. Which of the following must be true?
  - (1) They have 75% identical genetic content.
  - (2) They are monozygotic twins.
  - (3) They are fraternal twins.
  - (4) They were conceived through in vitro

# Match List I with List II :

### List I

#### List II

- A. Scutellum
- I. Persistent
  - nucellus
- B. Non-albuminous
- II. Cotyledon of
- seed

Monocot seed

- C. Epiblast
- III. Groundnut
- D. Perisperm
- IV. Rudimentary
  - cotyledon

Choose the option with all correct matches.

- (1) A-II, B-IV, C-III, D-I
- (2) A-II, B-III, C-IV, D-I
- (3) A-IV, B-III, G-II, D-I
- (4) A-IV, B-III, ÇJ, D-II

# In frog, the Renal portal system is a special venous connection that acts to link:

- (1) Kidney and lower part of body
- (2) Liver and intestine
- (3) Liver and kidney
- (4) Kidney and intestine

# 135 Match List - I with List - II.

### List - I

#### List - II

- A. Heart
- I. Erythropoietin
- B. Kidney
- II. Aldosterone
- C. Gastro-intestinal III. Atrial natriuretic factor
  - Adrenal Cortex IV. Secretin

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-I, C-III D-IV
- (3) · A-IV, B-III, C-II, D-I
- (4) A-I, B-III, C-IV, D-II

- 136 Cardiac activities of the heart are regulated by:
  - A. Nodal tissue
  - B. A special neural centre in the medulla oblongata
  - C. Adrenal medullary hormones
  - D. Adrenal cortical hormones

Choose the correct answer from the options given below:

- (1) A, B and D Only
- (2) A, B and C Only
- (3) A, B, C and D
- (4) A, C and D Only
- 137 Streptokinase produced by bacterium Streptococcus is used for
  - (1) Removing clots from blood vessels
  - (2) Curd production
  - (3) Ethanol production
  - (4) Liver disease treatment
- Who is known as the father of Ecology in India?
  - Birbal Sahni
  - (2) S. R. Kashyap
  - (3) Ramdeo Misra
  - (4) Ram Udar

[Contd...

139 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : A typical unfertilised, angiospermembryo sac at maturity is 8 nucleate and 7-celled.

Reason (R): The egg apparatus has 2 polar

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A
- (4) A is true but R is false
- 140 Neoplastic characteristics of cells refer to:
  - A. A mass of proliferating cell.
  - Rapid growth of cells
  - Invasion and damage to the surrounding tissue
  - D. Those confined to original location Choose the correct answer from the options given below:
  - (1) B, C, D only
    - (2) A, B only
  - (3) A, B, C only
- (4) A, B, D only
- Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.
  - Prothallus stage
  - Meiosis in spore mother cells B.
  - C. Fertilisation
  - Formation of archegonia and antheridia in D. gametophyte.
  - Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the options given below:

- (1) E, D, C, B, A
- (2) B, A, D, E, C
- (3) B, A, E, C, D
- (4) D, E, C, A, B
- (0) 47\_English ]

- Given below are two statements : One is 142 labelled as Assertion (A) and the other is labelled as Reason (R).
  - Assertion (A): Both wind and water pollinated flowers are not very colourful and do not produce nectar.

Reason (R): The flowers produce enormous amount of pollen grains in wind and water pollinated flowers.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true
- (2) Both A and R are true and R is the correct explanation of A
- (3) Both A and R are true but R is NOT the correct explanation of A
- (4) A is true but R is false
- Which one of the following enzymes contains 'Haem' as the prosthetic group?
  - (1) Catalase
  - (2), RuBisCo
  - (3) Carbonic anhydrase
  - (4) Succinate dehydrogenase
- 144 Match List I with List II.
  - List I
- List II
- A. Emphysema: I.
  - Rapid spasms in muscle due to low Ca++ in body fluid
- B. Angina Pectoris
- Damaged alveolar walls and decreased respiratory surface
- C. Glomerulo- III. Acute chest pain when
  - not enough oxygen is reaching to heart muscle
- D. Tetany
  - IV. Inflammation of

Choose the correct answer from the options

- (I) A-II, B-III C-IV, D-I
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-I, C-II, D-IV (4) A-II, B-IV, G-III, D-I

- Find the statement that is NOT correct with regard to the structure of monocot stem.
  - (1) Phloem parenchyma is absent.
  - (2) Hypodermis is parenchymatous.
  - (3) Vascular bundles are scattered.
  - (4) Vascular bundles are conjoint and closed.
- Which of the following statement is correct about location of the male frog copulatory pad?
  - (1) First digit of the fore limb
  - (2) First and Second digit of fore limb
  - (3) First digit of hind limb
  - (4) Second digit of fore limb
- 147 Given below are two statements:


Statement I: The primary source of energy in an ecosystem is solar energy.

Statement II: The rate of production of organic matter during photosynthesis in an ecosystem is called net primary productivity (NPP).

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect

148 Identify the part of a bio-reactor which is used as a foam braker from the given figure.



- (1) C
- (2) A

157

- (3) B
- (4) D
- 149 Polymerase chain reaction (PCR) amplifies DNA following the equation.
  - $(1) 2N^2$
- (2) N<sup>2</sup>
- (3) 2<sup>n</sup>
- (4) 2n + 1
- 150 Match List I with List II.

List - I

List - II

- A. Head
- Enzymes
- B. Middle piece
- II. Sperm motility
- C. Acrosome
- III. Energy
- D. Tail
- IV. Genetic material

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-IV, B-III, C-I, D-II
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-II, D-I

[Contd...

(151

Given below are two statements:

Statement I: In a floral formula  $\oplus$  stands for zygomorphic nature of the flower, and  $\underline{G}$  stands for inferior ovary.

Statement II: In a floral formula  $\oplus$  stands for actinomorphic nature of the flower and  $\underline{G}$  stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- (3) Both Statement I and Statement II are incorrect
- (4) Statement I is correct but Statement II is incorrect
- 152 From the statements given below choose the correct option:
  - A. The eukaryotic ribosomes are 80S and prokaryotic ribosomes are 70S.
  - B. Each ribosome has two sub-units.
  - C. The two sub-units of 80S ribosome are 60S and 40S while that of 70S are 50S and 30S.
  - D. The two sub-units of 80S ribosome are 60S and 20S and that of 70S are 50S and 20S.
  - E. The two sub-units of 80S are 60S and 30S and that of 70S are 50S and 30S.
  - (1) B, D, E are true
  - (2) A, B, C are true
  - (3) A, B, D are true
  - (4) A, B, E are true

- Each of the following characteristics represent a Kingdom proposed by Whittaker. Arrange the following in increasing order of complexity of body organization.
  - A. Multicellular heterotrophs with cell wall made of chiting
  - B. Heterotrophs with tissue/organ/organ system level of body organization.
  - Prokaryotes with cell wall made of polysaccharides and amino acids.
  - Eukaryotic autotrophs with tissue/organ level of body organization.
  - E. Eukaryotes with cellular body organization.

Choose the **correct** answer from the options given below:

- (1) C, E, A, B, D
- (2) A, C, E, B, D
- (3) C, E, A, D, B
- (4) A, C, E, D, B
- The correct sequence of events in the life cycle of bryophytes is
  - A. Fusion of antherozoid with egg.
  - B. Attachment of gametophyte to substratum.
  - Reduction division to produce haploid spores.
  - D. Formation of sporophyte.
  - E. Release of antherozoids into water.

Choose the **correct** answer from the options given below:

- (1) D, E, A, B, C
- (2) D, E, A, C, B
- (3) B, E, A, C, D
- (4) B, E, A, D, C

#### Which are correct:

- A. Computed tomography and magnetic resonance imaging detect cancers of internal organs.
- Chemotherapeutics drugs are used to kill B. non-cancerous cells.
- a-interferon activate the cancer patients' immune system and helps in destroying the tumour.
- D. Chemotherapeutic drugs are biological response modifiers.
- In the case of leukaemia blood cell counts are decreased.

Choose the correct answer from the options given below:

- ( A and C only
  - (2) B and D only
- (3) D and E only (4) C and D only

156 Name the class of enzyme that usually catalyze the following reaction:

 $S-G+S^{\#} \rightarrow S+S^{\#}-G$ 

Where,  $G \rightarrow a$  group other than hydrogen

 $S \rightarrow a$  substrate

 $S^{\#} \rightarrow$  another substrate

- (1) Ligase
- (2) Hydrolase
- (4) Transferase

## 157. Find the correct statements:

- . In human pregnancy, the major organ systems are formed at the end of 12 weeks.
- In human pregnancy the major organ systems are formed at the end of 8 weeks.
- In human pregnancy heart is formed after one month of gestation.
- 16. In human pregnancy, limbs and digits develop by the end of second month.
- L. In human pregnancy the appearance of hair is usually observed in the fifth month.

Choose the correct answer from the options given below:

- A, C, D and E Only
- (2) A and E Only
- B and C Only
- B, C, D and E Only

- Which of the following is an example of nondistilled alcoholic beverage produced by yeast?
  - (1) Rum
- Whisky
- (3) Brandy
- (4) Beer
- 159 Given below are two statements:

Statement I: In the RNA world, RNA is considered the first genetic material evolved to carry out essential life processes. RNA acts as a genetic material and also as a catalyst for some important biochemical reactions in living systems. Being reactive, RNA is unstable.

Statement II: DNA evolved from RNA and is a more stable genetic material. Its double helical strands being complementary, resist changes by evolving repairing mechanism.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but statement II is correct
- (2) Both statement I and statement II are correct
- (3) Both statement I and statement II are incorrect
- (4) Statement I is correct but statement II is incorrect

160 Given below are two statements:

Statement I: Transfer RNAs and ribosomal RNA do not interact with mRNA.


Statement II: RNA interference (RNAi) takes place in all eukaryotic organisms as a method of cellular defence.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
- (2) Both Statement I and Statement II are correct
- Both Statement I and Statement II are incorrect
- Statement I is correct but Statement II is incorrect

[Contd...

Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.



What is the pattern of inheritance for polygenic trait?

- (1) X-linked recessive inheritance pattern
- (2) Mendelian inheritance pattern
- (3) Non-mendelian inheritance pattern
- (4) Autosomal dominant pattern

163 In the seeds of cereals, the outer covering of endosperm separates the embryo by a proteinrich layer called ?

() Aleurone layer

- (2) Coleoptile
- (3) Coleorhiza
- (4) Integument

164 Match List I with List II:

List I

List II

- A. Chlorophyll a I.
- Yellow-green
- B. Chlorophyll b II.
  - . Yellow
- C. Xanthophylls III.
- III. Blue-green
- D. Carotenoids
- V. Yellow to

Yellow-orange

Choose the option with all correct matches.

- (1) A-I, B-IV, C-III, D-II
- (2) A-III, B-IV, C-II, D-I
- (2) A-III, B-I, C-II, D-IV
- (4) A-I, B-II, C-IV, D-III

Which of the following genetically engineered organisms was used by Eli Lilly to prepare human insulin?

- (1) Phage
- (2) Bacterium
- (3) Yeast
- (4) Virus
- Which of the following are the post-transcriptional events in an eukaryotic cell?
  - A. Transport of pre-mRNA to cytoplasm prior to splicing.
  - B. Removal of introns and joining of exons.
  - C. Addition of methyl group at 5' end of hnRNA.
  - D. Addition of adenine residues at 3' end of hnRNA.
  - E. Base pairing of two complementary RNAs.

Choose the correct answer from the options given below:

- (1) C, D, E only
- (2) A, B, C only
- (3) B, C, D only
- (4) B, C, E only


					(4) (4) (1984
167	Mat	tch List - I wi	th Li	st - I	I. 1007 1 004
111		List - I			List - II
in a	A.	Centromere		I.	Mitochondrion
	B.	Cilium	Emile Emile	II.	Cell division
Januari.	C.	Cristae	0	III.	Cell movement
	D.	Cell membra	nb()	IV.	Phospholipid
			CI		Bilayer
	Cho	oose the corre	et an	swer	from the options
		A-II, B-III, C	C-I, D	-IV	inger (1)
	(2)	A-I, B-II, C-	III, D	-IV	ido, Senia
		A-II, B-I, C-			×175
		A-IV, B-II, C			(ET) Which sin-
	(.)	1 48		dann,	1,1000 M
168	Ma	tch List I with	List	II :	mini wi
100	1110	List-I	117		List-II
	Α.	Alfred Hershe	У	I.	Streptococcus
	111	and Martha	io	Control	pneumoniae
		Chase	Beer		ealani ***
	B.	Euchromatin			Densely packed
					and dark-stained
	C.	Frederick	Francis		Loosely packed
		Griffith			and light-stained
	D.	Heterochroma	tin	IV.	DNA as genetic
	n ña	Aberrary 6V	CJ		material
			-		confirmation
	Ch	oose the corre	ct an	iswer	from the options
300	giv	ven below:		1 14 1	TO FEELEN ST.
	(1)	A-III, B-II, C	C-IV,	D-I	
	(2)	A-II, B-IV, (	C-I, D	)-111	Section 1
	18	A-IV, B-II, (	2-1, D	)-III	
	(4)	A-IV, B-III,	0	וו-ט	
		Istale alexander	md fin	the h	uman genome has
169	th	e highest numb	erof	gene	s?
		Chromosom			CLE OF THE

- What are the potential drawbacks in adoption of the IVF method? High fatality risk to mother Expensive instruments and reagents Husband/wife necessary for being donors D. Less adoption of orphans Not available in India Possibility that the early embryo does not survive Choose the correct answer from the options given below: A, B, C, E, F only B, D, F only
  A, C, D, F only (4) A, B, C, D only Which one of the following is an example of ex-situ conservation? (1) Protected areas (2) National Park (3) Wildlife Sanctuary (4) Zoos and botanical gardens A specialised membranous structure in a prokaryotic cell which helps in cell wall formation, DNA replication and respiration (1) Endoplasmic Reticulum (2) Mesosome
  - (3) Chromatophores (4) Cristae (Contd...

(2) Chromosome X

(4) Chromosome 1

(3) Chromosome Y-1



In the above represented plasmid an alien piece of DNA is inserted at EcoRI site. Which of the following strategies will be chosen to select the recombinant colonies?

- (1) Blue color colonies grown on ampicillin plates can be selected.
- (2) Using ampicillin & tetracyclin containing medium plate.
- (3) Blue color colonies will be selected.
- (4) White color colonies will be selected.
- What is the name of the blood vessel that carries deoxygenated blood from the body to the heart in a frog?
  - (N Vena cava
  - (2) Aorta
  - (3) Pulmonary artery
  - (4) Pulmonary vein
- 175 Which of following organisms cannot fix nitrogen?
  - A. Azotobacter
- B. Oscillatoria
- C. Anabaena
- D. Volvox
- E. Nostoc

Choose the *correct* answer from the options given below:

- (1) E only
- (2) A only
- (3) D only

47\_English |

- (4), B only
- 30

While trying to find out the characteristic of a newly found animal, a researcher did the histology of adult animal and observed a cavity with presence of mesodermal tissue towards the body wall but no mesodermal tissue was observed towards the alimentary canal. What could be the possible coelome of that animal?

- (1) Spongocoelomate
- (2) Accelomate
- (3) Pseudocoelomate
- (4) Schizocoelomate
- Which one of the following statements refers to Reductionist Biology?
  - (1) Behavioural approach to study and understand living organisms.
  - (2) Physico-chemical approach to study and understand living organisms.
  - (3) Physiological approach to study and understand living organisms.
  - (4) Chemical approach to study and understand living organisms.
- 178 Epiphytes that are growing on a mango branch is an example of which of the following?
  - Amensalism
- (2) Commensalism
- (3) Mutualism
- (4) Predation
- Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?
  - (1) Cytokinin
- (2) Ethylene
- (3) Abscisic acid
- (4) Gibberellin

O

- 180 The complex II of mitochondrial electron transport chain is also known as
  - M NADH dehydrogenase
  - (2) Cytochrome be
  - (3) Succinate dehydrogenase
  - (4) Cytochrome c oxidase