

N.D.A (I) 2011

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T.B.C. : P-AQNA-L-ZNGU

Test Booklet Series

Serial No.

**232493 TEST BOOKLET
MATHEMATICS**



Time Allowed : Two Hours and Thirty Minutes

Maximum Marks : 300

INSTRUCTIONS

1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS, ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET.
2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C OR D** AS THE CASE MAY BE IN THE APPROPRIATE PLACE IN THE ANSWER SHEET.
3. You have to enter your Roll Number on the Test Booklet in the Box provided alongside. **DO NOT** write anything else on the Test Booklet.
4. This Test Booklet contains **120** items (questions). Each item is printed both in **Hindi** and **English**. Each item comprises four responses (answers). You will select the response which you want to mark on the Answer Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose **ONLY ONE** response for each item.
5. You have to mark all your responses **ONLY** on the separate Answer Sheet provided. See directions in the Answer Sheet.
6. All items carry equal marks.
7. Before you proceed to mark in the Answer Sheet the response to various items in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per instructions sent to you with your Admission Certificate.
8. After you have completed filling in all your responses on the Answer Sheet and the examination has concluded, you should hand over to the Invigilator **only the Answer Sheet**. You are permitted to take away with you the Test Booklet.
9. Sheets for rough work are appended in the Test Booklet at the end.
10. **Penalty for wrong answers :**
THERE WILL BE PENALTY FOR WRONG ANSWERS MARKED BY A CANDIDATE IN THE OBJECTIVE TYPE QUESTION PAPERS.
 - (i) There are four alternatives for the answer to every question. For each question for which a wrong answer has been given by the candidate, **one-third (0.33)** of the marks assigned to that question will be deducted as penalty.
 - (ii) If a candidate gives more than one answer, it will be treated as a **wrong answer** even if one of the given answers happens to be correct and there will be same penalty as above to that question.
 - (iii) If a question is left blank, i.e., no answer is given by the candidate, there will be **no penalty** for that question.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

ध्यान दें : अनुदेशों का हिन्दी रूपान्तर इस पुस्तिका के पिछले पृष्ठ पर छपा है।

Test Prime

**ALL EXAMS,
ONE SUBSCRIPTION**



70,000+
Mock Tests



Personalised
Report Card



Unlimited
Re-Attempt



600+
Exam Covered



Previous Year
Papers



500%
Refund



ATTEMPT FREE MOCK NOW

1. If 3 is the root of the equation $x^2 - 8x + k = 0$, then what is the value of k ?

(a) -15
 (b) 9
 (c) 15
 (d) 24

2. Two straight lines $x - 3y - 2 = 0$ and $2x - 6y - 6 = 0$

(a) never intersect
 (b) intersect at a single point
 (c) intersect at infinite number of points
 (d) intersect at more than one point (but finite number of points)

3. If $(a, 0), (0, b), (1, 1)$ are collinear, what is $(a + b - ab)$ equal to?

(a) 2
 (b) 1
 (c) 0
 (d) -1

4. If

$$A = \begin{bmatrix} 3 & 1 \\ 0 & 4 \end{bmatrix} \text{ and } B = \begin{bmatrix} 1 & 1 \\ 0 & 2 \end{bmatrix}$$

then which of the following is/are correct?

1. AB is defined
 2. BA is defined
 3. $AB = BA$

Select the correct answer using the code given below :

Code :

- (a) 1 only
 (b) 2 only
 (c) 1 and 2 only
 (d) 1, 2 and 3

5. Using the digits 1, 2, 3, 4 and 5 only once, how many numbers greater than 41000 can be formed?

- (a) 41
 (b) 48
 (c) 50
 (d) 55

6. If an angle α is divided into two parts A and B such that $A - B = x$ and $\tan A : \tan B = 2 : 1$, then what is $\sin x$ equal to?

- (a) $3\sin\alpha$
 (b) $(2\sin\alpha)/3$
 (c) $(\sin\alpha)/3$
 (d) $2\sin\alpha$

1. यदि समीकरण $x^2 - 8x + k = 0$ का एक मूल 3 है, तो k का मान क्या है?

- (a) -15
- (b) 9
- (c) 15
- (d) 24

2. दो सरल रेखाएँ $x - 3y - 2 = 0$ और $2x - 6y - 6 = 0$

- (a) कभी प्रतिच्छेदी नहीं हैं
- (b) एक बिन्दु पर प्रतिच्छेदी हैं
- (c) अनन्त संख्यक बिन्दुओं पर प्रतिच्छेदी हैं
- (d) एक से अधिक (किन्तु सान्त संख्यक) बिन्दुओं पर प्रतिच्छेदी हैं

3. यदि $(a, 0), (0, b), (1, 1)$ सरेखी हैं, तो $(a + b - ab)$ का मान क्या है?

- (a) 2
- (b) 1
- (c) 0
- (d) -1

4. यदि

$$A = \begin{bmatrix} 3 & 1 \\ 0 & 4 \end{bmatrix} \text{ और } B = \begin{bmatrix} 1 & 1 \\ 0 & 2 \end{bmatrix}$$

तो निम्नलिखित में से कौन-सा/से सही है/हैं?

- 1. AB परिभाषित है
- 2. BA परिभाषित है
- 3. $AB = BA$

नीचे दिये गये कूट का प्रयोग कर सही उत्तर चुनिए :

कूट :

- (a) केवल 1
- (b) केवल 2
- (c) केवल 1 और 2
- (d) 1, 2 और 3

5. अंकों 1, 2, 3, 4 और 5 का केवल एक बार उपयोग करते हुए 41000 से बड़ी कितनी संख्याएँ बनायी जा सकती हैं?

- (a) 41
- (b) 48
- (c) 50
- (d) 55

6. यदि कोई कोण α दो भागों A तथा B में इस प्रकार विभाजित किया जाता है कि $A - B = x$ और $\tan A : \tan B = 2 : 1$, तो $\sin x$ किसके बराबर है?

- (a) $3\sin\alpha$
- (b) $(2\sin\alpha) / 3$
- (c) $(\sin\alpha) / 3$
- (d) $2\sin\alpha$

7. A man standing on the bank of a river observes that the angle of elevation of the top of a tree just on the opposite bank is 60° . The angle of elevation is 30° from a point at a distance y metres from the bank. What is the height of the tree?

- (a) y metres
- (b) $2y$ metres
- (c) $\frac{\sqrt{3}y}{2}$ metres
- (d) $\frac{y}{2}$ metres

8. If P, Q, R are three non-collinear points, then what is $PQ \cap PR$ equal to?

- (a) Null set
- (b) $\{P\}$
- (c) $\{P, Q, R\}$
- (d) $\{Q, R\}$

9. A, B, C, D and E are coplanar points and three of them lie in a straight line. What is the maximum number of triangles that can be drawn with these points as their vertices?

- (a) 5
- (b) 9
- (c) 10
- (d) 12

10. The vector \vec{a} lies in the plane of vectors \vec{b} and \vec{c} . Which one of the following is correct?

- (a) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 0$
- (b) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 1$
- (c) $\vec{a} \cdot (\vec{b} \times \vec{c}) = -1$
- (d) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 3$

11. What is the projection of the vector $\hat{i} - 2\hat{j} + \hat{k}$ on the vector $4\hat{i} - 4\hat{j} + 7\hat{k}$?

- (a) $\frac{\sqrt{5}}{2}$
- (b) $\frac{19}{9}$
- (c) $\frac{\sqrt{5}}{4}$
- (d) $\frac{11}{3}$

12. Which one of the following statements is correct?

- (a) $\sin^2 30^\circ, \sin^2 45^\circ, \sin^2 60^\circ$ are in GP
- (b) $\cos^2 30^\circ, \cos^2 45^\circ, \cos^2 60^\circ$ are in GP
- (c) $\cot^2 30^\circ, \cot^2 45^\circ, \cot^2 60^\circ$ are in AP
- (d) $\tan^2 30^\circ, \tan^2 45^\circ, \tan^2 60^\circ$ are in GP

7. किसी नदी के किनारे खड़ा एक व्यक्ति देखता है कि ठीक दूसरे किनारे पर के एक पेड़ के सिरे का उन्नयन-कोण 60° है। किनारे से y मीटर की दूरी पर एक बिन्दु से उन्नयन-कोण 30° है। पेड़ की ऊँचाई क्या है?

- (a) y मीटर
- (b) $2y$ मीटर
- (c) $\frac{\sqrt{3}y}{2}$ मीटर
- (d) $\frac{y}{2}$ मीटर

8. यदि P, Q, R तीन असंरेखी बिन्दु हैं, तो $PQ \cap PR$ का मान क्या है?

- (a) रिक्त समुच्चय
- (b) $\{P\}$
- (c) $\{P, Q, R\}$
- (d) $\{Q, R\}$

9. A, B, C, D और E समतलीय बिन्दु हैं और उनमें से तीन एक सरल रेखा पर हैं। इन बिन्दुओं को शीर्ष बनाकर अधिकतम कितने त्रिभुज खींचे जा सकते हैं?

- (a) 5
- (b) 9
- (c) 10
- (d) 12

10. सदिश \vec{a} उस तल में है जिसमें \vec{b} और \vec{c} हैं। निम्नलिखित में से कौन-सा एक सही है?

- (a) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 0$
- (b) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 1$
- (c) $\vec{a} \cdot (\vec{b} \times \vec{c}) = -1$
- (d) $\vec{a} \cdot (\vec{b} \times \vec{c}) = 3$

11. सदिश $i - 2j + k$ का, सदिश $4i - 4j + 7k$ पर प्रक्षेप क्या है?

- (a) $\frac{\sqrt{5}}{2}$
- (b) $\frac{19}{9}$
- (c) $\frac{\sqrt{5}}{4}$
- (d) $\frac{11}{3}$

12. निम्नलिखित में से कौन-सा एक कथन सही है?

- (a) $\sin^2 30^\circ, \sin^2 45^\circ, \sin^2 60^\circ$, GP में हैं
- (b) $\cos^2 30^\circ, \cos^2 45^\circ, \cos^2 60^\circ$, GP में हैं
- (c) $\cot^2 30^\circ, \cot^2 45^\circ, \cot^2 60^\circ$, AP में हैं
- (d) $\tan^2 30^\circ, \tan^2 45^\circ, \tan^2 60^\circ$, GP में हैं

13. If sum of squares of the roots of the equation $x^2 + kx - b = 0$ is $2b$, what is k equal to?

- (a) 1
- (b) b
- (c) $-b$
- (d) 0

14. If one root of the equation $ax^2 + bx + c = 0$, $a \neq 0$ is reciprocal of the other root, then which one of the following is correct?

- (a) $a = c$
- (b) $b = c$
- (c) $a = -c$
- (d) $b = 0$

15. If ω is the imaginary cube root of unity, then what is $(2 - \omega + 2\omega^2)^{27}$ equal to?

- (a) $3^{27}\omega$
- (b) $-3^{27}\omega^2$
- (c) 3^{27}
- (d) -3^{27}

16. What is the modulus of

$$\frac{1}{1+3i} - \frac{1}{1-3i}?$$

- (a) $\frac{3}{5}$
- (b) $\frac{9}{25}$
- (c) $\frac{3}{25}$

$$(d) \frac{5}{3}$$

17. Let M be the set of men and R is a relation 'is son of' defined on M . Then R is

- (a) an equivalence relation
- (b) a symmetric relation only
- (c) a transitive relation only
- (d) None of the above

18. What is the locus of the point which is at a distance 8 units to the left of y -axis?

- (a) $x = 8$
- (b) $y = 8$
- (c) $x = -8$
- (d) $y = -8$

13. यदि समीकरण $x^2 + kx - b = 0$ के मूलों के वर्गों का योग $2b$ है, तो k का मान क्या है?

(a) 1

(b) b

(c) $-b$

(d) 0

14. यदि समीकरण $ax^2 + bx + c = 0$, $a \neq 0$ का एक मूल दूसरे मूल का व्युत्क्रम है, तो निम्नलिखित में से कौन-सा एक सही है?

(a) $a = c$

(b) $b = c$

(c) $a = -c$

(d) $b = 0$

15. यदि एक का काल्पनिक घनमूल ω है, तो $(2 - \omega + 2\omega^2)^{27}$ का मान क्या है?

(a) $3^{27}\omega$

(b) $-3^{27}\omega^2$

(c) 3^{27}

(d) -3^{27}

16. $\frac{1}{1+3i} - \frac{1}{1-3i}$ का मापांक क्या है?

(a) $\frac{3}{5}$

(b) $\frac{9}{25}$

(c) $\frac{3}{25}$

(d) $\frac{5}{3}$

17. मान लीजिए कि M मनुष्यों का समुच्चय है और R एक सम्बन्ध 'का पुत्र है' M पर परिभाषित है। तब R

(a) एक तुल्यता सम्बन्ध है

(b) केवल एक सममित सम्बन्ध है

(c) केवल एक संक्रामक सम्बन्ध है

(d) उपर्युक्त में से कोई नहीं

18. y -अक्ष से बाएँ 8 इकाई दूरी पर विद्यमान बिन्दु का बिन्दुपथ क्या है?

(a) $x = 8$

(b) $y = 8$

(c) $x = -8$

(d) $y = -8$

- 19.** The number 10101111 in binary system is represented in decimal system by which one of the following numbers?
- 157
 - 175
 - 571
 - 751
- 20.** There are 4 letters and 4 directed envelopes. These 4 letters are randomly inserted into the 4 envelopes. What is the probability that the letters are inserted into the corresponding envelopes?
- 11/12
 - 23/24
 - 1/24
 - None of the above
- 21.** The average daily income of workers of a factory including that of the owner is ₹ 110. However, if the income of the owner is excluded, the average daily income of the remaining 9 workers is ₹ 76. What is the daily income of the owner?
- ₹ 300
 - ₹ 316
 - ₹ 322
 - ₹ 416
- 22.** If A , B , C are non-empty sets such that $A \cap C = \emptyset$, then what is $(A \times B) \cap (C \times B)$ equal to?
- $A \times C$
 - $A \times B$
 - $B \times C$
 - \emptyset
- 23.** If $A = \{4n+2 \mid n \text{ is a natural number}\}$ and $B = \{3n \mid n \text{ is a natural number}\}$, then what is $(A \cap B)$ equal to?
- $\{12n^2 + 6n \mid n \text{ is a natural number}\}$
 - $\{24n - 12 \mid n \text{ is a natural number}\}$
 - $\{60n + 30 \mid n \text{ is a natural number}\}$
 - $\{12n - 6 \mid n \text{ is a natural number}\}$
- 24.** If the matrix
- $$A = \begin{bmatrix} \alpha & \beta \\ \beta & \alpha \end{bmatrix}$$
- is such that $A^2 = I$, then which one of the following is correct?
- $\alpha = 0, \beta = 1$ or $\alpha = 1, \beta = 0$
 - $\alpha = 0, \beta \neq 1$ or $\alpha \neq 0, \beta = 1$
 - $\alpha = 1, \beta \neq 0$ or $\alpha \neq 1, \beta = 0$
 - $\alpha \neq 0, \beta \neq 0$

19. द्वि-आधारी पद्धति की संख्या 10101111, दशमलव पद्धति की निम्नलिखित संख्याओं में से किस एक के द्वारा निरूपित होती है?

- (a) 157
- (b) 175
- (c) 571
- (d) 751

20. 4 पत्र हैं और 4 निर्देशित लिफाके हैं। ये 4 पत्र इन 4 लिफाकों में यादृच्छिकतया डाल दिये जाते हैं। इसकी क्या प्रायिकता है कि वे पत्र संगत लिफाकों में डाले गये?

- (a) 11/12
- (b) 23/24
- (c) 1/24
- (d) उपर्युक्त में से कोई नहीं

21. किसी फैक्टरी के कर्मचारियों की औसत आय, मालिक की आय को शामिल करते हुए, रोजाना ₹ 110 है। किन्तु यदि मालिक की आय को न शामिल करे, तो बचे हुए 9 कर्मचारियों की औसत आय रोजाना ₹ 76 है। मालिक की रोजाना आय क्या है?

- (a) ₹ 300
- (b) ₹ 316
- (c) ₹ 322
- (d) ₹ 416

22. यदि अरेक समुच्चय A, B, C ऐसे हैं कि $A \cap C = \Phi$, तो $(A \times B) \cap (C \times B)$ का मान क्या है?

- (a) $A \times C$
- (b) $A \times B$
- (c) $B \times C$
- (d) Φ

23. यदि $A = \{4n+2 \mid n \text{ एक धनपूर्ण संख्या है}\}$ और $B = \{3n \mid n \text{ एक धनपूर्ण संख्या है}\}$, तो $(A \cap B)$ किसके बराबर है?

- (a) $\{12n^2 + 6n \mid n \text{ एक धनपूर्ण संख्या है}\}$
- (b) $\{24n - 12 \mid n \text{ एक धनपूर्ण संख्या है}\}$
- (c) $\{60n + 30 \mid n \text{ एक धनपूर्ण संख्या है}\}$
- (d) $\{12n - 6 \mid n \text{ एक धनपूर्ण संख्या है}\}$

24. यदि आव्यूह

$$A = \begin{bmatrix} \alpha & \beta \\ \beta & \alpha \end{bmatrix}$$

ऐसा है कि $A^2 = I$, तो निम्नलिखित में से कौन-सा एक सही है?

- (a) $\alpha = 0, \beta = 1$ अथवा $\alpha = 1, \beta = 0$
- (b) $\alpha = 0, \beta \neq 1$ अथवा $\alpha \neq 0, \beta = 1$
- (c) $\alpha = 1, \beta \neq 0$ अथवा $\alpha \neq 1, \beta = 0$
- (d) $\alpha \neq 0, \beta \neq 0$

25. What is the sum of the focal distances of a point of an ellipse

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 ?$$

- (a) a
- (b) b
- (c) $2a$
- (d) $2b$

26. What is the degree of the following differential equation?

$$\left(\frac{d^3y}{dx^3} \right)^{\frac{2}{3}} + 4 - 3 \frac{d^2y}{dx^2} + 5 \frac{dy}{dx} = 0$$

- (a) 1
- (b) 2
- (c) 3
- (d) 4

27. What is the sum of

$$\sqrt{3} + \frac{1}{\sqrt{3}} + \frac{1}{3\sqrt{3}} + \dots ?$$

- (a) $\frac{\sqrt{3}}{2}$
- (b) $\frac{3\sqrt{3}}{2}$
- (c) $\frac{2\sqrt{3}}{3}$
- (d) $\sqrt{3}$

28. What does the differential equation

$$y \frac{dy}{dx} + x = a$$

- (where a is a constant) represent?
- (a) A set of circles having centre on the y -axis
 - (b) A set of circles having centre on the x -axis
 - (c) A set of ellipses
 - (d) A pair of straight lines

29. If

$$A = \begin{bmatrix} \alpha & 0 \\ 1 & 1 \end{bmatrix} \text{ and } B = \begin{bmatrix} 1 & 0 \\ 2 & 1 \end{bmatrix}$$

such that $A^2 = B$, then what is the value of α ?

- (a) -1
- (b) 1
- (c) 2
- (d) 4

30. What is the value of n , if $P(15, n-1) : P(16, n-2) = 3 : 4$?

- (a) 10
- (b) 12
- (c) 14
- (d) 15

25. किसी दीर्घवृत्त

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

के एक बिन्दु की नाभीय दूरियों का योग क्या है?

- (a) a
- (b) b
- (c) $2a$
- (d) $2b$

26. अवकल समीकरण

$$\left(\frac{d^3y}{dx^3}\right)^{\frac{2}{3}} + 4 - 3\frac{d^2y}{dx^2} + 5\frac{dy}{dx} = 0$$

का घात क्या है?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

27. $\sqrt{3} + \frac{1}{\sqrt{3}} + \frac{1}{3\sqrt{3}} + \dots$ का योग क्या है?

- (a) $\frac{\sqrt{3}}{2}$
- (b) $\frac{3\sqrt{3}}{2}$
- (c) $\frac{2\sqrt{3}}{3}$
- (d) $\sqrt{3}$

28. अवकल समीकरण

$$y\frac{dy}{dx} + x = a$$

(जहाँ a एक अचर है) क्या मिरूपित करता है?

- (a) y -अक्ष पर केन्द्र वाले वृत्तों का एक समुच्चय
- (b) x -अक्ष पर केन्द्र वाले वृत्तों का एक समुच्चय
- (c) दीर्घवृत्तों का एक समुच्चय
- (d) सरल रेखाओं का एक सुम

29. यदि

$$A = \begin{bmatrix} \alpha & 0 \\ 1 & 1 \end{bmatrix} \text{ और } B = \begin{bmatrix} 1 & 0 \\ 2 & 1 \end{bmatrix}$$

इस प्रकार है कि $A^2 = B$, तो α का मान क्या है?

- (a) -1
- (b) 1
- (c) 2
- (d) 4

30. यदि $P(15, n-1) : P(16, n-2) = 3 : 4$, तो n का मान क्या है?

- (a) 10
- (b) 12
- (c) 14
- (d) 15

31. What is the value of the determinant

$$\begin{vmatrix} x+1 & x+2 & x+4 \\ x+3 & x+5 & x+8 \\ x+7 & x+10 & x+14 \end{vmatrix} ?$$

(a) $x+2$

(b) $x^2 + 2$

(c) 2

(d) -2

32. Consider the following statements in respect of the function

$$f(x) = x^3 - 1, \quad x \in [-1, 1]$$

1. $f(x)$ is increasing in $[-1, 1]$
2. $f(x)$ has no root in $(-1, 1)$

Which of the statements given above is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

33. The largest value of

$$2x^3 - 3x^2 - 12x + 5$$

for $-2 \leq x \leq 2$ occurs when

(a) $x = -2$

(b) $x = -1$

(c) $x = 2$

(d) $x = 0$

34. What is

$$\int_0^\pi \frac{dx}{1+2\sin^2 x}$$

equal to ?

(a) π

(b) $\frac{\pi}{3}$

(c) $\frac{\pi}{\sqrt{3}}$

(d) $\frac{2\pi}{\sqrt{3}}$

35. If 5 and 7 are the roots of the equation

$$\begin{vmatrix} x & 4 & 5 \\ 7 & x & 7 \\ 5 & 8 & x \end{vmatrix} = 0$$

then what is the third root?

(a) -12

(b) 9

(c) 13

(d) 14

31. सारणिक

$$\begin{vmatrix} x+1 & x+2 & x+4 \\ x+3 & x+5 & x+8 \\ x+7 & x+10 & x+14 \end{vmatrix}$$

का मान क्या है?

(a) $x+2$

(b) $x^2 + 2$

(c) 2

(d) -2

32. फलन $f(x) = x^3 - 1$, $x \in [-1, 1]$ के विषय में निम्नलिखित कथनों पर विचार कीजिए :

1. $f(x)$, $[-1, 1]$ में वर्धमान है।
2. $f(x)$ का कोई मूल $(-1, 1)$ में नहीं है।

उपर्युक्त कथनों में से कौन-सा/से सही है/हैं?

(a) केवल 1

(b) केवल 2

(c) 1 और 2 दोनों

(d) न तो 1 और न ही 2

33. $-2 \leq x \leq 2$ के लिए $2x^3 - 3x^2 - 12x + 5$

का अधिकतम मान तब होता है, जब

(a) $x = -2$

(b) $x = -1$

(c) $x = 2$

(d) $x = 0$

34. $\int_0^\pi \frac{dx}{1+2\sin^2 x}$ किसके बराबर है?

(a) π

(b) $\frac{\pi}{3}$

(c) $\frac{\pi}{\sqrt{3}}$

(d) $\frac{2\pi}{\sqrt{3}}$

35. यदि समीकरण

$$\begin{vmatrix} x & 4 & 5 \\ 7 & x & 7 \\ 5 & 8 & x \end{vmatrix} = 0$$

के मूल 5 और 7 हैं, तो तीसरा मूल क्या है?

(a) -12

(b) 9

(c) 13

(d) 14

36. In a GP of positive terms, any term is equal to one-third of the sum of next two terms. What is the common ratio of the GP?

(a) $\frac{\sqrt{13} + 1}{2}$

(b) $\frac{\sqrt{13} - 1}{2}$

(c) $\frac{\sqrt{13} + 1}{3}$

(d) $\sqrt{13}$

37. If $(1 + \tan\theta)(1 + \tan\phi) = 2$, then what is $(\theta + \phi)$ equal to?

(a) 30°

(b) 45°

(c) 60°

(d) 90°

38. If $f(x)$ is an even function, then what is

$$\int_0^{\pi} f(\cos x) dx$$

equal to?

(a) 0

(b) $\int_0^{\frac{\pi}{2}} f(\cos x) dx$

(c) $2 \int_0^{\frac{\pi}{2}} f(\cos x) dx$

(d) 1

39. What is the value of k for which the system of equations $kx + 2y = 5$ and $3x + y = 1$ has no solution?

(a) 0

(b) 3

(c) 6

(d) 15

40. In how many ways can 6 girls be seated in 2 empty chairs?

(a) 10

(b) 15

(c) 24

(d) 30

41. What is the value of

$$\log_{10}\left(\frac{9}{8}\right) - \log_{10}\left(\frac{27}{32}\right) + \log_{10}\left(\frac{3}{4}\right) ?$$

(a) 3

(b) 2

(c) 1

(d) 0

42. Which term of the series

$$\frac{1}{4}, -\frac{1}{2}, 1, \dots$$

is -128?

(a) 9th

(b) 10th

(c) 11th

(d) 12th

36. धनात्मक पदों की एक GP में कोई भी पद अगले दो पदों के योग का एक-तिहाई है। GP का सार्व अनुपात क्या है?

(a) $\frac{\sqrt{13} + 1}{2}$

(b) $\frac{\sqrt{13} - 1}{2}$

(c) $\frac{\sqrt{13} + 1}{3}$

(d) $\sqrt{13}$

37. यदि $(1 + \tan \theta)(1 + \tan \varphi) = 2$, तो $(\theta + \varphi)$ किसके बराबर है?

(a) 30°

(b) 45°

(c) 60°

(d) 90°

38. यदि $f(x)$ एक सम फलन है, तो

$$\int_0^{\pi} f(\cos x) dx$$

किसके बराबर है?

(a) 0

(b) $\int_0^{\frac{\pi}{2}} f(\cos x) dx$

(c) $2 \int_0^{\frac{\pi}{2}} f(\cos x) dx$

(d) 1

39. k का वह मान क्या है, जिसके लिए समीकरण-निकाय $kx + 2y = 5$ तथा $3x + y = 1$ का कोई हल नहीं है?

(a) 0

(b) 3

(c) 6

(d) 15

40. 6 लड़कियों को 2 खाली कुर्सियों पर कितनी तरह से बिठाया जा सकता है?

(a) 10

(b) 15

(c) 24

(d) 30

41. $\log_{10}\left(\frac{9}{8}\right) - \log_{10}\left(\frac{27}{32}\right) + \log_{10}\left(\frac{3}{4}\right)$ का मान क्या है?

(a) 3

(b) 2

(c) 1

(d) 0

42. श्रेणी $\frac{1}{4}, -\frac{1}{2}, 1, \dots$ का कौन-सा पद है?

(a) 9वाँ

(b) 10वाँ

(c) 11वाँ

(d) 12वाँ

43. What is the number of ordered pairs of non-zero positive integers (x, y) such that $x + y \leq 4$?

- (a) 4
- (b) 5
- (c) 6
- (d) 8

44. In the binary system of numbers let $a = 00111$ and $b = 01110$, then in decimal system what is b/a equal to?

- (a) 1
- (b) 2
- (c) 4
- (d) 5

45. If

$$\frac{1}{b-a} + \frac{1}{b-c} = \frac{1}{a} + \frac{1}{c}$$

then a, b, c are in

- (a) AP
- (b) GP
- (c) HP
- (d) None of the above

46. What is the middle term in the expansion of

$$\left(1 - \frac{x}{2}\right)^8$$

$$(a) \frac{35x^4}{8}$$

$$(b) \frac{17x^5}{8}$$

$$(c) \frac{35x^5}{8}$$

(d) None of the above

47. What is the sum of the roots of the equation

$$(2 - \sqrt{3})x^2 - (7 - 4\sqrt{3})x + (2 + \sqrt{3}) = 0 ?$$

$$(a) 2 - \sqrt{3}$$

$$(b) 2 + \sqrt{3}$$

$$(c) 7 - 4\sqrt{3}$$

$$(d) 4$$

48. What is the total number of combinations of n different things taken 1, 2, 3, ..., n at a time?

$$(a) 2^{n+1}$$

$$(b) 2^{2n+1}$$

$$(c) 2^{n-1}$$

$$(d) 2^n - 1$$

43. शून्येतर धनात्मक पूर्णांकों के क्रमित युग्मों (x, y) की संख्या क्या है ताकि $x + y \leq 4$ हो?

- (a) 4
- (b) 5
- (c) 6
- (d) 8

44. द्वि-आधारी पद्धति की संख्याओं में मान लीजिए कि $a = 00111$ और $b = 01110$, तो दशमलव पद्धति में b/a किसके बराबर है?

- (a) 1
- (b) 2
- (c) 4
- (d) 5

45. यदि

$$\frac{1}{b-a} + \frac{1}{b-c} = \frac{1}{a} + \frac{1}{c}$$

तो a, b, c

- (a) AP में हैं
- (b) GP में हैं
- (c) HP में हैं
- (d) उपर्युक्त में से कोई नहीं

46. $\left(1 - \frac{x}{2}\right)^8$ के विस्तार में मध्य पद क्या है?

- (a) $\frac{35x^4}{8}$
- (b) $\frac{17x^5}{8}$
- (c) $\frac{35x^5}{8}$

(d) उपर्युक्त में से कोई नहीं

47. समीकरण

$$(2 - \sqrt{3})x^2 - (7 - 4\sqrt{3})x + (2 + \sqrt{3}) = 0$$

के मूलों का योग क्या है?

- (a) $2 - \sqrt{3}$
- (b) $2 + \sqrt{3}$
- (c) $7 - 4\sqrt{3}$
- (d) 4

48. n भिन्न वस्तुओं के 1, 2, 3, ..., n एक बार में लेते हुए संचयों की कुल संख्या क्या है?

- (a) 2^{n+1}
- (b) 2^{2n+1}
- (c) 2^{n-1}
- (d) $2^n - 1$

49. One of the roots of the quadratic equation $ax^2 + bx + c = 0$, $a \neq 0$ is positive and the other root is negative. The condition for this to happen is

- (a) $a > 0, b > 0, c > 0$
- (b) $a > 0, b < 0, c > 0$
- (c) $a < 0, b > 0, c < 0$
- (d) $a < 0, c > 0$

50. If the solution of the differential equation

$$\frac{dy}{dx} = \frac{ax+3}{2y+f}$$

represents a circle, then what is the value of a ?

- (a) 2
- (b) 1
- (c) -2
- (d) -1

51. If A, B, C are in AP and $b : c = \sqrt{3} : \sqrt{2}$, then what is the value of $\sin C$?

- (a) 1
- (b) $\frac{1}{\sqrt{3}}$
- (c) $\sqrt{3}$
- (d) $\frac{1}{\sqrt{2}}$

52. The points with position vectors

$$10\hat{i} + 3\hat{j}, 12\hat{i} - 5\hat{j}, a\hat{i} + 11\hat{j}$$

are collinear, if the value of a is

- (a) -8
- (b) 4
- (c) 8
- (d) 12

53. What is the sine of angle between the vectors $\hat{i} + 2\hat{j} + 3\hat{k}$ and $-\hat{i} + 2\hat{j} + 3\hat{k}$?

- (a) $\sqrt{\frac{13}{7}}$
- (b) $\frac{\sqrt{13}}{7}$
- (c) $\frac{13}{\sqrt{7}}$
- (d) None of the above

54. If

$$\sin\left(\sin^{-1}\frac{1}{5} + \cos^{-1}x\right) = 1$$

then what is x equal to?

- (a) 0
- (b) 1
- (c) $\frac{4}{5}$
- (d) $\frac{1}{5}$

49. वर्ग समीकरण $ax^2 + bx + c = 0$, $a \neq 0$ का एक मूल धनात्मक है और दूसरा ऋणात्मक। ऐसा होने के लिए क्या प्रतिबन्ध है?

- (a) $a > 0, b > 0, c > 0$
- (b) $a > 0, b < 0, c > 0$
- (c) $a < 0, b > 0, c < 0$
- (d) $a < 0, c > 0$

50. यदि अवकल समीकरण

$$\frac{dy}{dx} = \frac{ax+3}{2y+f}$$

का हल एक वृत्त को निरूपित करता है, तो a का मान क्या है?

- (a) 2
- (b) 1
- (c) -2
- (d) -1

51. यदि A, B, C हैं AP में और $b:c = \sqrt{3}:\sqrt{2}$, तो $\sin C$ का मान क्या है?

- (a) 1
- (b) $\frac{1}{\sqrt{3}}$
- (c) $\sqrt{3}$
- (d) $\frac{1}{\sqrt{2}}$

52. स्थिति सदिशों $10\hat{i} + 3\hat{j}$, $12\hat{i} - 5\hat{j}$, $a\hat{i} + 11\hat{j}$ के बिन्दु संरेखी हैं, यदि a का मान हो

- (a) -8
- (b) 4
- (c) 8
- (d) 12

53. सदिशों $\hat{i} + 2\hat{j} + 3\hat{k}$ और $-\hat{i} + 2\hat{j} + 3\hat{k}$ के बीच के कोण का sine क्या है?

- (a) $\sqrt{\frac{13}{7}}$
- (b) $\frac{\sqrt{13}}{7}$
- (c) $\frac{13}{\sqrt{7}}$
- (d) उपर्युक्त में से कोई नहीं

54. यदि

$$\sin\left(\sin^{-1}\frac{1}{5} + \cos^{-1}x\right) = 1$$

तो x का मान क्या है?

- (a) 0
- (b) 1
- (c) $\frac{4}{5}$
- (d) $\frac{1}{5}$

55. What is

$$\log(a + \sqrt{a^2 + 1}) + \log\left(\frac{1}{a + \sqrt{a^2 + 1}}\right)$$

equal to?

- (a) 1
- (b) 0
- (c) 2
- (d) $\frac{1}{2}$

56. 5 books are to be chosen from a lot of 10 books. If m is the number of ways of choice when one specified book is always included and n is the number of ways of choice when a specified book is always excluded, then which one of the following is correct?

- (a) $m > n$
- (b) $m = n$
- (c) $m = n - 1$
- (d) $m = n - 2$

57. Which one of the following is correct in respect of the function $f(x) = |x| + x^2$?

- (a) $f(x)$ is not continuous at $x = 0$
- (b) $f(x)$ is differentiable at $x = 0$
- (c) $f(x)$ is continuous but not differentiable at $x = 0$
- (d) None of the above

58. What is the condition that one root of the equation $ax^2 + bx + c = 0$, $a \neq 0$ should be double the other?

- (a) $2a^2 = 9bc$
- (b) $2b^2 = 9ac$
- (c) $2c^2 = 9ab$
- (d) None of the above

59. Consider the following with regard to a relation R on a set of real numbers defined by xRy if and only if $3x + 4y = 5$:

1. $0 R 1$
2. $1 R \frac{1}{2}$
3. $\frac{2}{3} R \frac{3}{4}$

Which of the above are correct?

- (a) 1 and 2 only
- (b) 1 and 3 only
- (c) 2 and 3 only
- (d) 1, 2 and 3

60. The function

$$f(x) = k \sin x + \frac{1}{3} \sin 3x$$

has maximum value at $x = \frac{\pi}{3}$. What is the value of k ?

- (a) 3
- (b) $\frac{1}{3}$
- (c) 2
- (d) $\frac{1}{2}$

55. $\log(a + \sqrt{a^2 + 1}) + \log\left(\frac{1}{a + \sqrt{a^2 + 1}}\right)$ का मान क्या है?

- (a) 1
- (b) 0
- (c) 2
- (d) $\frac{1}{2}$

56. 10 पुस्तकों के ढेर में से 5 पुस्तकों को चुनना है। यदि एक विशेष पुस्तक को सर्वदा चुनने पर चुनाव के तरीकों की संख्या m है और एक विशेष पुस्तक को सर्वदा चुनाव से बाहर रखने पर चुनाव के तरीकों की संख्या n है, तो निम्नलिखित में से कौन-सा एक सही है?

- (a) $m > n$
- (b) $m = n$
- (c) $m = n - 1$
- (d) $m = n - 2$

57. फलन $f(x) = |x| + x^2$ के विषय में निम्नलिखित में से कौन-सा एक सही है?

- (a) $x = 0$ पर $f(x)$ सन्तत नहीं है
- (b) $x = 0$ पर $f(x)$ अवकलनीय है
- (c) $x = 0$ पर $f(x)$ सन्तत है, किन्तु अवकलनीय नहीं है
- (d) उपर्युक्त में से कोई नहीं

58. समीकरण $ax^2 + bx + c = 0$, $a \neq 0$ का एक मूल दूसरे का दुगुना हो, इसका प्रतिबन्ध क्या है?

- (a) $2a^2 = 9bc$
- (b) $2b^2 = 9ac$
- (c) $2c^2 = 9ab$
- (d) उपर्युक्त में से कोई नहीं

59. वास्तविक संख्याओं के एक समुच्चय पर परिभाषित एक सम्बन्ध R , xRy तब और केवल तभी जब $3x + 4y = 5$, के सन्दर्भ में निम्नलिखित पर विचार कीजिए :

1. $0 R 1$
2. $1 R \frac{1}{2}$
3. $\frac{2}{3} R \frac{3}{4}$

उपर्युक्त में से कौन-से सही हैं?

- (a) केवल 1 और 2
- (b) केवल 1 और 3
- (c) केवल 2 और 3
- (d) 1, 2 और 3

60. फलन $f(x) = k \sin x + \frac{1}{3} \sin 3x$ का

अधिकतम मान $x = \frac{\pi}{3}$ पर है। k का मान क्या है?

- (a) 3
- (b) $\frac{1}{3}$
- (c) 2
- (d) $\frac{1}{2}$

61. What is $\int \sin^{-1}(\cos x) dx$ equal to?

(a) $\frac{x\pi}{2} - \frac{x^2}{2} + k$

(b) $\frac{\pi}{2} + \frac{x^2}{2} + k$

(c) $-\frac{x\pi}{2} - \frac{x^2}{2} + kx$

(d) $\frac{\pi}{2} - \frac{x^2}{2} + k$

where k is a constant of integration.

62. If α and β are the roots of the equation $4x^2 + 3x + 7 = 0$, then what is the value of $(\alpha^{-2} + \beta^{-2})$?

(a) $47/49$

(b) $49/47$

(c) $-47/49$

(d) $-49/47$

63. What is the equation of the line passing through $(2, -3)$ and parallel to y -axis?

(a) $y = -3$

(b) $y = 2$

(c) $x = 2$

(d) $x = -3$

64. What is the set of points (x, y) satisfying the equations $x^2 + y^2 = 4$ and $x + y = 2$?

(a) $\{(2, 0), (-2, 0), (0, 2)\}$

(b) $\{(0, 2), (0, -2)\}$

(c) $\{(0, 2), (2, 0)\}$

(d) $\{(2, 0), (-2, 0), (0, 2), (0, -2)\}$

65. Consider the following statements :

1. The inverse of a square matrix, if it exists, is unique.

2. If A and B are singular matrices of order n , then AB is also a singular matrix of order n .

Which of the statements given above is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

61. $\int \sin^{-1}(\cos x) dx$ का मान क्या है?

- (a) $\frac{x\pi}{2} - \frac{x^2}{2} + k$
- (b) $\frac{\pi}{2} + \frac{x^2}{2} + k$
- (c) $-\frac{x\pi}{2} - \frac{x^2}{2} + kx$
- (d) $\frac{\pi}{2} - \frac{x^2}{2} + k$

जहाँ k एक समाकलन अचर है।

62. यदि समीकरण $4x^2 + 3x + 7 = 0$ के मूल α और β हैं, तो $(\alpha^{-2} + \beta^{-2})$ का मान क्या है?

- (a) $47/49$
- (b) $49/47$
- (c) $-47/49$
- (d) $-49/47$

63. $(2, -3)$ से गुजरने वाली और y -अक्ष के समान्तर रेखा का समीकरण क्या है?

- (a) $y = -3$
- (b) $y = 2$
- (c) $x = 2$
- (d) $x = -3$

64. समीकरण $x^2 + y^2 = 4$ तथा $x + y = 2$ को सन्तुष्ट करने वाले बिन्दुओं (x, y) का समुच्चय क्या है?

- (a) $\{(2, 0), (-2, 0), (0, 2)\}$
- (b) $\{(0, 2), (0, -2)\}$
- (c) $\{(0, 2), (2, 0)\}$
- (d) $\{(2, 0), (-2, 0), (0, 2), (0, -2)\}$

65. निम्नलिखित कथनों पर विचार कीजिए :

1. एक वर्ग आव्यूह का व्युत्क्रम, यदि वह विद्यमान है, तो अद्वितीय है।
2. यदि A और B, n कोटि के अव्युत्क्रमणीय आव्यूह हैं, तो AB भी n कोटि का अव्युत्क्रमणीय आव्यूह है।

उपर्युक्त कथनों में से कौन-सा/से सही है/हैं?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न तो 1 और न ही 2

66. What is the angle between the lines whose direction cosines are proportional to $\langle 2, 3, 4 \rangle$ and $\langle 1, -2, 1 \rangle$ respectively?

- (a) 90°
- (b) 60°
- (c) 45°
- (d) 30°

67. What is the value of k for which the following function $f(x)$ is continuous for all x ?

$$f(x) = \begin{cases} \frac{x^3 - 3x + 2}{(x-1)^2} & \text{for } x \neq 1 \\ k & \text{for } x = 1 \end{cases}$$

- (a) 3
- (b) 2
- (c) 1
- (d) -1

68. If p, q, r are rational numbers, then the roots of the equation

$$x^2 - 2px + p^2 - q^2 + 2qr - r^2 = 0$$

are

- (a) complex
- (b) pure imaginary
- (c) irrational
- (d) rational

69. If $A = \{1, 2, 5, 6\}$ and $B = \{1, 2, 3\}$, then what is $(A \times B) \cap (B \times A)$ equal to?

- (a) $\{(1, 1), (2, 1), (6, 1), (3, 2)\}$
- (b) $\{(1, 1), (1, 2), (2, 1), (2, 2)\}$
- (c) $\{(1, 1), (2, 2)\}$
- (d) $\{(1, 1), (1, 2), (2, 5), (2, 6)\}$

70. What is the differential equation of all parabolas whose axes are parallel to y -axis?

(a) $\frac{d^3y}{dx^3} = 0$

(b) $\frac{d^2x}{dy^2} = c$

(c) $\frac{d^3x}{dy^3} = 1$

(d) $\frac{d^3y}{dx^3} = c$

where c is a constant.

66. जिन रेखाओं की दिक्क-कोज्याएँ $\langle 2, 3, 4 \rangle$ और $\langle 1, -2, 1 \rangle$ के क्रमशः समानुपातिक हैं, उनके बीच का कोण क्या है?

- (a) 90°
- (b) 60°
- (c) 45°
- (d) 30°

67. k का वह मान क्या है, जिसके लिए निम्नलिखित फलन $f(x)$, x के सभी मानों के लिए सन्तत है?

$$f(x) = \begin{cases} \frac{x^3 - 3x + 2}{(x - 1)^2}, & x \neq 1 \\ k, & x = 1 \end{cases}$$

के लिए

- (a) 3
- (b) 2
- (c) 1
- (d) -1

68. यदि p, q, r परिमेय संख्याएँ हैं, तो समीकरण

$$x^2 - 2px + p^2 - q^2 + 2qr - r^2 = 0$$

के मूल

- (a) सम्मिश्र हैं
- (b) पूर्णांक काल्पनिक हैं
- (c) अपरिमेय हैं
- (d) परिमेय हैं

69. यदि $A = \{1, 2, 5, 6\}$ और $B = \{1, 2, 3\}$, तो $(A \times B) \cap (B \times A)$ किसके बराबर है?

- (a) $\{(1, 1), (2, 1), (6, 1), (3, 2)\}$
- (b) $\{(1, 1), (1, 2), (2, 1), (2, 2)\}$
- (c) $\{(1, 1), (2, 2)\}$
- (d) $\{(1, 1), (1, 2), (2, 5), (2, 6)\}$

70. जिस परवलय का अक्ष y -अक्ष के समान्तर हो, ऐसे सभी परवलयों का अवकल समीकरण क्या है?

(a) $\frac{d^3y}{dx^3} = 0$

(b) $\frac{d^2x}{dy^2} = c$

(c) $\frac{d^3x}{dy^3} = 1$

(d) $\frac{d^3y}{dx^3} = c$

जहाँ c एक अचर है।

For the next **five (5)** items that follow :

The students of a class are offered three languages (Hindi, English and French). 15 students learn all the three languages whereas 28 students do not learn any language. The number of students learning Hindi and English but not French is twice the number of students learning Hindi and French but not English. The number of students learning English and French but not Hindi is thrice the number of students learning Hindi and French but not English. 23 students learn only Hindi and 17 students learn only English. The total number of students learning French is 46 and the total number of students learning only French is 11.

71. How many students learn precisely two languages?

- (a) 55
- (b) 40
- (c) 30
- (d) 13

72. How many students learn at least two languages?

- (a) 15
- (b) 30
- (c) 45
- (d) 55

73. What is the total strength of the class?

- (a) 124
- (b) 100
- (c) 96
- (d) 66

74. How many students learn English and French?

- (a) 30
- (b) 43
- (c) 45
- (d) 73

75. How many students learn at least one language?

- (a) 45
- (b) 51
- (c) 96
- (d) None of the above

अगले पाँच (5) प्रश्नांशों के लिए :

एक कक्षा के छात्रों को तीन भाषाएँ (हिन्दी, अंग्रेजी और फ्रेंच) दी जाती हैं। 15 छात्र सभी तीन भाषाएँ सीखते हैं जबकि 28 छात्र कोई भाषा नहीं सीखते। हिन्दी और अंग्रेजी सीखने किन्तु फ्रेंच न सीखने वाले छात्रों की संख्या उन छात्रों की संख्या से दूनी है जो हिन्दी और फ्रेंच सीखते हैं किन्तु अंग्रेजी नहीं सीखते। अंग्रेजी और फ्रेंच सीखने किन्तु हिन्दी न सीखने वाले छात्रों की संख्या उन छात्रों की संख्या से तीन गुनी है जो हिन्दी और फ्रेंच सीखते हैं किन्तु अंग्रेजी नहीं सीखते। 23 छात्र केवल हिन्दी सीखते हैं और 17 छात्र केवल अंग्रेजी। फ्रेंच सीखने वाले छात्रों की कुल संख्या 46 है और केवल फ्रेंच सीखने वाले छात्रों की कुल संख्या 11 है।

71. कितने छात्र ठीक दो ही भाषाएँ सीखते हैं?

- (a) 55
- (b) 40
- (c) 30
- (d) 13

72. कितने छात्र कम-से-कम दो भाषाएँ सीखते हैं?

- (a) 15
- (b) 30
- (c) 45
- (d) 55

73. कक्षा की कुल छात्र-संख्या कितनी है?

- (a) 124
- (b) 100
- (c) 96
- (d) 66

74. कितने छात्र अंग्रेजी और फ्रेंच सीखते हैं?

- (a) 30
- (b) 43
- (c) 45
- (d) 73

75. कितने छात्र कम-से-कम एक भाषा सीखते हैं?

- (a) 45
- (b) 51
- (c) 96
- (d) उपर्युक्त में से कोई नहीं

76. If

$$I_n = \int_0^{\frac{\pi}{4}} \tan^n x dx$$

then what is $I_n + I_{n-2}$ equal to?

- (a) $1/n$
- (b) $1/(n-1)$
- (c) $n/(n-1)$
- (d) $1/(n-2)$

77. What is the equation of the line joining the origin with the point of intersection of the lines $4x + 3y = 12$ and $3x + 4y = 12$?

- (a) $x + y = 1$
- (b) $x - y = 1$
- (c) $3y = 4x$
- (d) $x = y$

78. If the sum of the squares of the distances of the point (x, y) from the points $(a, 0)$ and $(-a, 0)$ is $2b^2$, then which one of the following is correct?

- (a) $x^2 + a^2 = b^2 + y^2$
- (b) $x^2 + a^2 = 2b^2 - y^2$
- (c) $x^2 - a^2 = b^2 + y^2$
- (d) $x^2 + a^2 = b^2 - y^2$

79. If $f(x) = 2^x$, then what is $f''(x)$ equal to?

- (a) $2^x(\ln 2)^2$
- (b) $x(x-1)2^{x-2}$
- (c) $2^{x+1}(\ln 2)$
- (d) $2^x(\log_{10} 2)^2$

80. In an examination, there are 3 multiple-choice questions and each question has 4 choices. If a student randomly selects an answer for all the three questions, what is the probability that the student will not answer all the three questions correctly?

- (a) $1/64$
- (b) $63/64$
- (c) $1/12$
- (d) $11/12$

81. What is the geometric mean of the data 2, 4, 8, 16, 32?

- (a) 2
- (b) 4
- (c) 8
- (d) 16

76. यदि

$$I_n = \int_0^{\frac{\pi}{4}} \tan^n x dx$$

तो $I_n + I_{n-2}$ किसके बराबर है?

- (a) $1/n$
- (b) $1/(n-1)$
- (c) $n/(n-1)$
- (d) $1/(n-2)$

77. मूलबिन्दु को रेखाओं $4x + 3y = 12$ और $3x + 4y = 12$ के प्रतिच्छेद बिन्दु से मिलाने वाली रेखा का समीकरण क्या है?

- (a) $x + y = 1$
- (b) $x - y = 1$
- (c) $3y = 4x$
- (d) $x = y$

78. यदि बिन्दुओं $(a, 0)$ और $(-a, 0)$ से बिन्दु (x, y) की दूरियों के वर्गों का योग $2b^2$ है, तो निम्नलिखित में से कौन-सा एक सही है?

- (a) $x^2 + a^2 = b^2 + y^2$
- (b) $x^2 + a^2 = 2b^2 - y^2$
- (c) $x^2 - a^2 = b^2 + y^2$
- (d) $x^2 + a^2 = b^2 - y^2$

79. यदि $f(x) = 2^x$, तो $f''(x)$ किसके बराबर है?

- (a) $2^x (\ln 2)^2$
- (b) $x(x-1)2^{x-2}$
- (c) $2^{x+1}(\ln 2)$
- (d) $2^x(\log_{10} 2)^2$

80. एक परीक्षा में, 3 बहु-विकल्प प्रश्न हैं और प्रत्येक प्रश्न में 4 विकल्प हैं। यदि एक छात्र यादृच्छिक रूप से सभी तीन प्रश्नों के लिए एक उत्तर का चुनाव करे, तो इसकी क्या प्रायिकता है कि वह छात्र सभी तीन प्रश्नों का सही उत्तर नहीं देगा?

- (a) $1/64$
- (b) $63/64$
- (c) $1/12$
- (d) $11/12$

81. आँकड़े 2, 4, 8, 16, 32 का गुणोत्तर माध्य क्या है?

- (a) 2
- (b) 4
- (c) 8
- (d) 16

82. What is the cumulative frequency curve of statistical data commonly called?

- (a) Cartogram
- (b) Histogram
- (c) Ogive
- (d) Pictogram

83. If A and B are two mutually exclusive events, then what is $P(AB)$ equal to?

- (a) 0
- (b) $P(A) + P(B)$
- (c) $P(A) P(B)$
- (d) $P(A) P(B | A)$

84. If $x = \sin \theta + \cos \theta$ and $y = \sin \theta \cdot \cos \theta$, then what is the value of

$$x^4 - 4x^2y - 2x^2 + 4y^2 + 4y + 1 ?$$

- (a) 0
- (b) 1
- (c) 2
- (d) None of the above

85. What is

$$\lim_{x \rightarrow \infty} (\sqrt{a^2 x^2 + ax + 1} - \sqrt{a^2 x^2 + 1})$$

- equal to ?
- (a) $\frac{1}{2}$
 - (b) 1
 - (c) 2
 - (d) 0

86. What is

$$\int \frac{\sin \sqrt{x}}{\sqrt{x}} dx$$

- equal to ?
- (a) $\frac{\cos \sqrt{x}}{2} + c$
 - (b) $2\cos \sqrt{x} + c$
 - (c) $\frac{-\cos \sqrt{x}}{2} + c$
 - (d) $-2\cos \sqrt{x} + c$

where c is a constant of integration.

87. Which one of the following is the unit vector perpendicular to the vectors $4\hat{i} + 2\hat{j}$ and $-3\hat{i} + 2\hat{j}$?

- (a) $\frac{\hat{i} + \hat{j}}{\sqrt{2}}$
- (b) $\frac{\hat{i} - \hat{j}}{\sqrt{2}}$
- (c) \hat{k}
- (d) $\frac{\hat{i} + \hat{j} + \hat{k}}{\sqrt{3}}$

82. सांख्यिकीय आँकड़े के संचयी भारम्बारता वक्र को सामान्यतः क्या कहते हैं?

- (a) काटोग्राम
- (b) हिस्टोग्राम
- (c) ओजाइव
- (d) पिक्टोग्राम

83. यदि A और B परस्पर अपवर्जी घटनाएँ हैं, तो $P(AB)$ किसके बराबर है?

- (a) 0
- (b) $P(A) + P(B)$
- (c) $P(A) P(B)$
- (d) $P(A) P(B | A)$

84. यदि $x = \sin \theta + \cos \theta$ और $y = \sin \theta \cdot \cos \theta$, तो $x^4 - 4x^2y - 2x^2 + 4y^2 + 4y + 1$ का मान क्या है?

- (a) 0
- (b) 1
- (c) 2
- (d) उपर्युक्त में से कोई नहीं

85. $\lim_{x \rightarrow \infty} (\sqrt{a^2 x^2 + ax + 1} - \sqrt{a^2 x^2 + 1})$ किसके बराबर है?

- (a) $\frac{1}{2}$
- (b) 1
- (c) 2
- (d) 0

86. $\int \frac{\sin \sqrt{x}}{\sqrt{x}} dx$ किसके बराबर है?

- (a) $\frac{\cos \sqrt{x}}{2} + c$
- (b) $2\cos \sqrt{x} + c$
- (c) $\frac{-\cos \sqrt{x}}{2} + c$
- (d) $-2\cos \sqrt{x} + c$

जहाँ c एक समाकलन अचर है।

87. निम्नलिखित में से कौन-सा एक, $4\hat{i} + 2\hat{j}$ और $-3\hat{i} + 2\hat{j}$ सदिशों पर लम्ब इकाई सदिश है?

- (a) $\frac{\hat{i} + \hat{j}}{\sqrt{2}}$
- (b) $\frac{\hat{i} - \hat{j}}{\sqrt{2}}$
- (c) \hat{k}
- (d) $\frac{\hat{i} + \hat{j} + \hat{k}}{\sqrt{3}}$

- 88.** Consider the following statements in respect of the vectors

$$\vec{u}_1 = (1, 2, 3), \quad \vec{u}_2 = (2, 3, 1), \\ \vec{u}_3 = (1, 3, 2) \text{ and } \vec{u}_4 = (4, 6, 2)$$

1. \vec{u}_1 is parallel to \vec{u}_4
2. \vec{u}_2 is parallel to \vec{u}_4
3. \vec{u}_2 is parallel to \vec{u}_3

Which of the statements given above is/are correct?

- (a) 1 only
- (b) 2
- (c) 3 only
- (d) 1 and 3

- 89.** The line $mx + ny = 1$ passes through the points $(1, 2)$ and $(2, 1)$. What is the value of m ?

- (a) 1
- (b) 3
- (c) $\frac{1}{2}$
- (d) $\frac{1}{3}$

- 90.** What is the solution set for the equation $x^4 - 26x^2 + 25 = 0$?

- (a) $\{-5, -1, 1, 5\}$
- (b) $\{-5, -1\}$
- (c) $\{1, 5\}$
- (d) $\{-5, 0, 1, 5\}$

For the next four (4) items that follow :

ABC is a triangle right angled at *B*. The hypotenuse (*AC*) is four times the perpendicular (*BD*) drawn to it from the opposite vertex and $AD < DC$.

- 91.** What is one of the acute angles of the triangle?

- (a) 15°
- (b) 30°
- (c) 45°
- (d) None of the above

- 92.** What is angle *ABD*?

- (a) 15°
- (b) 30°
- (c) 45°
- (d) None of the above

- 93.** What is $AD : DC$ equal to?

- (a) $(7 - 2\sqrt{3}) : 1$
- (b) $(7 - 4\sqrt{3}) : 1$
- (c) $1 : 2$
- (d) None of the above

88. सदिशों $\vec{u}_1 = (1, 2, 3)$, $\vec{u}_2 = (2, 3, 1)$, $\vec{u}_3 = (1, 3, 2)$ और $\vec{u}_4 = (4, 6, 2)$ के विषय में निम्नलिखित कथनों पर विचार कीजिए :

- \vec{u}_1, \vec{u}_4 के समान्तर है।
- \vec{u}_2, \vec{u}_4 के समान्तर है।
- \vec{u}_2, \vec{u}_3 के समान्तर है।

उपर्युक्त कथनों में से कौन-सा/से सही है/हैं?

- केवल 1
- 2
- केवल 3
- 1 और 3

89. रेखा $mx + ny = 1$ बिन्दुओं (1, 2) और (2, 1) से गुज़रती है। m का मान क्या है?

- 1
- 3
- $\frac{1}{2}$
- $\frac{1}{3}$

90. समीकरण $x^4 - 26x^2 + 25 = 0$ का हल-समुच्चय क्या है?

- $\{-5, -1, 1, 5\}$
- $\{-5, -1\}$
- $\{1, 5\}$
- $\{-5, 0, 1, 5\}$

अगले चार (4) प्रश्नांशों के लिए :

ABC एक B पर समकोण बनाता त्रिभुज है। विकर्ण (AC) उस पर विपरीत शीर्ष से डाले गये लम्ब (BD) का चार गुना है और $AD < DC$.

91. त्रिभुज के न्यून कोणों में से एक कौन-सा है?

- 15°
- 30°
- 45°
- उपर्युक्त में से कोई नहीं

92. कोण ABD क्या है?

- 15°
- 30°
- 45°
- उपर्युक्त में से कोई नहीं

93. $AD : DC$ किसके बराबर है?

- $(7 - 2\sqrt{3}) : 1$
- $(7 - 4\sqrt{3}) : 1$
- $1 : 2$
- उपर्युक्त में से कोई नहीं

94. What is $\tan(A - C)$ equal to?

- (a) 0
- (b) 1
- (c) 2
- (d) None of the above

95. What is the radius of the sphere

$$x^2 + y^2 + z^2 - x - y - z = 0 ?$$

- (a) $\sqrt{\frac{3}{4}}$
- (b) $\sqrt{\frac{1}{2}}$
- (c) $\sqrt{\frac{3}{2}}$
- (d) $\frac{1}{3}$

96. An experiment consists of flipping a coin and then flipping it a second time if head occurs. If a tail occurs on the first flip, then a six-faced die is tossed once. Assuming that the outcomes are equally likely, what is the probability of getting one head and one tail?

- (a) $1/4$
- (b) $1/36$
- (c) $1/6$
- (d) $1/8$

97. If, in general, the value of $\sin A$ is known, but the value of A is not known, then how many values of $\tan(A/2)$ can be calculated?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

98. Consider the following :

1. $\text{cosec}^{-1}\left(-\frac{2}{\sqrt{3}}\right) = -\frac{\pi}{3}$
2. $\sec^{-1}\left(\frac{2}{\sqrt{3}}\right) = \frac{\pi}{6}$

Which of the above is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

99. Consider the following statements with regard to correlation coefficient r between random variables x and y :

1. $r = +1$ or -1 means there is a linear relation between x and y .
2. $-1 \leq r \leq 1$ and r^2 is a measure of the linear relationship between the variables.

Which of the statements given above is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

94. $\tan(A - C)$ किसके बराबर है?

- (a) 0
- (b) 1
- (c) 2
- (d) उपर्युक्त में से कोई नहीं

95. गोले $x^2 + y^2 + z^2 - x - y - z = 0$ की त्रिज्या क्या है?

- (a) $\sqrt{\frac{3}{4}}$
- (b) $\sqrt{\frac{1}{2}}$
- (c) $\sqrt{\frac{3}{2}}$
- (d) $\frac{1}{3}$

96. एक प्रयोग एक सिक्के को उछालने का, और अगर शीर्ष आता है, तो उसे एक बार फिर उछालने का है। यदि पहले उछालने में पुच्छ आता है, तो एक छह मुँह वाला पासा एक बार फेंका जाता है। यह मानते हुए कि सभी परिणाम बराबर सम्भव हैं, एक शीर्ष और एक पुच्छ पाने की क्या प्रायिकता है?

- (a) $1/4$
- (b) $1/36$
- (c) $1/6$
- (d) $1/8$

97. यदि सामान्यतया $\sin A$ का मान मालूम है, किन्तु A का मान नहीं मालूम है, तो $\tan(A/2)$ के कितने मान परिणित किए जा सकते हैं?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

98. निम्नलिखित पर विचार कीजिए :

1. $\text{cosec}^{-1}\left(-\frac{2}{\sqrt{3}}\right) = -\frac{\pi}{3}$
2. $\sec^{-1}\left(\frac{2}{\sqrt{3}}\right) = \frac{\pi}{6}$

उपर्युक्त में से कौन-सा/से सही है/हैं?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न तो 1 और न ही 2

99. यादृच्छिक चरों x और y के बीच सहसम्बन्ध गुणांक r के सन्दर्भ में निम्नलिखित कथनों पर विचार कीजिए :

1. $r = +1$ अथवा -1 का अर्थ है कि x और y के बीच एक रैखिक सम्बन्ध है।
2. $-1 \leq r \leq 1$ और r^2 है चरों के बीच रैखिक सम्बन्ध का माप।

उपर्युक्त कथनों में से कौन-सा/से सही है/हैं?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न तो 1 और न ही 2

100. If the values of a set are measured in cm, what will be the unit of variance?

- (a) cm
- (b) cm^2
- (c) cm^3
- (d) No unit

101. A box contains 6 distinct dolls. From this box, three dolls are randomly selected one by one with replacement. What is the probability of selecting 3 distinct dolls?

- (a) $5/54$
- (b) $12/25$
- (c) $1/20$
- (d) $5/9$

102. For the equation

$$ax^2 + by^2 + 2hxy + 2gx + 2fy + c = 0$$

where $a \neq 0$, to represent a circle, the condition will be

- (a) $a = b$ and $c = 0$
- (b) $f = g$ and $h = 0$
- (c) $a = b$ and $h = 0$
- (d) $f = g$ and $c = 0$

103. If A and B are events such that $P(A \cup B) = 0.5$, $P(\bar{B}) = 0.8$ and $P(A | B) = 0.4$, then what is $P(A \cap B)$ equal to?

- (a) 0.08
- (b) 0.02
- (c) 0.8
- (d) 0.2

104. Consider the following relations among the angles α, β, γ made by a vector with the coordinate axes :

1. $\cos 2\alpha + \cos 2\beta + \cos 2\gamma = -1$
2. $\sin^2 \alpha + \sin^2 \beta + \sin^2 \gamma = 1$

Which of the above is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

105. Which one of the following points lies on the plane $2x + 3y - 6z = 21$?

- (a) (3, 2, 2)
- (b) (3, 7, 1)
- (c) (1, 2, 3)
- (d) (2, 1, -1)

100. यदि किसी समुच्चय के मान cm में मापे जाते हैं, तो प्रसरण की इकाई क्या होगी?

- (a) cm
- (b) cm^2
- (c) cm^3
- (d) कोई इकाई नहीं

101. एक सन्दूक में 6 भिन्न गुड़ियाँ हैं। इस सन्दूक से तीन गुड़ियाँ यादृच्छिकतया एक-एक करके पुनःस्थापन के साथ चयनित की जाती हैं। 3 भिन्न गुड़ियों के चयन की क्या प्रायिकता है?

- (a) $5/54$
- (b) $12/25$
- (c) $1/20$
- (d) $5/9$

102. समीकरण

$$ax^2 + by^2 + 2hxy + 2gx + 2fy + c = 0$$

जहाँ $a \neq 0$, एक वृत्त को निरूपित करे, इसका प्रतिबन्ध क्या होगा?

- (a) $a = b$ और $c = 0$
- (b) $f = g$ और $h = 0$
- (c) $a = b$ और $h = 0$
- (d) $f = g$ और $c = 0$

103. यदि A और B घटनाएँ इस प्रकार हैं कि $P(A \cup B) = 0.5$, $P(\bar{B}) = 0.8$ और $P(A | B) = 0.4$, तो $P(A \cap B)$ किसके बराबर है?

- (a) 0.08
- (b) 0.02
- (c) 0.8
- (d) 0.2

104. किसी सदिश द्वारा निर्देशक अक्षों से बनाये गये कोणों α, β, γ के बीच निम्नलिखित सम्बन्धों पर विचार कीजिए :

1. $\cos 2\alpha + \cos 2\beta + \cos 2\gamma = -1$
2. $\sin^2 \alpha + \sin^2 \beta + \sin^2 \gamma = 1$

उपर्युक्त में से कौन-सा/से सही है/हैं?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न तो 1 और न ही 2

105. निम्नलिखित बिन्दुओं में से कौन-सा एक, समतल $2x + 3y - 6z = 21$ पर है?

- (a) (3, 2, 2)
- (b) (3, 7, 1)
- (c) (1, 2, 3)
- (d) (2, 1, -1)



- 106.** What is the acute angle between the planes $x + y + 2z = 3$ and $-2x + y - z = 11$?

- (a) $\pi/5$
- (b) $\pi/4$
- (c) $\pi/6$
- (d) $\pi/3$

- 107.** What is the area bounded by the curves $y = e^x$, $y = e^{-x}$ and the straight line $x = 1$?

- (a) $\left(e + \frac{1}{e}\right)$ square units
- (b) $\left(e - \frac{1}{e}\right)$ square units
- (c) $\left(e + \frac{1}{e} - 2\right)$ square units
- (d) $\left(e - \frac{1}{e} - 2\right)$ square units

- 108.** What are the points of intersection of the curve $4x^2 - 9y^2 = 1$ with its conjugate axis?

- (a) $(1/2, 0)$ and $(-1/2, 0)$
- (b) $(0, 2)$ and $(0, -2)$
- (c) $(0, 3)$ and $(0, -3)$
- (d) No such points exist

- 109.** What is the locus of a point which moves equidistant from the coordinate axes?

- (a) $x \pm y = 0$
- (b) $x + 2y = 0$
- (c) $2x + y = 0$
- (d) None of the above

- 110.** What is

$$\int e^x \left(\sqrt{x} + \frac{1}{2\sqrt{x}} \right) dx$$

equal to?

- (a) $xe^x + c$
- (b) $e^x(\sqrt{x}) + c$
- (c) $2e^x(\sqrt{x}) + c$
- (d) $2xe^x + c$

where c is a constant of integration.

- 111.** Let p, q, r, s be respectively the magnitudes of the vectors $3\hat{i} - 2\hat{j}$, $2\hat{i} + 2\hat{j} + \hat{k}$, $4\hat{i} - \hat{j} + \hat{k}$, $2\hat{i} + 2\hat{j} + 3\hat{k}$. Which one of the following is correct?

- (a) $r > s > q > p$
- (b) $s > r > p > q$
- (c) $r > s > p > q$
- (d) $s > r > q > p$

106. समतलों

$$x + y + 2z = 3 \text{ और } -2x + y - z = 11$$

के बीच न्यूनकोण क्या है?

- (a) $\pi/5$
- (b) $\pi/4$
- (c) $\pi/6$
- (d) $\pi/3$

107. वक्रों $y = e^x$, $y = e^{-x}$ और सरल रेखा $x = 1$ से घिरा हुआ क्षेत्रफल क्या है?

- (a) $\left(e + \frac{1}{e}\right)$ वर्ग इकाई
- (b) $\left(e - \frac{1}{e}\right)$ वर्ग इकाई
- (c) $\left(e + \frac{1}{e} - 2\right)$ वर्ग इकाई
- (d) $\left(e - \frac{1}{e} - 2\right)$ वर्ग इकाई

108. वक्र $4x^2 - 9y^2 = 1$ के इसके संयुग्मी अक्ष से प्रतिच्छेद बिन्दु क्या हैं?

- (a) $(1/2, 0)$ और $(-1/2, 0)$
- (b) $(0, 2)$ और $(0, -2)$
- (c) $(0, 3)$ और $(0, -3)$
- (d) ऐसा कोई बिन्दु नहीं है

109. निर्देशक अक्षों से समान दूरी पर चलने वाले बिन्दु का बिन्दुपथ क्या है?

- (a) $x \pm y = 0$
- (b) $x + 2y = 0$
- (c) $2x + y = 0$
- (d) उपर्युक्त में से कोई नहीं

110. $\int e^x \left(\sqrt{x} + \frac{1}{2\sqrt{x}} \right) dx$ किसके बराबर है?

- (a) $xe^x + c$
- (b) $e^x(\sqrt{x}) + c$
- (c) $2e^x(\sqrt{x}) + c$
- (d) $2xe^x + c$

जहाँ c एक समाकलन अचर है।

111. मान लीजिए कि सदिशों $3\hat{i} - 2\hat{j}$, $2\hat{i} + 2\hat{j} + \hat{k}$, $4\hat{i} - \hat{j} + \hat{k}$, $2\hat{i} + 2\hat{j} + 3\hat{k}$ के परिमाण क्रमशः p , q , r , s हैं, तब निम्नलिखित में से कौन-सा एक सही है?

- (a) $r > s > q > p$
- (b) $s > r > p > q$
- (c) $r > s > p > q$
- (d) $s > r > q > p$

- 112.** In a triangle ABC , if $c = 2$, $A = 120^\circ$, $a = \sqrt{6}$, then what is C equal to?

(a) 30°

(b) 45°

(c) 60°

(d) 75°

For the next **two (2)** items that follow :

The following table gives the continuous frequency distribution of a continuous variable X :

Class Interval	0-10	10-20	20-30	30-40	40-50
Frequency	5	10	20	5	10

- 114.** What is the median of the above frequency distribution?

(a) 23

(b) 24

(c) 25

(d) 26

- 113.**

Class Interval	1-5	6-10	11-15	16-20
Frequency	3	7	6	5

Consider the following statements in respect of the above frequency distribution :

1. The median is contained in the modal class.
2. The distribution is bell-shaped.

Which of the above statements is/are correct?

- 115.** What is the mean of the above frequency distribution?

(a) 25

(a) 1 only

(b) 26

(b) 2 only

(c) 27

(c) Both 1 and 2

(d) 28

(d) Neither 1 nor 2

112. त्रिभुज ABC में, यदि $c = 2$, $A = 120^\circ$, $a = \sqrt{6}$, तो C किसके बराबर है?

(a) 30° (b) 45° (c) 60° (d) 75°

अगले दो (2) प्रश्नांशों के लिए :

निम्नलिखित सारणी किसी सन्तत चर X का सन्तत बारम्बारता बंटन देती है :

वर्ग अन्तराल	0-10	10-20	20-30	30-40	40-50
बारम्बारता	5	10	20	5	10

113.

वर्ग अन्तराल	1-5	6-10	11-15	16-20
बारम्बारता	3	7	6	5

ऊपर दिये गये बारम्बारता बंटन के विषय में निम्नलिखित कथनों पर विचार कीजिए :

- माध्यिका बहुलकीय वर्ग में है।
- बंटन घण्टाकार है।

उपर्युक्त कथनों में से कौन-सा/से सही है/हैं?

(a) 23

(b) 24

(c) 25

(d) 26

115. ऊपर दिये गये बारम्बारता बंटन का माध्य क्या है?

(a) केवल 1

(a) 25

(b) केवल 2

(b) 26

(c) 1 और 2 दोनों

(c) 27

(d) न तो 1 और न ही 2

(d) 28

116. If the matrix

$$A = \begin{pmatrix} 2-x & 1 & 1 \\ 1 & 3-x & 0 \\ -1 & -3 & -x \end{pmatrix}$$

is singular, then what is the solution set S ?

- (a) $S = \{0, 2, 3\}$
- (b) $S = \{-1, 2, 3\}$
- (c) $S = \{1, 2, 3\}$
- (d) $S = \{2, 3\}$

117. What is the range of

$$f(x) = \cos 2x - \sin 2x ?$$

- (a) $[2, 4]$
- (b) $[-1, 1]$
- (c) $[-\sqrt{2}, \sqrt{2}]$
- (d) $(-\sqrt{2}, \sqrt{2})$

118. What is the solution of the differential equation

$$\frac{dy}{dx} + \sqrt{\frac{1-y^2}{1-x^2}} = 0 ?$$

- (a) $\sin^{-1} y + \sin^{-1} x = c$
- (b) $\sin^{-1} y - \sin^{-1} x = c$
- (c) $2\sin^{-1} y + \sin^{-1} x = c$
- (d) $2\sin^{-1} y - \sin^{-1} x = c$

where c is a constant.

119. If

$$z = 1 + \cos \frac{\pi}{5} + i \sin \frac{\pi}{5}$$

then what is $|z|$ equal to?

- (a) $2\cos \frac{\pi}{5}$
- (b) $2\sin \frac{\pi}{5}$
- (c) $2\cos \frac{\pi}{10}$
- (d) $2\sin \frac{\pi}{10}$

120. If $x\hat{i} + y\hat{j} + z\hat{k}$ is a unit vector and $x:y:z = \sqrt{3}:2:3$, then what is the value of z ?

- (a) $\frac{3}{16}$
- (b) 3
- (c) $\frac{3}{4}$
- (d) 2

116. यदि आव्यूह

$$A = \begin{pmatrix} 2-x & 1 & 1 \\ 1 & 3-x & 0 \\ -1 & -3 & -x \end{pmatrix}$$

अव्युत्क्रमणीय है, तो हल-समुच्चय S क्या है?

- (a) $S = \{0, 2, 3\}$
- (b) $S = \{-1, 2, 3\}$
- (c) $S = \{1, 2, 3\}$
- (d) $S = \{2, 3\}$

119. यदि

$$z = 1 + \cos \frac{\pi}{5} + i \sin \frac{\pi}{5}$$

तो $|z|$ किसके बराबर है?

$$(a) 2 \cos \frac{\pi}{5}$$

$$(b) 2 \sin \frac{\pi}{5}$$

$$(c) 2 \cos \frac{\pi}{10}$$

$$(d) 2 \sin \frac{\pi}{10}$$

117. $f(x) = \cos 2x - \sin 2x$ का परास क्या है?

- (a) $[2, 4]$
- (b) $[-1, 1]$
- (c) $[-\sqrt{2}, \sqrt{2}]$
- (d) $(-\sqrt{2}, \sqrt{2})$

118. अवकल समीकरण

$$\frac{dy}{dx} + \sqrt{\frac{1-y^2}{1-x^2}} = 0$$

का हल क्या है?

- (a) $\sin^{-1} y + \sin^{-1} x = c$
- (b) $\sin^{-1} y - \sin^{-1} x = c$
- (c) $2\sin^{-1} y + \sin^{-1} x = c$
- (d) $2\sin^{-1} y - \sin^{-1} x = c$

जहाँ c एक अंतर है।


120. यदि $x\hat{i} + y\hat{j} + z\hat{k}$ एक इकाई सदिश है और $x : y : z = \sqrt{3} : 2 : 3$, तो z का मान क्या है?

$$(a) \frac{3}{16}$$

$$(b) 3$$

$$(c) \frac{3}{4}$$

$$(d) 2$$

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK



SPACE FOR ROUGH WORK

Adda247

जब तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

टी.बी.सी. : P-AQNA-L-ZNGU
क्रम संख्या

परीक्षण पुस्तिका अनुक्रम



परीक्षण पुस्तिका गणित

समय : दो घण्टे और तीस मिनट

पूर्णक : 300

अ नु दे श

1. परीक्षा प्रारम्भ होने के तुरन्त बाद, आप इस परीक्षण पुस्तिका की पड़ताल अवश्य कर लें कि इसमें कोई बिना छपा, फटा या छूटा हुआ पृष्ठ अथवा प्रश्नांश आदि न हो। यदि ऐसा है, तो इसे सही परीक्षण पुस्तिका से बदल लीजिए।
 2. उत्तर-पत्रक में सही स्थान पर परीक्षण पुस्तिका अनुक्रम A, B, C या D यथास्थिति स्पष्ट रूप से कूटबद्ध कीजिए।
 3. इस परीक्षण पुस्तिका पर साथ में दिए गए कोष्ठक में आपको अपना अनुक्रमांक लिखना है। परीक्षण पुस्तिका पर और कुछ न लिखें।
 4. इस परीक्षण पुस्तिका में **120** प्रश्नांश (प्रश्न) दिए गए हैं। प्रत्येक प्रश्नांश हिन्दी और अंग्रेजी में छपा है। प्रत्येक प्रश्नांश में चार प्रत्युत्तर (उत्तर) दिए गए हैं। इनमें से एक प्रत्युत्तर को चुन लें, जिसे आप उत्तर-पत्रक पर अंकित करना चाहते हैं। यदि आपको ऐसा लगे कि एक से अधिक प्रत्युत्तर सही हैं, तो उस प्रत्युत्तर को अंकित करें जो आपको सर्वोत्तम लगे। प्रत्येक प्रश्नांश के लिए केवल एक ही प्रत्युत्तर चुनना है।
 5. आपको अपने सभी प्रत्युत्तर अलग से दिए गए उत्तर-पत्रक पर ही अंकित करने हैं। उत्तर-पत्रक में दिए गए निर्देश देखिए।
 6. सभी प्रश्नांशों के अंक समान हैं।
 7. इससे पहले कि आप परीक्षण पुस्तिका के विभिन्न प्रश्नांशों के प्रत्युत्तर उत्तर-पत्रक पर अंकित करना शुरू करें, आपको प्रवेश प्रमाण-पत्र के साथ प्रेषित अनुदेशों के अनुसार कुछ विवरण उत्तर-पत्रक में देने हैं।
 8. आप अपने सभी प्रत्युत्तरों को उत्तर-पत्रक में भरने के बाद तथा परीक्षा के समापन पर केवल उत्तर-पत्रक अधीक्षक को सौंप दें। आपको अपने साथ परीक्षण पुस्तिका ले जाने की अनुमति है।
 9. कच्चे काम के लिए पत्रक परीक्षण पुस्तिका के अन्त में संलग्न हैं।
 10. गलत उत्तरों के लिए दण्ड :
- वस्तुनिष्ठ प्रश्न-पत्रों में उम्मीदवार द्वारा दिए गए गलत उत्तरों के लिए दण्ड दिया जाएगा।
- (i) प्रत्येक प्रश्न के लिए चार वैकल्पिक उत्तर हैं। उम्मीदवार द्वारा प्रत्येक प्रश्न के लिए दिए गए एक गलत उत्तर के लिए प्रश्न हेतु नियत किए गए अंकों का एक-तिहाई (**0.33**) दण्ड के रूप में काटा जाएगा।
 - (ii) यदि कोई उम्मीदवार एक से अधिक उत्तर देता है, तो इसे गलत उत्तर माना जाएगा, यद्यपि दिए गए उत्तरों में से एक उत्तर सही होता है, फिर भी उस प्रश्न के लिए उपर्युक्तानुसार ही उसी तरह का दण्ड दिया जाएगा।
 - (iii) यदि उम्मीदवार द्वारा कोई प्रश्न हल नहीं किया जाता है अर्थात् उम्मीदवार द्वारा उत्तर नहीं दिया जाता है, तो उस प्रश्न के लिए कोई दण्ड नहीं दिया जाएगा।

जब तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

Note : English version of the instructions is printed on the front cover of this Booklet.

SPACE FOR ROUGH WORK

Adda247

★ ★ ★