



AIIMS Nursing Officer

Previous Year Paper Gr-1 24 Aug, 2018



Adda 247

Test Prime

ALL EXAMS, ONE SUBSCRIPTION



80,000+ Mock Tests



600+ Exam Covered



Personalised Report Card



20,000 + Previous Year Papers



Unlimited Re-Attempt



500% Refund















ATTEMPT FREE MOCK NOW





Print

Nursing Staff Grade 1 Exam 24 Aug 2018

Participant ID	_
Participant Name	
Test Center Name	
Test Date	24/08/2018
Test Time	9:00 AM - 12:00 PM
Subject	Nursing Staff Grade 1
Marks Obtained	

Marks	Obtained	
	Nursing Staff Grade 1	
Q.1 Ans	All stages of rashes are seen simultaneously in:	Question ID :47694398 Status : Answered Chosen Option :4 Marks : 1.00
	× 3. Measles	
	✓ ⁴ Chickenpox	
	- 0.0080008000 • 97899	
Q.2 Ans	A newborn is presented with a bloated abdomen shortly after birth with passing of less meconium. A full thickness biopsy of the rectum was carried out. Which one of the following rectal biopsy findings is most likely to be present? 1. Fibrosis of submucosa	Question ID :47694367 Status : Answered Chosen Option :1
	✓ ². Lack of ganglion cells	Marks : -0.25
	★ 3. Thickened Muscularis propria	
	ASS OF THE POSSESSORY OF THE P	
	★ 4. Hyalinisation of the muscular coat	
Q.3	The nurse, recognising that digitalis preparations promote diuresis, should evaluate patients for a depletion of:	Question ID : 47694382
Ans	X ¹. Sodium	Status : Answered Chosen Option :2
	✓ ² . Potassium	Marks : 1.00
	× ^{3.} Phosphate	
	X⁴. Calcium	
Q.4	All of the following are vector borne diseases, EXCEPT:	Question ID :47694395
Ans	X ¹. Malaria	Status : Answered
	X ^{2.} Filariasis	Chosen Option :4 Marks :1.00
	X ³ . Plague	
	✓ ^{4.} Hepatitis	
Q.5	The best method for early diagnosis of cervical cancer is:	Question ID :476943151
Ans	× 1. HPV Vaccine	Status : Answered
	✓ 2. PAP Smear	Chosen Option :2 Marks : 1.00
	× 3. Health education	Warks . 1.00
	★ ^{4.} Colposcopy and biopsy	
Q.6		
Ans	Which of the following is the method for managing foreign body airway obstruction?	Question ID : 47694326 Status : Answered
Alls	X 1. Valsalva maneuver	Chosen Option :3
	×2. Epley maneuver	Marks : 1.00
	3. Heimlich maneuver	
_	X ⁴. Jaw thrust maneuver	
Q.7	Which part of the mind is associated with practical reality principle?	Question ID :476943140
Ans	X ¹. Hyper-ego	Status : Answered Chosen Option : 4
	X ² Id	Marks : 1.00
	X ³ . Super-ego	
	✓ ^{4.} Ego	
Q.8	The coverage of the population by primary health centres (PHC) in plain areas is:	Question ID :476943177
Ans	★ 1. 40,000	Status : Answered
	✓² 30,000	Chosen Option :2 Marks : 1.00
	× 3. 5,000	
	× 4. 20,000	
\vdash	- stoodstraps	





Q.9 The approximate increase in length in the first year of life is: Question ID: 476943132 Status : Answered X 1. 12 cm Chosen Option :1 X 2. 22 cm Marks : -0.25 ✓ 3. 25 cm X 4. 35 cm Q.10 When toddlers move around on their hands keeping their abdomen off the floor, it is called: Question ID: 476943138 Status: Not Answered √ ¹. Creeping Chosen Option :--X 2. Crawling Marks : 0.00 3. Squirming X 4. Rolling Q.11 False sensory perceptions with no basis in reality are known as: Question ID :476943139 Status : Answered X 1. Illusions Chosen Option:3 X 2. Delusions Marks: 1.00 3. Hallucinations X 4. Loose Associations Q.12 In ECG, the P wave represents: Question ID: 47694311 Status: Answered X 1. Atrial repolarisation Chosen Option :2 √ 2. Atrial depolarisation Marks : 1.00 X^{3.} Ventricular depolarisation Y⁴ Ventricular repolarisation Q.13 The taxonomy of educational objectives was presented in 1956 by: Question ID :476943169 Status : Not Answered X 1. Socrates Chosen Option :--√² Benjamin S Bloom Marks: 0.00 X 3. BF Skinner Max Webber Q.14 All of the following viruses are transmitted by respiratory route EXCEPT: Question ID : 47694344 Status : Answered Ans 1. Rota virus Chosen Option :1 Z 2. Influenza virus X ^{3.} Rhinovirus X 4. RSV Q.15 Which of the following drugs is used for the treatment of nocturnal enuresis? Question ID: 47694355 Status : Answered X 1. Sertraline Chosen Option :3 × 2. Chlorpromazine Marks : 1.00 √ 3. Imipramine X 4. Trazodone Q.16 The doctor has prescribed 2.5 mg of Haloperidol for an agitated patient. The medication is labeled haloperidol 10 mg/2 Question ID: 47694353 ml. The nurse prepares the correct dose by drawing up how many milliliters in the syringe? Status : Answered Ans √ 1. 0.5 Chosen Option :1 X 2. 0.4 Marks : 1.00 X 3. 0.3 X 4. 0.6 Q.17 Normal respiration is also called: Question ID : 47694333 Status : Answered Ans √ ¹. Eupnea Chosen Option :1 X^{2.} Apnea X 3. Dyspnea X 4. Orthopnea Q.18 The minimum age for marriage of girls in India according to the National Population Policy is: Question ID :476943174 Status : Answered Ans √ 1. 18 years Chosen Option :1 × 2. 22 years Marks : 1.00 X 3. 16 years X 4. 20 years





Q.19	Venereal Disease Research Laboratory (VDRL) test is used to diagnose:	Question ID : 47694349
Ans	★ 1. Tuberculosis	Status : Answered Chosen Option :2
	✓ ^{2.} Syphilis	Marks : 1.00
	× 3. Pneumonia	
	× 4. AIDS	
	ALDS	
Q.20	The part of the mind that distinguishes right from wrong and acts as a censor of behaviour is known as:	Question ID : 476943149
Ans	X ¹. Ego	Status : Answered
	× 2. Libido	Chosen Option :3 Marks :1.00
	✓ ^{3.} Super-ego	mano : no
	X ⁴. Id	
Q.21	Polyvalent vaccines consist of:	0 1 15 470010400
Ans	× 1. a single species	Question ID : 476943102 Status : Answered
	✓ 2. more strains of the same species	Chosen Option :4
	Visit of the Auditor Auditor (Auditor Auditor	Marks : -0.25
	×3. a single organism	
	★ 4. more strains of different species	
Q.22	Eugenics means:	Question ID : 47694393
Ans	★ ¹. Genetic preventive measures	Status : Answered Chosen Option :2
	✓ ^{2.} Improvement of genetic endowment	Marks : 1.00
	X ^{3.} Genetic counseling	
	★ 4. Improvement of environment	
Q.23	The philosophy of education in which treatment of things is based solely on their practical utility is called	
Ans	1. naturalism	Question ID : 476943171
	× 2. idealism	Status : Answered Chosen Option : 4
	× 3. realism	Marks : 1.00
	✓ ^{4.} pragmatism	
Q.24	Which one of the following is NOT the psychological principle of teaching?	Question ID : 476943170
Ans	✓¹ Proceed from complex to simple	Status : Answered
	×2. Proceed from simple to difficult	Chosen Option :1 Marks : 1.00
	× 3. Proceed from known to unknown	Welks . 1.00
	× 4. Proceed from concrete to abstract	
Q.25		
Ans	When performing an abdominal assessment, in which order are the given steps followed?	Question ID : 47694323 Status : Answered
Allo	X¹. Palpation, inspection, percussion, auscultation	Chosen Option :4
	×2. Inspection, percussion, palpation, auscultation	Marks : 1.00
	★ 3. Percussion, auscultation, inspection, palpation	
	4. Inspection, auscultation, percussion, palpation	
Q.26	Which statement by the client indicates an understanding of the preventive measures of genital tract infection?	Question ID : 476943157
Ans	★ 1. I should avoid the use of condoms.	Status : Answered Chosen Option :2
	√ ² I should wear underwear with a cotton panel liner.	Marks : 1.00
	X 3. I can douche anytime I want.	
	★ 4. I can wear my tight-fitting jeans.	
Q.27	The nurse administers Heparin BD subcutaneously for a patient in cardiogenic shock. The drug is expected to exhibit	Question ID :47694383
Ans	action.	Status : Answered
Alis	1. Vasopressor	Chosen Option :4 Marks :1.00
	X ² Ionotrope	
	X ³ . Antidysrhythmic	
	✓ 4. Anticoagulant	





Q.28 The leadership style developed by Kenneth Blanchard and Paul Hersey based on task and relationship behaviour is Question ID : 476943199 known as: Status: Not Answered Ans ★ 1. effective leadership Chosen Option :--Marks : 0.00 √ 2. situational leadership ★ 3. transformational leadership * charismatic leadership Linear burrowing of a mite at finger webs, wrists, elbow, ankles and penis is seen in case of: Question ID: 47694391 Status: Answered 1. Psoriasis Chosen Option :2 √ 2. Scabies Marks : 1.00 X 3. Impetigo X 4. Herpes zoster Q.30 The anterior fontanel in children closes between: Question ID: 476943127 Ans Status : Answered X 1. one month of age Chosen Option :2 2. one and half years of age Marks : 1.00 3. one and half months of age X 4. two weeks of age Q.31 Which of the following is NOT a probable sign of pregnancy? Question ID: 476943158 X 1. Vaginal discharge Status: Answered Chosen Option:4 ² Uterine contraction Marks : 1.00 X 3. Chadwick's sign Foetal heart rate detected by a non-electric device Q.32 Which of the following is the principal mode of heat exchange in an incubator? Question ID: 476943136 Status : Answered Ans X 1. Evaporation Chosen Option :2 X^{2.} Radiation Marks : -0.25 3. Convection X 4. Conduction Q.33 Management of Wernicke's disease and Beriberi involves administration of: Question ID: 47694322 Status : Answered 1. Vitamin A Chosen Option:3 X 2. Vitamin C Marks : 1.00 √ 3. Thiamine X 4. Iodine Q.34 The first action in case of a blood transfusion reaction is: Question ID: 476943112 Status : Answered ★ 1. waiting for the symptoms to subside Chosen Option :3 × 2. maintaining the line with normal saline Marks : 1.00 √ 3. stopping the blood 4. informing a physician Q.35 Epidemiological triad includes which of the following factors? Question ID : 47694394 Status : Answered Ans X 1. Standardised rates Chosen Option :2 √ 2. Agent, host and environment X³ Rates, ratio and proportion 4. Incidence, prevalence and trends of disease Q.36 Which of the following vaccines should NOT be kept in a freezer? Question ID : 47694399 Ans Measles, Mumps, and Rubella (MMR) vaccine Chosen Option :3 Diphtheria, Pertussis and Tetanus (DPT) vaccine Marks : -0.25 X 3. Measles X 4. Polio Which of the following is used for passive immunisation? Question ID : 47694350 Status: Answered 1. Human and animal sera Chosen Option :1 X². Toxoid Marks : 1.00 X 3. Killed vaccine X 4. Live attenuated vaccine





Q.38	In statistics, the spread of dispersion is described with the help of:	Question ID : 476943189
Ans	✓¹. Standard deviation	Status : Answered Chosen Option :1
	× 2. Mode	Marks : 1.00
	X ^{3.} Median X ^{4.} Mean	
	· Mean	
Q.39	Which of the following is NOT a function of the sympathetic nervous system?	Question ID :4769435
Ans	★ 1. Increase heart rate	Status : Answered Chosen Option : 3
	∠². Increase blood pressure	Marks : 1.00
	Rest and digest	
	★ ^{4.} Fight or flight	
Q.40	Rechannelling of socially unacceptable drives into more constructive activities is called:	Question ID : 476943146
Ans	√ ¹. Sublimation	Status : Answered Chosen Option :1
	∠ ² Projection	Marks : 1.00
	X 3. Hallucination	
	★ ^{4.} Displacement	
Q.41	The study of the distribution and determinants of a disease is called:	Question ID : 476943101
Ans	★ 1. Genealogy	Status : Answered Chosen Option : 3
	★ 2. Pathology	Marks : 1.00
	✓ ^{3.} Epidemiology	
	★ ^{4.} Entomology	
Q.42	Twitching of facial muscles when the facial nerve is tapped anterior to the earlobe is called:	Question ID :476943119
Ans	X¹. Homans' Sign	Status : Answered
	× 2. Brudzinski's Sign	Chosen Option :2 Marks : -0.25
	X ^{3.} Trousseau's Sign	
	✓ ^{4.} Chvostek's Sign	
L	- 0.000 (
0.43		
Q.43 Ans	Incision made into the perineum to enlarge the vaginal outlet and facilitate delivery is called:	Question ID :476943162 Status : Answered
Q.43 Ans	X ¹. periniotomy	Status : Answered Chosen Option : 4
	 X ¹. periniotomy X ². vaginotomy 	Status : Answered
	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty 	Status : Answered Chosen Option : 4
Ans	 X 1. periniotomy X 2. vaginotomy X 3. vaginoplasty ✓ 4. episiotomy 	Status : Answered Chosen Option : 4
Ans	 X 1. periniotomy X 2. vaginotomy X 3. vaginoplasty ✓ 4. episiotomy The act of deliberately ending a person's life to relieve suffering is called: 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328
Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel 	Status : Answered Chosen Option :4 Marks : 1.00
Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel ✓ ². Euthanasia 	Status : Answered Chosen Option :4 Marks : 1.00 Question ID : 47694328 Status : Answered
Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4
Ans	 1. periniotomy 2. vaginotomy 3. vaginoplasty 4. episiotomy The act of deliberately ending a person's life to relieve suffering is called: 1. Libel 2. Euthanasia 3. Tort 4. Suicide 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25
Q.44 Ans	 X ¹ periniotomy X ² vaginotomy X ³ vaginoplasty ✓ ⁴ episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹ Libel ✓ ² Euthanasia X ³ Tort X ⁴ Suicide McBurney's point of tenderness is present in: 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4
Q.44 Ans	 X ¹ periniotomy X ² vaginotomy X ³ vaginoplasty ✓ ⁴ episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹ Libel ✓ ² Euthanasia X ³ Tort X ⁴ Suicide McBurney's point of tenderness is present in: X ¹ Acute cholecystitis 	Status : Answered Chosen Option :4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option :4 Marks : -0.25 Question ID : 47694389
Q.44 Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel ✓ ². Euthanasia X ³. Tort X ⁴. Suicide McBurney's point of tenderness is present in: X ¹. Acute cholecystitis X ². Acute gastritis 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1
Q.44 Ans	 X ¹ periniotomy X ² vaginotomy X ³ vaginoplasty ✓ ⁴ episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹ Libel ✓ ² Euthanasia X ³ Tort X ⁴ Suicide McBurney's point of tenderness is present in: X ¹ Acute cholecystitis X ² Acute gastritis ✓ ³ Acute appendicitis 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1
Q.44 Ans	 X¹. periniotomy X². vaginotomy X³. vaginoplasty ✓⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X¹. Libel ✓². Euthanasia X³. Tort X⁴. Suicide McBurney's point of tenderness is present in: X¹. Acute cholecystitis X². Acute gastritis ✓³. Acute appendicitis X⁴. Acute tonsillitis 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25
Q.44 Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel ✓ ². Euthanasia X ³. Tort X ⁴. Suicide McBurney's point of tenderness is present in: X ¹. Acute cholecystitis X ². Acute gastritis ✓ ³. Acute appendicitis X ⁴. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show:	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1
Q.44 Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel ✓ ². Euthanasia X ³. Tort X ⁴. Suicide McBurney's point of tenderness is present in: X ¹. Acute cholecystitis X ². Acute gastritis ✓ ³. Acute appendicitis X ⁴. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X ¹. renal and ureteric calculi 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3
Q.44 Ans	 X ¹. periniotomy X ². vaginotomy X ³. vaginoplasty ✓ ⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹. Libel ✓ ². Euthanasia X ³. Tort X ⁴. Suicide McBurney's point of tenderness is present in: X ¹. Acute cholecystitis X ². Acute gastritis ✓ ³. Acute appendicitis X ⁴. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X ¹. renal and ureteric calculi X ². posterior urethral valves 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered
Q.44 Ans Q.45 Ans	 1. periniotomy 2. vaginotomy 3. vaginoplasty ✓ 4. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X 1. Libel ✓ 2. Euthanasia X 3. Tort X 4. Suicide McBurney's point of tenderness is present in: X 1. Acute cholecystitis X 2. Acute gastritis ✓ 3. Acute appendicitis X 4. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X 1. renal and ureteric calculi X 2. posterior urethral valves ✓ 3. vesicoureteric reflux 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3 Question ID : 476943129 Status : Answered Chosen Option : 3
Q.44 Ans	 X¹. periniotomy X². vaginotomy X³. vaginoplasty ✓⁴. episiotomy The act of deliberately ending a person's life to relieve suffering is called: X¹. Libel ✓². Euthanasia X³. Tort X⁴. Suicide McBurney's point of tenderness is present in: X¹. Acute cholecystitis X². Acute gastritis ✓³. Acute appendicitis X⁴. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X¹. renal and ureteric calculi X². posterior urethral valves ✓³. vesicoureteric reflux ✓⁴. neurogenic bladder	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3 Marks : 1.00
Q.44 Ans Q.45 Ans	 X ¹. periniotomy X ² vaginotomy X ³ vaginoplasty 4 episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹ Libel 2 Euthanasia X ³ Tort X ⁴ Suicide McBurney's point of tenderness is present in: X ¹ Acute cholecystitis X ² Acute gastritis 3 Acute appendicitis X ⁴ Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X ¹ renal and ureteric calculi 2 posterior urethral valves 3 vesicoureteric reflux 4 neurogenic bladder A patient undergoing cancer chemotherapy is vomiting frequently. The drug of choice in this case is:	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3
Q.44 Ans Q.45 Ans	 1. periniotomy 2. vaginotomy 3. vaginoplasty 4. episiotomy The act of deliberately ending a person's life to relieve suffering is called: 1. Libel 2. Euthanasia 3. Tort 4. Suicide McBurney's point of tenderness is present in: 1. Acute cholecystitis 2. Acute gastritis 3. Acute appendicitis 4. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: 1. renal and ureteric calculi 2. posterior urethral valves 3. vesicoureteric reflux 4. neurogenic bladder A patient undergoing cancer chemotherapy is vomiting frequently. The drug of choice in this case is: 1. Bromocriptine 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943113 Status : Answered Chosen Option : 2
Q.44 Ans Q.45 Ans	 X ¹. periniotomy X ² vaginotomy X ³ vaginoplasty 4 episiotomy The act of deliberately ending a person's life to relieve suffering is called: X ¹ Libel 2 Euthanasia X ³ Tort X ⁴ Suicide McBurney's point of tenderness is present in: X ¹ Acute cholecystitis X ² Acute gastritis 3 Acute appendicitis X ⁴ Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: X ¹ renal and ureteric calculi 2 posterior urethral valves 3 vesicoureteric reflux 4 neurogenic bladder A patient undergoing cancer chemotherapy is vomiting frequently. The drug of choice in this case is:	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943113 Status : Answered
Q.44 Ans Q.45 Ans	 1. periniotomy 2. vaginotomy 3. vaginoplasty 4. episiotomy The act of deliberately ending a person's life to relieve suffering is called: 1. Libel 2. Euthanasia 3. Tort 4. Suicide McBurney's point of tenderness is present in: 1. Acute cholecystitis 2. Acute gastritis 3. Acute appendicitis 4. Acute tonsillitis A child with recurrent urinary tract infections is most likely to show: 1. renal and ureteric calculi 2. posterior urethral valves 3. vesicoureteric reflux 4. neurogenic bladder A patient undergoing cancer chemotherapy is vomiting frequently. The drug of choice in this case is: 1. Bromocriptine 2. Ondansetron 	Status : Answered Chosen Option : 4 Marks : 1.00 Question ID : 47694328 Status : Answered Chosen Option : 4 Marks : -0.25 Question ID : 47694389 Status : Answered Chosen Option : 1 Marks : -0.25 Question ID : 476943129 Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943113 Status : Answered Chosen Option : 2





Q.48	Gravida refers to which of the following descriptions?	Question ID :476943159
Ans	√ ¹. Number of times a female has been pregnant	Status : Answered Chosen Option : 1
	X 2. Number of fulltime a female has delivered	Marks : 1.00
	X 3. Number of live children	
	Number of preterm pregnancies a female has had	
Q.49	The nurse is teaching a group of patients about the mood-stabilising medication, lithium carbonate. Which of the	Question ID : 47694354
	following medications should she instruct the patients to avoid because of the increased risk of lithium toxicity?	Status : Answered
Ans	✓¹. Diuretics	Chosen Option :1 Marks : 1.00
	× 2. Antibiotics	marks . 1.00
	X 3. Hypoglycemic agents A 1 A 2 A 2 A 3 A 3 A 3 A 4 A 4 A 5 A 6 A 7 A 7 A 7 A 7 A 7 A 7 A 7	
_	× 4. Antacids	
Q.50	Bleeding precautions like needle stick injury prevention should be followed in all of the following cases EXCEPT when the patient is:	Question ID : 476943111
Ans	✓ ¹. on cephalosporins	Status : Answered Chosen Option :3
	× 2. suffering from liver disease	Marks : -0.25
	× 3. suffering from haemophilia	
	The state of the	
	× 4. on anticoagulants	
Q.51	When is folic acid started in antenatal period to prevent congenital disorder in an infant?	Question ID : 476943153
Ans	★ 1. During the first trimester	Status : Answered Chosen Option :1
	∑ ^{2.} During the second trimester	Marks :-0.25
	√ 3. Before conception	
	★ 4. During the third trimester	
Q.52	—	
Ans	Which of the following Hepatitis viruses spreads by fecal-oral route?	Question ID : 47694347 Status : Answered
Alls	X ¹. Hepatitis B	Chosen Option :2
	✓ 2. Hepatitis A	Marks : 1.00
	X 3. Hepatitis D	
	★ ^{4.} Hepatitis C	
Q.53	Which of the following is a long continuous strand of DNA that carries genetic information?	Question ID : 47694374
Ans	✓¹. Chromosome	Status : Answered
	× 2. Nucleus	Chosen Option :1 Marks : 1.00
	X ^{3.} Mitochondria	
	X⁴. Ribosome	
Q.54	Which of the following is NOT an Indian System of medicine?	Question ID :476943176
Ans	✓¹. Feng Shui	Status : Answered
	× 2. Unani	Chosen Option :1 Marks :1.00
	★ 3. Homeopathy	
	X⁴. Ayurveda	
Q.55	Tetracycline is used as prophylaxis for	
Ans	AT COLD FOR A STATE OF THE STAT	Question ID : 47694357
	1. Cholera	0
7	✓ ^{1.} Cholera × ^{2.} Brucellosis	Status : Answered Chosen Option :1
70	X ^{2.} Brucellosis	
	 X ². Brucellosis X ³. Leptospirosis 	Chosen Option :1
	 Z² Brucellosis X³ Leptospirosis X⁴ Meningitis 	Chosen Option :1
Q.56	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 	Chosen Option :1 Marks :1.00 Question ID :47694320
	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 	Chosen Option : 1 Marks : 1.00
Q.56	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status : Answered
Q.56	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status : Answered Chosen Option :2
Q.56 Ans	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 4. Vitamin D 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status : Answered Chosen Option :2
Q.56 Ans	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 4. Vitamin D Use of punishment and coercion is used in which style of leadership? 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status : Answered Chosen Option :2 Marks :1.00 Question ID :476943200
Q.56 Ans	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 4. Vitamin D Use of punishment and coercion is used in which style of leadership? 1. Democratic 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status : Answered Chosen Option :2 Marks :1.00
Q.56 Ans	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 4. Vitamin D Use of punishment and coercion is used in which style of leadership? 1. Democratic 2. Laissez-faire 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status :Answered Chosen Option :2 Marks :1.00 Question ID :476943200 Status :Not Answered
Q.56 Ans	 2. Brucellosis 3. Leptospirosis 4. Meningitis Rohit, aged 15 years, complains of bleeding gums. The nurse will advise him to take a diet high in: 1. Vitamin B 2. Vitamin C 3. Vitamin A 4. Vitamin D Use of punishment and coercion is used in which style of leadership? 1. Democratic 	Chosen Option :1 Marks :1.00 Question ID :47694320 Status :Answered Chosen Option :2 Marks :1.00 Question ID :476943200 Status :Not Answered Chosen Option :





Q.58 Exaggerated convexity in thoracic region is called Question ID : 47694338 Status : Answered Ans 1. Lordosis Chosen Option :4 Marks : 1.00 X^{2.} Myelitis X 3. Scoliosis 4. Kyphosis Q.59 Who is the 'Father of Psychoanalytical Theory'? Question ID : 47694339 Status : Answered Ans X 1. Jean Piaget Chosen Option :3 X 2. Abraham Maslow Marks : 1.00 3. Sigmund Freud X 4. Lawrence Kohlberg Q.60 Vitamin B₆ (pyridoxine) is given with isoniazid (INH) because it: Question ID : 47694371 Status : Answered Ans Chosen Option :4 accelerates destruction of the remaining organisms after inhibition of their reproduction by isoniazid Marks : 1.00 2. improves the immunologic response of the client X^{3.} enhances tuberculostatic effect of isoniazid 4. provides the vitamin when isoniazid is interfering with natural vitamin synthesis A patient is scheduled for a pulmonary function test. The nurse explains that during the test the respiratory therapist will ask the patient to breathe normally to measure the: Q.61 Question ID: 47694378 Status : Answered Ans 1. Tidal Volume Chosen Option :1 Marks : 1.00 ² Total Lung Capacity X 3. Residual Volume Vital Capacity Q.62 Which correlation is the strongest? Question ID: 476943187 **√** 1. −1.00 Status : Answered Chosen Option :4 × 2. +0.90 Marks : -0.25 X 3. -0.95 × 4. +0.10 Andragogy refers to: Question ID : 476943167 Status: Not Answered experiential learning Chosen Option :-X 2. action learning Marks : 0.00 3. adult learning X 4. child learning Q.64 While asking about the history of a patient, the nurse finds out that the patient is on a plant-based diet only. She Question ID : 47694321 understands that he might develop: Status : Answered Ans Marasmus Chosen Option :1 Marks : -0.25 X 2. Scurvy X 3. Pellagra 4. Megaloblastic anemia Q.65 A nurse is reviewing a patient's records and notes that the patient has renal disorder. The nurse expects to note which of Question ID : 476943121 the following laboratory results? Status : Answered 1. Increased haemoglobin level Chosen Option :3 Marks : 1.00 2. Decreased serum phosphate level 3. Elevated serum creatinine level Note: A serial potassium level

A serial What would you monitor in a patient taking high doses of acetaminophen over a prolonged period? Question ID: 47694380 Status: Answered X 1. Prothrombin time Chosen Option :3 X 2. GI irritation Marks : 1.00 3. Liver function X 4. Kidney function





Q.67 A patient with chronic renal failure is receiving Epoetin Alfa. Which laboratory result would indicate a therapeutic Question ID : 47694366 effect of the medication? Status : Answered Ans Haematocrit 32 % Chosen Option :1 Marks : 1.00 X². WBC count of 6000 cells/mm³ No. Platelet count of 400,000 cells/mm³ X 4. BUN of 15 mg/dl When examining a patient who is paralysed below the T4 level, the medical-surgical nurse expects to find: Question ID: 476943122 Ans Status: Answered 1 flaccidity of the upper extremities Chosen Option:3 2. hyperreflexia and spasticity of the upper extremities Marks : -0.25 ★ 3. impaired diaphragmatic function requiring ventilator support independent use of the upper extremities and efficient cough Q.69 All of the following are characteristics of FALSE labour EXCEPT: Question ID: 476943163 Status: Answered X 1. relief by activity Chosen Option :4 2. no progress of contractions Marks : 1.00 3. irregular contractions √ 4. dilatation and effacement of the cervix Q.70 Which of the following is an antidote for acetaminophen poisoning? Question ID : 47694356 Status: Answered N 1. Physostigmine

1. Physostigmine

2. Physostigmine

2. Physostigmine

3. Physostigmine

4. Physical

4. P Chosen Option :4 X 2. Deferoxamine Marks : 1.00 X 3. Digiband N-Acetyl cysteine Q.71 A patient with renal failure having edema is most likely to receive: Question ID: 47694362 Status : Answered Ans Antidiuretics Chosen Option :3 X 2. Beta blockers Marks : 1.00 √ 3. Diuretics X 4. Laxatives Q.72 The name of the nursing diagnosis is linked to the etiology with the phrase: Question ID : 47694324 X 1. "as manifested by" Chosen Option :3 X 2. "due to" √ 3. "related to" X 4. "evidenced by" Incidence is defined as: Question ID: 476943175 1 number of old cases present Status : Answered Chosen Option:2 2. number of new cases occurring during a specific period Marks : 1.00 3. number of cases existing in a given period * number of cases existing in a given population at a given moment Q.74 Which type of error is committed in testing a hypothesis when the researcher accepts the null hypothesis that is actually Question ID: 476943190 Status : Answered X ¹. Type III Chosen Option:3 Marks : -0.25 √ 2. Type II X 3. Type I X 4. Type IV Hypertonicity and scissoring leg movements are expected clinical findings in: Question ID : 476943109 Status : Answered Cerebral Palsy Chosen Option :4 X^{2.} Autism Marks : -0.25 Mental Retardation

Me X 4. Schizophrenia





Ans	A patient who abuses alcohol and cocaine tells a nurse that he only uses substances because of his stressful marriage and difficult job. Which defence mechanism is this patient using? 1. Projection 2. Displacement	Question ID : 476943144 Status : Answered Chosen Option : 3 Marks : 1.00
Q.77	 ✓ 3. Rationalisation X 4. Sublimation 	
Ans	Coombs test is performed to predict which complication in a foetus? *\times 1. Genetic thalassaemia *\times 2. Physiologic hyperbilirubinaemia *\times 3. Metabolic disorder	Question ID : 476943155 Status : Answered Chosen Option :1 Marks : -0.25
	√ 4. Acute haemolytic disease	
Q.78 Ans	If a test is sensitive, it will be explained as: *\times 1. the ability of a test to correctly identify those without the disease (true negative rate) *\times 2. true positive in current time *\times 3. true positive in long time	Question ID : 476943178 Status : Answered Chosen Option : 4 Marks : 1.00
Q.79	chloroquine exhibits action.	
Ans	 ✓ 1. Antiamoebic ✓ 2. Antimalarial 	Question ID : 47694361 Status : Answered Chosen Option :2 Marks : 1.00
	X ³. AntiviralX ⁴. Antifungal	
Q.80 Ans	Increased nuchal translucency observed in the 13th week of fetal ultrasound is characteristic of: **\times 1. Klinefelter's syndrome	Question ID : 47694373 Status : Answered Chosen Option : 4
	 Z. Turner's syndrome 3. Hydrocephalus 4. Down's syndrome 	Marks : 1.00
Q.81	A type of educational assessment which is generally carried out throughout a course or project is termed as a/an assessment.	Question ID : 476943168
Ans	× 1. summative	Status : Answered Chosen Option : 2 Marks : -0.25
	X 2. informal✓ 3. formative	
	Tolliative	
0.83	X ⁴. criterion-referenced	17
Q.82 Ans		Question ID : 47694364 Status : Answered
	 * 4. criterion-referenced A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? * 1. Diaphoresis, dizziness, hunger * 2. Headache, blurred vision, nausea 	
	 ✓ 4. criterion-referenced A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? ✓ 1. Diaphoresis, dizziness, hunger 	Status : Answered Chosen Option :3
	 ✓ 4. criterion-referenced A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? ✓ 1. Diaphoresis, dizziness, hunger ✓ 2. Headache, blurred vision, nausea ✓ 3. Polyuria, polydipsia, polyphagia 	Status : Answered Chosen Option :3
Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\times 1. Diaphoresis, dizziness, hunger **\times 2. Headache, blurred vision, nausea **\times 3. Polyuria, polydipsia, polyphagia **\times 4. Oliguria, fluid retention, shortness of breath **Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\times 1. Goodell's sign	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2
Ans	 ★ 4. criterion-referenced A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? ★ 1. Diaphoresis, dizziness, hunger ★ 2. Headache, blurred vision, nausea ★ 3. Polyuria, polydipsia, polyphagia ★ 4. Oliguria, fluid retention, shortness of breath Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered
Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\times 1. Diaphoresis, dizziness, hunger **\times 2. Headache, blurred vision, nausea **\times 3. Polyuria, polydipsia, polyphagia **\times 4. Oliguria, fluid retention, shortness of breath **Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\times 1. Goodell's sign **\times 2. Chadwick's sign	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2
Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\frac{1}{2}\$. Diaphoresis, dizziness, hunger **\frac{2}{2}\$. Headache, blurred vision, nausea **\frac{3}{3}\$. Polyuria, polydipsia, polyphagia **\frac{4}{4}\$. Oliguria, fluid retention, shortness of breath Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\frac{1}{2}\$. Goodell's sign **\frac{2}{2}\$. Chadwick's sign **\frac{3}{3}\$. Hegar's sign **\frac{3}{4}\$. Palmer's sign Pain in calf on dorsiflexion of the foot (Homans' sign) may indicate:	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2
Q.83 Ans	 ★ 4. criterion-referenced A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? ★ 1. Diaphoresis, dizziness, hunger ★ 2. Headache, blurred vision, nausea ★ 3. Polyuria, polydipsia, polyphagia ★ 4. Oliguria, fluid retention, shortness of breath Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: ★ 1. Goodell's sign ★ 2. Chadwick's sign ★ 3. Hegar's sign ★ 4. Palmer's sign 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694368
Q.83 Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\frac{1}{2} \text{ Diaphoresis, dizziness, hunger} **\frac{2}{3} \text{ Polyuria, polydipsia, polyphagia} **\frac{4}{4} \text{ Oliguria, fluid retention, shortness of breath} **Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\frac{1}{3} \text{ Goodell's sign} **\frac{2}{3} \text{ Chadwick's sign} **\frac{3}{3} \text{ Hegar's sign} **\frac{4}{3} \text{ Palmer's sign} **\frac{4}{3} \text{ Palmer's sign} **\frac{4}{3} \text{ Palmer's sign} **\frac{3}{3} \text{ Lymphedema} **\frac{1}{3} \text{ Thrombophlebitis} **\frac{2}{3} \text{ Aneurysm} **\frac{3}{3} \text{ Lymphedema}	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694368 Status : Answered Chosen Option : 1
Q.83 Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\frac{1}{2}\text{ Diaphoresis, dizziness, hunger} **\frac{2}{2}\text{ Headache, blurred vision, nausea} **\frac{3}{3}\text{ Polyuria, polydipsia, polyphagia} **\frac{4}{4}\text{ Oliguria, fluid retention, shortness of breath} **Dusky hue of the vestibule and anterior vaginal wall visible at about \$th week of pregnancy is called as: **\frac{1}{2}\text{ Goodell's sign} **\frac{2}{2}\text{ Chadwick's sign} **\frac{3}{4}\text{ Palmer's sign} **\frac{4}{4}\text{ Palmer's sign} **\frac{1}{4}\text{ Thrombophlebitis} **\frac{2}{4}\text{ Aneurysm} **\frac{3}{4}\text{ Lymphedema} **\frac{4}{4}\text{ Cellulitis}	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694368 Status : Answered Chosen Option : 1 Marks : 1.00
Q.83 Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\frac{1}{2}\text{ Diaphoresis, dizziness, hunger} **\frac{2}{2}\text{ Headache, blurred vision, nausea} **\frac{3}{3}\text{ Polyuria, polydipsia, polyphagia} **\frac{4}{4}\text{ Oliguria, fluid retention, shortness of breath} Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\frac{1}{4}\text{ Goodell's sign} **\frac{2}{2}\text{ Chadwick's sign} **\frac{3}{3}\text{ Hegar's sign} **\frac{4}{4}\text{ Palmer's sign} **\frac{1}{4}\text{ Palmer's sign} **\frac{1}{4}\text{ Thrombophlebitis} **\frac{2}{4}\text{ Aneurysm} **\frac{3}{3}\text{ Lymphedema} **\frac{4}{4}\text{ Cellulitis} **Parrot-like repetition of words spoken by another person is known as: **\frac{1}{4}\text{ Dyscalculia}	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694368 Status : Answered Chosen Option : 1
Q.83 Ans	A client is suffering from diabetes mellitus. Which of the following symptoms indicate hyperglycemia? **\frac{1}{2}\text{ Diaphoresis, dizziness, hunger} **\frac{2}{2}\text{ Headache, blurred vision, nausea} **\frac{3}{3}\text{ Polyuria, polydipsia, polyphagia} **\frac{4}{4}\text{ Oliguria, fluid retention, shortness of breath} **Dusky hue of the vestibule and anterior vaginal wall visible at about 8th week of pregnancy is called as: **\frac{1}{4}\text{ Goodell's sign} **\frac{2}{4}\text{ Chadwick's sign} **\frac{3}{3}\text{ Hegar's sign} **\frac{4}{4}\text{ Palmer's sign} **\frac{1}{4}\text{ Palmer's sign} **\frac{1}{4}\text{ Thrombophlebitis} **\frac{2}{4}\text{ Aneurysm} **\frac{3}{3}\text{ Lymphedema} **\frac{4}{4}\text{ Cellulitis} **Parrot-like repetition of words spoken by another person is known as:	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 476943165 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694368 Status : Answered Chosen Option : 1 Marks : 1.00 Question ID : 476943150 Status : Answered





Ms Rohini is a new Nurse Educator of a private tertiary hospital. She conducts orientation among new staff nurses in Question ID : 476943195 her department. Leena, one of the new staff nurses, wants to understand the channel of communication, span of control Status : Answered and lines of communication. Which of the following will provide this information? Chosen Option :4 Ans X 1. Policy Marks : 1.00 X 2. Job description 4. Organisational structure Q.87 Painful spasms of the hamstring muscle and resistance to further extension of the leg at the knee while flexing the hip of Question ID: 476943118 a recumbent patient is called: Status : Answered Ans X 1. Brudzinski's Sign Chosen Option :2 Marks : 1.00 √² Kernig's Sign X 3. Opisthotonus Ankle Clonus Q.88 The art of applying mock injuries for the purpose of training emergency response teams and other medical personnel is Question ID : 476943172 Status : Answered Ans X 1. specimen Chosen Option :2 Marks : 1.00 √² moulage X 3. exhibit X 4. model Q.89 is an elevation of skin filled with fluid and is less than 1 cm in diameter. Question ID :47694392 Status : Answered X 1. Wheal Chosen Option :2 √² Vesicle Marks : 1.00 X 3. Macule X 4. Papule Q.90 In a lecture on sexual functioning, a nurse will include the fact that ovulation occurs when the: Question ID : 4769439 Status : Ansv Ans √ 1. blood level of LH is too high Chosen Option :4 2. progesterone level is high Marks : -0.25 3. oxytocin level is too high 4. endometrial wall is sloughed off Q.91 To decrease bradyarrhythmias in children during endotracheal intubation, Succinylcholine is given along with: Question ID: 476943125 X 1. Vecuronium Status : Answered Chosen Option :2 X 2. Xylocaine Marks : -0.25 X 3. Adrenaline 4. Atropine Sulphate The normal range for pH of blood is: Question ID : 47694310 Status : Answered **√** 1. 7.35-7.45 Chosen Option :1 X 2. 8.0-8.2 Marks : 1.00 X 3. 7.47-7.57 × 4. 7.11-7.22 0.93 Reed-Sternberg cells in nodes are found in: Question ID :476943110 Status : Answered Ans X 1. Leukaemia Chosen Option :4 Non-Hodgkin's Lymphoma Marks : 1.00 ^{3.} Multiple Myeloma Hodgkin's Lymphoma Q.94 Which of the following contains deoxygenated blood? Question ID : 4769433 Status : Answered X 1. Subclavian artery Chosen Option :4 X 2. Aorta Marks : 1.00 X ^{3.} Pulmonary vein Pulmonary artery





Q.95 The chief distinguishing feature of psychotic disorders is: Question ID : 47694340 Status : Answered 1. Confusion between fantasy and reality Chosen Option :1 Note: 2. Overwhelming anxiety Marks : 1.00 X 3. Obsessive behavior Antisocial conduct Q.96 How many moments of hand hygiene have been laid down by WHO? Question ID : 47694346 Status : Answered Ans Chosen Option :1 X 2. 8 Marks : -0.25 X 3. 7 **4**. 5 Q.97 Untwisting of the neck sustained during internal rotation is called as: Question ID: 476943164 Status : Answered X 1. flexion Chosen Option :2 2. restitution Marks : 1.00 X 3. torsion × 4. crowning Which of the following is a stage of the nursing process in which the nurse continuously collects data to identify a Question ID: 47694334 patient's actual and potential health needs? Status: Answered X 1. Implementation Chosen Option:4 Marks : 1.00 × 2. Planning X 3. Evaluation 4. Assessment Q.99 What are the basic structural units of proteins? Question ID: 47694317 Status : Answered X 1. Sucrose Chosen Option :2 2. Amino acids Marks : 1.00 X 3. Fatty acids X 4. Peptides Q.100 A nurse is doing endotracheal suctioning. During the procedure, the nurse notes decreasing heart rate on the monitor. Question ID :476943117 What should be the first priority action? Status : Answered Ans Notify the physician immediately. Chosen Option :3 Marks : 1.00 Continue to suction. Stop the procedure and reoxygenate the patient. X 4. Ensure that suction is limited to 15 seconds. Q.101 The maintenance provided by a husband to his divorced wife is called: Question ID: 476943105 X 1. Mehr Chosen Option :1 √^{2.} Alimony Marks : -0.25 X 3. Bride Price X 4. Dowry A rare condition in which separate personalities exist in the same person is called: Question ID: 47694341 Status: Answered X 1. Somatoform disorder Chosen Option :4 × 2. Delusion Marks : 1.00 3. Schizophrenia Dissociative identity disorder Q.103 The pacemaker of the heart is: Question ID : 47694314 Status : Answered Ans X 1. AV node Chosen Option :2 √² SA node No. 3. Purkinje fibres X 4. Right atrium A nurse enters the room of a patient with a cognitive impairment disorder and asks what day of the week it is; what the Question ID: 476943142 date, month and year are; and where the patient is. The nurse is attempting to assess: Status : Answered Ans X 1. Delirium Chosen Option:3 Marks : 1.00 X 2. Confabulation √ 3. Orientation A. Perseveration



Q.105



Which of the following pathophysiological processes is involved in multiple sclerosis? Question ID: 47694363 Status : Answered ★ 1. Destruction of the brainstem and basal ganglia in the brain Chosen Option:3 Chronic inflammation of rhizomes just outside the central nervous system Marks : 1.00 Development of demyelination of the myelin sheath, interfering with the nerve transmission * Degeneration of the nucleus pulposus, causing pressure on the spinal cord Compression to ventilation ratio in adults with two rescuers is: Question ID: 47694385 X 1. 30:2 Status: Answered Chosen Option :1 **√** ^{2.} 15:2 Marks : -0.25 X 3. 2:30 X 4. 15:1 Q.107 The Hawthorne study to determine the relationship between the intensity of illuminations and workers' productivity was Question ID: 476943193 Status : Not Answered Mary Parker Follett Chosen Option :--Marks : 0.00 X 2. Kurt Levin X 3. Abraham Maslow 4. Elton Mayo Q.108 A nurse teaches a pregnant client to perform Kegel exercises. Which statement by the client indicates an understanding Question ID : 476943156 of the purpose of these types of exercises? Status : Answered Ans The exercises will help strengthen the pelvic floor in preparation for delivery. Chosen Option :1 Marks : 1.00 2. The exercises will help prevent urinary tenderness. 3. The exercises will help prevent oedema. * The exercises will help reduce uterine contraction. Q.109 An 18-month-old infant hospitalised with a severe asthma attack is given prednisone, 15 mg po bid. The nurse should: Question ID: 476943126 X 1. check the child's eosinophil count daily Status: Answered Chosen Option :4 × 2. have the child rest as much as possible Marks : 1.00 X 3. keep the child NPO except for medications 4. prevent exposing the child to infection Q.110 All of the following are vector borne diseases EXCEPT: Question ID : 47694345 Status : Answered ★ 1. Malaria Chosen Option :4 Chagas disease Marks : 1.00 X 3. Filariasis 4. Rubella Q.111 Which nursing intervention is appropriate to prevent pulmonary embolus in a patient who is prescribed bed rest? Question ID : 47694370 Status : Answered √ ¹. Teach the patient to move legs in bed Chosen Option :1 Encourage deep breathing and coughing Marks : 1.00 X 3. Use the knee gatch when the client is in bed Limit the patient's fluid intake Q.112 Isolation of a child with mumps belongs to what level of prevention? Question ID :476943179 Status : Answered Ans X 1. Secondary Chosen Option :1 X 2. Intermediate Marks : -0.25 3. Primary X 4. Tertiary Q.113 How should a nurse assess whether a patient with cirrhosis has asterixis? Question ID : 476943114 Status : Answered √ 1. Ask the patient to extend the arms. Chosen Option :2 × 2. Measure the abdominal girth. 3. Instruct the patient to lean forward. Market A. Dorsiflex the patient's foot.





Q.114 The movement of the head and shoulders is controlled by the: Question ID :4769431 Status : Answered M. Glossopharyngeal nerve

1. Glossopharynge Chosen Option :4 X² Hypoglossal nerve Marks : 1.00 X 3. Abducens nerve 4. Accessory nerve Q.115 A nurse should understand that electroconvulsive therapy is primarily used in psychiatric care for the treatment of: Question ID :476943141 X 1. Anxiety Status : Answered Chosen Option :4 X 2. Mania Marks : 1.00 3. Schizophrenia 4. Depression Q.116 Which of the following is NOT a major feature of capitalism? Question ID: 476943104 Status: Not Answered X 1. Competition Chosen Option :--√² Equitable distribution of income Marks : 0.00 X 3. Profit incentive A. Private property Q.117 Which of the following immunoglobulin will be high in a person with an allergy? Question ID: 47694312 Status : Answered X 1. Ig M Chosen Option:4 X 2. Ig A Marks : 1.00 X 3. Ig G √ 4. Ig E Q.118 Validity of a data-collection instrument means: Question ID: 476943184 Status : Answered 1. the consistency of data over time Chosen Option :4 × 2. the stability of data over time Marks : 1.00 ★ 3. the degree to which two different forms of an instrument obtain the same results. √ 4. the ability of the instrument to gather the data that it is intended to measure Q.119 A child is admitted to the paediatric ward with suspected rheumatic arthritis. What should be an important question that Question ID :476943128 nurse should ask the parents? Status : Answered Ans 1. Did the child vomit for 4 days? Chosen Option:4 Marks : -0.25 2. Did the child show a lack of interest in food? 3. Did a recent episode of pharyngitis develop? A Did the fever start 3 days ago? Q.120 Which of the following is one of the most popular and useful ways of showing activities displayed against time where estion ID :476943194 on the left side is a list of the activities represented by a bar and along the top is a time scale reflecting the start date, duration and end date of the activity? Chosen Option :-1. Gantt chart 2. PERT analysis X 3. Nomogram X 4. Rotation plan Q.121 A parent who copes with quarreling among young children by placing them in separate rooms is using: Question ID: 47694342 Status : Answered Ans ✓ 1. Time out Chosen Option :2 × 2. Punishment Marks : -0.25 X 3. Reinforcement X 4. Shaping Q.122 Deficiency of which of the following neurotransmitters in the brain will cause Alzheimer's disease? Question ID: 4769437 Status : Answered X 1. Serotonin Chosen Option :3 2. Acetylcholine Marks : -0.25 3. GABA (gamma-aminobutyric acid) X 4. Dopamine





Q.123 Cystic fibrosis is an example of: Question ID : 47694375 Status : Answered ★ ¹. Autosomal dominant disorder Chosen Option :1 X² X linked dominant disorder Marks : -0.25 √ 3. Autosomal recessive disorder X 4. X linked recessive disorder Q.124 Stunting refers to: Question ID :476943130 Status: Not Answered 1. low weight than what is appropriate for a certain height Chosen Option :--2. low height than what is appropriate for a certain age Marks : 0.00 3. low weight than what is appropriate for a certain age X 4. low BMI Which organ is the primary site of haematopoiesis in the foetus before mid-pregnancy? Question ID : 476943135 Status : Answered Chosen Option :2 ×2. Spleen Marks : -0.25 X 3. Lung X 4. Bone Q.126 is the largest bone in the human body. Question ID: 4769434 X ¹. Sternum Status: Answered Chosen Ontion :2 ✓^{2.} Femur Marks : 1.00 X^{3.} Tibia X 4. Stapes Q.127 When administering an IM injection to an infant, the nurse in charge should use which site? Question ID :476943123 Ans Vastus lateralis Chosen Option :1 X². Deltoid Marks : 1.00 X ^{3.} Ventrogluteal Markon Prince

A discrepancy

A discrep Colles' fracture is a fracture of the: Question ID : 47694388 √ ¹ distal end of radius Status: Answered Chosen Option :1 2. proximal end of radius Marks : 1.00 X 3. distal end of ulna X 4. shaft of Humerus Q.129 The amount of blood ejected by each ventricular contraction is called the: Question ID: 47694315 Status : Answered X 1. Cardiac output Chosen Option :3 Expiratory reserve Marks : 1.00 √ 3. Stroke volume X 4. Tidal volume Q.130 A sampling method which involves a random start and then proceeds with the selection of every kth element from then Question ID :476943186 onwards is called _ _. (where k = population size/sample size) Status : Answered Ans 1. simple random sampling Chosen Option :1 Marks : -0.25 2. stratified random sampling 3. systematic sampling X 4. snowball sampling Q.131 An Intrathecal injection administers a drug through the: Question ID: 47694336 Status : Answered X 1. cardiac area Chosen Option:3 X 2. superficial vein Marks : 1.00 √ 3. spine Q.132 Brushfields spots, protruded tongue and single palmar crease are characteristic features of: Question ID : 47694376 Status : Answered Ans Turner syndrome Chosen Option :4 Edwards syndrome

2. Edwards syndrome

2. Edwards syndrome

2. Edwards syndrome

2. Edwards syndrome

3. Edwards syndrome

4. Edwar X 3. Patau syndrome Down syndrome





Q.133	"Man is a social animal" — Who said so?	Question ID : 476943106
Ans	√ ¹. Aristotle	Status : Answered
	X ^{2.} Plato	Chosen Option :1 Marks :1.00
	X ^{3.} Cornte	
	★ 4. Karl Marx	
Q.134	Which of the following statements about acid base balance is INCORRECT?	Question ID : 47694365
Ans	✓ ¹. Overuse of antacids causes metabolic acidosis	Status : Answered
		Chosen Option :1
	× 2. Hyperventilation causes respiratory alkalosis	Marks : 1.00
	X 3. Hypoventilation causes respiratory acidosis	
	Loss of gastric juices causes metabolic alkalosis	
Q.135	Unshakeable and persistent ideas are called:	Question ID :476943148
Ans	✓¹. Delusions	Status : Answered
	× 2. Hallucinations	Chosen Option :1 Marks :1.00
	× 3. Illusions	Warks . 1.00
	× 4. Compulsions	
	The state of the s	
Q.136	The four terms that are required to construct a PERT network are events, activities, and	Question ID : 476943197
Ans	✓ 1. slack time; critical path	Status : Not Answered Chosen Option :
	★ 2. crucial path; earliest date	Marks : 0.00
	X ^{3.} crucial path; slack time	
	★ ⁴ . critical path; estimated time	
Q.137		
ų.13/	A 1-month-old boy presents with failure to thrive. On examination, he shows features of congestive heart failure. The femoral pulses are feeble as compared to the brachial pulses. The most likely clinical diagnosis is:	Question ID :476943134 Status : Answered
Ans	★ 1. congenital aortic stenosis	Chosen Option :1
	× 2. congenital aortoiliac disease	Marks : -0.25
	✓ ^{3.} coarctation of aorta	
	× 4. patent ductus arteriosus	
	pateni ductus arteriosus	
Q.138	The main difference between a prokaryotic cell and an eukaryotic cell is the absence of:	Question ID : 47694352
Ans	★ 1. Mitochondria	Status : Answered
	A # 2 PART TO BUT	
	★ 2. Flagella	Chosen Option :3 Marks :1.00
	✓ ³. True nucleus	·
	The second secon	·
Q.139	✓ 3. True nucleus	Marks : 1.00
	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? 	·
Q.139 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary 	Marks : 1.00 Question ID :476943154 Status : Answered Chosen Option :4
	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest 	Marks : 1.00 Question ID : 476943154 Status : Answered
	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently 	Question ID :476943154 Status : Answered Chosen Option :4
	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest 	Marks : 1.00 Question ID :476943154 Status : Answered Chosen Option :4
	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy 	Question ID :476943154 Status :Answered Chosen Option :4 Marks :1.00
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: 	Marks : 1.00 Question ID :476943154 Status : Answered Chosen Option :4
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine ✓ 2. Hypertension 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine ✓ 2. Hypertension X 3. Anorexia 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine ✓ 2. Hypertension 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2
Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine ✓ 2. Hypertension X 3. Anorexia X 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness 	Question ID :476943154 Status :Answered Chosen Option :4 Marks :1.00 Question ID :47694359 Status :Answered Chosen Option :2 Marks :1.00 Question ID :476943198 Status :Answered
Q.140 Ans	 ✓ 3. True nucleus X 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? X 1. Assess the breath sounds frequently X 2. Enforce bed-rest X 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: X 1. Orange-colored urine ✓ 2. Hypertension X 3. Anorexia X 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as 	Question ID :476943154 Status :Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status :Answered Chosen Option :2 Marks : 1.00 Question ID :476943198
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading Which of the following communication techniques should be avoided by nurses? 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3 Marks : -0.25
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3 Marks : -0.25
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading Which of the following communication techniques should be avoided by nurses? 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3 Marks : -0.25 Question ID :476943147 Status : Answered
Q.140 Ans	✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading Which of the following communication techniques should be avoided by nurses? ✓ 1. Listening	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3 Marks : -0.25 Question ID :476943147 Status : Answered Chosen Option :3
Q.140 Ans	 ✓ 3. True nucleus ✓ 4. Plasma membrane When planning care to a postpartum client with thromboembolic disease to prevent the complication of pulmonary embolism, what should be the intervention? ✓ 1. Assess the breath sounds frequently ✓ 2. Enforce bed-rest ✓ 3. Monitor the vital signs frequently ✓ 4. Administer and monitor anticoagulant therapy All of the following are side effects of Rifampicin EXCEPT: ✓ 1. Orange-colored urine ✓ 2. Hypertension ✓ 3. Anorexia ✓ 4. Dizziness Sharing responsibility and authority with others and holding them accountable for performance is termed as ✓ 1. delegation ✓ 2. organising ✓ 3. controlling ✓ 4. leading Which of the following communication techniques should be avoided by nurses? ✓ 1. Listening ✓ 2. Belittling 	Question ID :476943154 Status : Answered Chosen Option :4 Marks : 1.00 Question ID :47694359 Status : Answered Chosen Option :2 Marks : 1.00 Question ID :476943198 Status : Answered Chosen Option :3 Marks : -0.25 Question ID :476943147 Status : Answered Chosen Option :3 Chosen Option :3 Chosen Option :3 Chosen Option :3





Q.143 Cecum, colon and rectum are a part of: Question ID : 4769438 Status : Answered X 1. Pleural cavity Chosen Option :4 X 2. Small intestine Marks : 1.00 X 3. Peritoneum Large intestine Q.144 Which of the following combinations of adverse effects must be carefully monitored when administering I.V. insulin to Question ID : 47694372 a patient diagnosed with diabetic ketoacidosis? Status : Answered Ans Hypokalemia and hypoglycemia Chosen Option :1 Marks : 1.00 ² Hypocalcemia and hyponatremia 3. Hypercalcemia and hypernatremia ^{4.} Hyperkalemia and hyperglycemia Which of the following is a diagnostic test for typhoid? Question ID: 47694343 Status: Answered 1. Shick test Chosen Option:2 √ 2. Widal test Marks: 1.00 X 3. ELISA Mantoux test

A. Ma Relationship between two variables like age and weight can be presented using a Question ID : 476943188 Status: Answered ★ 1. bar diagram Chosen Option:1 × 2. histogram Marks : -0.25 3. scatter diagram X 4. pie diagram Q.147 Which of the following vaccinations is NOT a part of the Expanded Programme of Immunisation? Question ID : 47694396 Ans 1. Diphtheria, Pertussis and Tetanus (DPT) vaccine Chosen Option :3 Measles, Mumps, and Rubella (MMR) vaccine Marks : -0.25 3. Oral poliovirus vaccines (OPV) Measles vaccine

4. Me Q.148 The four metaparadigms of nursing theory are: Question ID : 47694325 Status : Not Answered Ans Nursing, Health, Communication and Person Chosen Option : Person, Health, Environment and Nursing Marks : 0.00 Nursing 3. Person, Health, Communication and Nursing Y 4. Person, Wellness, Security and Nursing Q.149 A nurse receives an order to give a patient two puffs of salmeterol, and two puffs of beclomethasone dipropionate, by a metered dose inhaler. The nurse should administer the medication by: Question ID: 476943116 Status: Answered Ans giving the salmeterol first and then the beclomethasone Chosen Option :1 Marks : 1.00 2. alternating a single puff of each, beginning with the beclomethasone × 3. giving the beclomethasone first and then the salmeterol 4. alternating a single puff of each, beginning with the salmeterol Q.150 Which of the following organs is affected in gastro-oesophageal reflux disease (GERD)? Question ID: 476943133 Status : Answered √ ¹. Lower oesophageal sphincter Chosen Option :1 X 2. Pylorus Marks : 1.00 X 3. Duodenum X 4. Diaphragm Q.151 Which of the following is NOT a modifiable risk factor in the case of diabetes? Question ID : 47694397 Status : Answered Ans Chosen Option :3 Alcohol intake Marks : -0.25 X 3. Salt intake X 4. Obesity





Q.152 Which blood group can be administered to a patient in emergency when his blood group is not known? Question ID : 47694313 Status : Answered √ ¹. O negative Chosen Option :1 X 2. AB positive Marks : 1.00 X 3. AB negative X 4. O positive A nurse is describing the process of foetal circulation to a client during a prenatal visit. The nurse accurately tells the Question ID: 476943152 client that foetal circulation consists of: Status: Answered 1. two umbilical arteries and one umbilical vein Chosen Option:1 2. arteries carrying oxygenated blood to the foetus Marks : 1.00 3. two umbilical veins and one umbilical artery veins carrying deoxygenated blood to the foetus Q.154 Non-stress test is said to be normal if there are: Question ID: 476943161 Ans Status : Answered No accelerations during a 40 min observation Chosen Option :4 √ 2. 2 or more FHR accelerations during a 20 min period. Marks : -0.25 X^{3.} 2 or more FHR accelerations in a 40 min period * no decelerations during a 40 min observation Q.155 Tall-tented T waves and widened QRS are seen in: Question ID: 47694386 Status : Answered Ans 1. Hyperphosphatemia Chosen Option :4 Marks : 1.00 X 2. Hyperglycemia X 3. Hyponatremia 4. Hyperkalemia Billroth I and Billroth II are surgical procedures done for: Question ID : 476943115 Status : Answered ★ 1. Lung cancer Chosen Option:4 X 2. Pancreatic cancer Marks : 1.00 X 3. Breast cancer 4. Gastric cancer Q.157 A patient says to a nurse, "Everyone would be better off if I wasn't alive." Which nursing diagnosis would be made Question ID :476943143 based on this statement? Status : Answered 1. Ineffective coping Chosen Option :2 Marks : -0.25 × 2. Impaired social interaction Risk for self-directed violence Market A. Disturbed thought processes

A. Disturbed though A patient is suspected of having a myocardial infarction. The nurse assesses for elevations in which of the following isoenzyme values reported with the creatine kinase level? Question ID: 47694377 Status : Answered X 1. BB Chosen Option:3 Marks : 1.00 × 2. MK √ 3. MB X 4. MM Q.159 is the major muscle responsible for breathing in humans. Question ID :4769436 Status : Answered Ans X 1. Rectus abdominis Chosen Option :4 X 2. Sternocleidomastoid Marks : 1.00 3. Trapezius 4. Diaphragm Q.160 The _____ hormone is secreted by the posterior pituitary. Question ID: 4769432 Status: Answered √ ¹. Oxytocin Chosen Option:1 X². Prolactin Marks : 1.00 ^{3.} Melanocyte secreting X 4. Luteinizing





A pregnant client tells a nurse that she found some clear fluid during urination. The nurse immediately assesses the Question ID : 476943160 perineum and finds the umbilical cord coming out. The priority nursing action is: Status : Answered 1. place the client in the Trendelenburg position Chosen Option :2 Marks : -0.25 2. start oxygen therapy ★ 3. recording and reporting in nursing notes * shift to the emergency room Q.162 The borehole latrine was introduced in India by: Question ID : 476943180 Status : Answered X 1. Rotary Foundation Chosen Option :4 X 2. UNICEF Marks : 1.00 Melinda Gates Foundation

Melinda Gates 4. Rockefeller Foundation Q.163 Ophthalmic medications should be instilled at: Question ID: 47694331 Status : Answered Ans ★ 1. upper conjunctival sac. Chosen Option :4 X 2. the edge of the eye Marks : 1.00 3. the cornea of the eye √ 4. lower conjunctival sac Q.164 A nurse is conducting a dietary assessment of a patient who is on a vegan diet. The nurse should plan to provide dietary teaching focused on food items high in which vitamin that may be absent in a vegan diet? Question ID: 47694381 Status: Answered X 1. Vitamin C Chosen Option:2 Marks : 1.00 √² Vitamin B₁₂ X 3. Vitamin E X 4. Vitamin A Q.165 Hemorrhagic disease of the newborn is caused by the deficiency of which vitamin? Question ID :47694318 Status : Answered X 1. Vitamin A Chosen Option :4 X 2. Vitamin D X 3. Vitamin C Vitamin K Q.166 The statements of beliefs and ideas, which are considered to be true, are known as: Question ID: 476943183 Ans 1. assumptions Status: Answered Chosen Option:1 × 2. operational definitions Marks : 1.00 3. hypotheses 4. conceptual definitions Q.167 The process in which a nasogastric tube is inserted, the stomach is flushed and ingested substances are removed through Question ID: 47694332 the tube is called: Status : Answered Ans Gastric lavage

Gastric la Chosen Option :1 Marks : 1.00 ^{2.} Gastric gavage X 3. Decompensation Colonic irrigation Q.168 If a chest drainage system line is broken or interrupted, the nurse's first course of action should be to: Question ID : 47694335 1. document findings Status: Answered Chosen Option :2 √ 2. clamp the tube immediately Marks: 1.00 X 3. notify the physician * check the patient's vitals Q.169 Acid-fast bacilli are found positive in which of the following conditions? Question ID : 476943100 Status : Answered 1. Diphtheria Chosen Option :3 X 2. SARS and Diphtheria Marks : -0.25 X ^{3.} Tuberculosis 4. Tuberculosis and Leprosy





Q.170 Cracked pot sound elicited while skull percussion indicative of increased intracranial tension is known as: Question ID : 476943107 Status: Not Answered X 1. Homans' sign Chosen Option :--X 2. Peroneal sign Marks : 0.00 X 3. Romberg sign 4. Macewen's sign Q.171 A patient with Diabetes mellitus has a glycosylated haemoglobin A_{1c} level of 9%. Based on this test result, the nurse Question ID : 47694384 plans to teach the client about the need to: Status : Answered Chosen Option :2 X 1. avoid infection Marks : 1.00 2. prevent and recognise hyperglycaemia 3. take in adequate fluids 4. prevent and recognise hypoglycaemia Q.172 Supervision and delegation is a part of which phase of management process? Question ID: 476943192 Status: Answered √ ¹. Directing Chosen Option :1 X 2. Organising Marks : 1.00 X 3. Controlling A. Planning Q.173 Infection that occurs as a result of a therapeutic or diagnostic procedure is called a/an: Question ID: 47694351 Status : Answered Nosocomial infection Chosen Option :1 ^{2.} Opportunistic infection Marks : -0.25 3. Iatrogenic infection Cross infection Q.174 All of the following are vitamin deficiencies in children EXCEPT: Question ID :476943131 Status: Answered Ans X 1. Rickets Chosen Option :2 √² Simple Goitre Marks : 1.00 Megaloblastic Anaemia X 4. Bitot's Spots Q.175 Which of the following drugs is the antidote for magnesium toxicity? Question ID : 47694358 Status : Answered Ans √ ¹. Calcium gluconate Chosen Option :1 2. Hydralazine Marks : 1.00 X 3. Vitamin K ^{4.} Naloxone Q.176 Ms Swati wants to influence the customary way of thinking and behaving that is shared by the members of the Question ID : 476943196 department. What is this termed as? Status: Not Answered Chosen Option :--Organisational culture Marks : 0.00 ^{2.} Organisational chart 3. Organisational structure X 4. Cultural network Q.177 Perinatal death includes death during: Question ID :476943182 Status: Answered √ 1. 28th week of gestation to 7 days after birth Chosen Option :1 2. 37th week of gestation to 14 days after birth Marks : 1.00 X 3. zero to 28 days of age 2. zero to one month of age Q.178 The management theorist developed the '14 Principles of Management'. Question ID : 476943191 Status: Not Answered √ ¹. Henri Fayol Chosen Option :--X 2. Max Weber Marks : 0.00 X 3. Fredrick Taylor Mary Follet





Q.179 Which of the following is considered as an indication for administering serum albumin? Question ID : 47694369 Status : Answered 1. Maintenance of oncotic pressure Chosen Option :1 Clotting of blood Marks : 1.00 X 3. Formation of WBCs X 4. Formation of RBCs Q.180 An 11-year-old child with juvenile rheumatoid arthritis is to be on continued aspirin medication at home. Before Question ID: 476943124 discharge from the hospital, the nurse should teach the child and parents to closely monitor for the toxic effects of this Status: Answered drug, which include: Chosen Option :4 1. Diarrhoea Marks : 1.00 X^{2.} Jaundice 3. Hypothermia 4. Tinnitus Q.181 The process by which molecules of a solvent tend to pass through a semipermeable membrane from a less concentrated Question ID: 47694316 solution into a more concentrated one is called: Status: Answered Ans Active transport Chosen Option:3 Marks : 1.00 X 2. Diffusion √ 3. Osmosis V 4. Ultrafiltration Q.182 All of the following methods are used for the diagnosis of HIV infection in a two-month-old child EXCEPT: Question ID: 47694387 Ans X 1. DNA-PCR Status: Answered Chosen Option:2 X 2. Viral culture Marks : -0.25 ★ 3. p24 antigen assay √ 4. HIV ELISA Q.183 All of the following are development assessment techniques EXCEPT: Question ID: 476943137 √ 1. MSE Status: Not Answered Chosen Option :-X 2. TDSC Marks : 0.00 X 3. DDST X 4. DASII Q.184 Which of the following tubes is used to manage upper gastrointestinal haemorrhage due to oesophageal varices? Question ID :476943120 Status : Answered 1. Jackson-Pratt drain Chosen Option :3 X 2. Penrose drain Marks : 1.00 √ 3. Sengstaken–Blakemore tube Q.185 Which of the following is the drug of choice for chemoprophylaxis against rheumatic fever? Question ID : 47694360 Status : Answered Ans Procaine penicillin Chosen Option :3 X 2. Penicillin V Marks : 1.00 √ 3. Benzathine penicillin X 4. Erythromycin Q.186 Evisceration refers to: Question ID: 47694330 ★ 1. Healing of surgical site Chosen Option :3 2. Separation of wound edges Marks : 1.00 3. Eruption of bowel through surgical site Markening of wound edges

A second control of the second contr Q.187 'Do no harm' is which ethical principle? Question ID : 47694327 Status : Answered X 1. Justice Chosen Option :3 X 2. Veracity Marks : -0.25 X 3. Beneficence 4. Non-maleficence Q.188 The reliability of a measuring tool has all of the following aspects EXCEPT: Question ID : 476943185 Status : Not Answered Ans X 1. equivalence Chosen Option :--√² efficiency Marks : 0.00 3. internal consistency X 4. stability





Q.189 Ans	On physical examination, the nurse notes that there is separation of layers of a surgical wound. She records it as: 1. Prolapse	Question ID :47694329 Status : Answered
	× 2. Evisceration	Chosen Option :4
	× 3. Herniation	Marks : 1.00
	✓ ⁴ Dehiscence	
Q.190	Kayser–Fleisher (golden brown) ring at the limbus of cornea seen with a hand lens is observed in:	
Ans	X 1. Cataract	Question ID :476943108 Status : Answered
	✓ 2. Wilson's Disease	Chosen Option :2
	× 3. Glaucoma	Marks : 1.00
	× 4. Down's Syndrome	
Q.191	- December 2000 and 100 € 100 km (100	
Q.131	A 75-year-old patient has dementia of the Alzheimer's type and confabulates. A nurse should understand that this patient:	Question ID :476943145 Status : Answered
Ans	★ 1. pretends to be someone else	Chosen Option :2
	√ 2. fills in memory gaps with fantasy	Marks : 1.00
	× 3. rationalises various behaviours	
	★ 4. denies confusion by being jovial	
Q.192	1945/84/10 0000943/48/1000000 3 000044	
	Intravenous heparin therapy is ordered for a patient. While implementing this order, a nurse should ensure the availability of which of the following medications in the nursing unit?	Question ID :47694379 Status : Answered
Ans	★ 1. Potassium chloride	Chosen Option :3
	X ² Aminocaproic acid	Marks : 1.00
	√ ³ . Protamine sulphate	
	X⁴. Vitamin K	
Q.193	The study of culture and practices in different societies is called:	Question ID :476943103
Ans	✓ 1. Anthropology	Status : Answered
	× 2. Ornithology	Chosen Option :1 Marks : 1.00
	× 3. Entomology	mario . 1.00
	× 4. Palaeontology	
	Palaeontology	
Q.194	Lactose is made up of:	Question ID :47694319
Q.194 Ans	X ¹. Glucose	Status : Answered
	X ¹. Glucose X ². Fructose	
	 X ¹. Glucose X ². Fructose ✓ ³. Glucose and galactose 	Status : Answered Chosen Option : 3
	X ¹. Glucose X ². Fructose	Status : Answered Chosen Option : 3
	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while	Status : Answered Chosen Option : 3
Ans	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a:	Status : Answered Chosen Option :3 Marks : 1.00 Question ID : 47694337 Status : Answered
Ans Q.195	 X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337
Ans Q.195	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection Y 2. Intradermal injection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2
Ans Q.195	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection 2 Intradermal injection X 3. Intramuscular injection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2
Q.195 Ans	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection X 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2
Q.195 Ans	 Glucose Fructose Glucose and galactose Glucose and fructose Glucose and fructose Intradecal injection Intradermal injection Subcutaneous injection ASHA workers work at thelevel. 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173
Q.195 Ans	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection X 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00
Q.195 Ans	 X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection ✓ 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2. village 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173 Status : Answered
Q.195 Ans	 Glucose Fructose Glucose and galactose Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: Intrathecal injection Intradermal injection Subcutaneous injection Subcutaneous injection ASHA workers work at the level. primary health centre (PHC) village district 	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2
Q.195 Ans	 X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection ✓ 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2. village 	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2
Q.195 Ans	 Glucose Fructose Glucose and galactose Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: Intrathecal injection Intradermal injection Subcutaneous injection Subcutaneous injection ASHA workers work at the level. primary health centre (PHC) village district 	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2
Q.195 Ans	 X 1. Glucose X 2. Fructose X 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection X 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) Y 2. village X 3. district X 4. community 	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 47694348 Status: Answered
Q.195 Ans Q.196 Ans	 1. Glucose 2. Fructose 3. Glucose and galactose 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: 1. Intrathecal injection 2. Intradermal injection 3. Intramuscular injection 4. Subcutaneous injection ASHA workers work at the level. 1. primary health centre (PHC) 2. village 3. district 4. community Which of the following is a method of killing microorganisms with their spores? 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694348
Q.195 Ans Q.196 Ans	 X ¹. Glucose X ². Fructose ✓ ³. Glucose and galactose X ⁴. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X ¹. Intrathecal injection ✓ ². Intradermal injection X ⁴. Subcutaneous injection ASHA workers work at the level. X ¹. primary health centre (PHC) ✓ ². village X ³. district X ⁴. community Which of the following is a method of killing microorganisms with their spores? X ¹. Incineration 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694348 Status : Answered Chosen Option : 4
Q.195 Ans Q.196 Ans	 X ¹. Glucose X ². Fructose ✓ ³. Glucose and galactose X ⁴. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X ¹. Intrathecal injection ✓ ². Intradermal injection X ⁴. Subcutaneous injection ASHA workers work at the level. X ¹. primary health centre (PHC) ✓ ². village X ³. district X ⁴. community Which of the following is a method of killing microorganisms with their spores? X ¹. Incineration X ². Disinfection 	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694348 Status : Answered Chosen Option : 4
Q.195 Ans Q.196 Ans	 X ¹. Glucose X ². Fructose ✓ ³. Glucose and galactose X ⁴. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X ¹. Intrathecal injection ✓ ². Intradermal injection X ⁴. Subcutaneous injection ASHA workers work at the level. X ¹. primary health centre (PHC) ✓ ² village X ³. district X ⁴. community Which of the following is a method of killing microorganisms with their spores? X ¹. Incineration X ². Disinfection X ³. Flaming ✓ ⁴. Sterilisation 	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 47694348 Status: Answered Chosen Option: 4 Marks: 1.00
Q.195 Ans Q.196 Ans	X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection ✓ 2. Intradermal injection X 3. Intramuscular injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2. village X 3. district X 4. community Which of the following is a method of killing microorganisms with their spores? X 1. Incineration X 2. Disinfection X 3. Flaming ✓ 4. Sterilisation The only class of immunoglobulin which is transported across the placenta is:	Status : Answered Chosen Option : 3 Marks : 1.00 Question ID : 47694337 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 476943173 Status : Answered Chosen Option : 2 Marks : 1.00 Question ID : 47694348 Status : Answered Chosen Option : 4
Q.195 Ans Q.196 Ans Q.197 Ans	X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection ✓ 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2 village X 3. district X 4. community Which of the following is a method of killing microorganisms with their spores? X 1. Incineration X 2. Disinfection X 3. Flaming ✓ 4. Sterilisation The only class of immunoglobulin which is transported across the placenta is: X 1. Ig A	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 47694348 Status: Answered Chosen Option: 4 Marks: 1.00 Question ID: 47694390 Status: Answered Chosen Option: 4
Q.195 Ans Q.196 Ans Q.197 Ans	X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection X 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2. village X 3. district X 4. community Which of the following is a method of killing microorganisms with their spores? X 1. Incineration X 2. Disinfection X 3. Flaming ✓ 4. Sterilisation The only class of immunoglobulin which is transported across the placenta is: X 1. Ig A X 2. Ig D	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 47694348 Status: Answered Chosen Option: 4 Marks: 1.00 Question ID: 47694390 Status: Answered
Q.195 Ans Q.196 Ans Q.197 Ans	X 1. Glucose X 2. Fructose ✓ 3. Glucose and galactose X 4. Glucose and fructose The nurse should hold the syringe almost flat against the patient's skin (at about a 15° angle), with the bevel up while administering a: X 1. Intrathecal injection ✓ 2. Intradermal injection X 3. Intramuscular injection X 4. Subcutaneous injection ASHA workers work at the level. X 1. primary health centre (PHC) ✓ 2 village X 3. district X 4. community Which of the following is a method of killing microorganisms with their spores? X 1. Incineration X 2. Disinfection X 3. Flaming ✓ 4. Sterilisation The only class of immunoglobulin which is transported across the placenta is: X 1. Ig A	Status: Answered Chosen Option: 3 Marks: 1.00 Question ID: 47694337 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 476943173 Status: Answered Chosen Option: 2 Marks: 1.00 Question ID: 47694348 Status: Answered Chosen Option: 4 Marks: 1.00 Question ID: 47694390 Status: Answered Chosen Option: 4





Q.199 Which of the following should be informed to the pregnant client with genital herpes to protect the foetus?

Ans 1. Daily intake of acyclovir.

√^{2.} Caesarean section will be needed in the case of vaginal lesions.

X 3. Four hourly Sitz bath.

* Total abstinence is necessary during pregnancy.

Q.200 Which of the following is the terminal method of contraception?

Ans

X 1. IUCD

X ^{2.} Subdermal implants

√ 3. Tubectomy

X 4. Foam tablets

Question ID :476943166 Status : Answered Chosen Option :2 Marks :1.00

Question ID :476943181 Status : Answered Chosen Option :3 Marks :1.00

