

## DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C.: VS - 2/13

Serial No.

2285

**Test Booklet Series** 



## **TEST BOOKLET**

PAPER - II

(ANIMAL SCIENCE)

Time Allowed: 2½ Hours

Maximum Marks: 400

## : INSTRUCTIONS TO CANDIDATES :

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided along side. DO NOT write anything else on the Test Booklet.
- 4. This Test Booklet contains 200 items (questions). Each item (question) comprises four responses (answers). You will select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided, by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- 6. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. There will be negative markings for wrong answers. 25 percent of marks allotted to a particular item (question) will be deducted as negative marking for every wrong response (answer).
- 7. Before you proceed to mark (darken) in the Answer Sheet the responses to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your Admission Certificate.
- 8. After you have completed filling in all your responses on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet and the Test Booklet issued to you. Yor are allowed to take with you the candidate's copy/second page of the Answer Sheet, after completion of the examination, for your reference.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO



Adda 247

Test Prime

**ALL EXAMS, ONE SUBSCRIPTION** 



80,000+ Mock Tests



600+ Exam Covered



Personalised Report Card



20,000 + Previous Year Papers



Unlimited Re-Attempt



500% Refund















ATTEMPT FREE MOCK NOW





- Platue in cardiac muscle is due to presence of:
  - (a) Fast sodium channels
  - (b) Fast potassium channels
  - (c) Slow Na+ Ca+2 channels
  - (d) Slow chloride channels
- 2. P wave in ECG is caused by:
  - (a) Spread of depolarization through atria
  - (b) Spread of depolarization through ventricles
  - (c) Spread of repolarization through ventricles
  - (d) Spread of repolarization through atria
- 3. The atria contract during the following period in cardiac cycle:
  - (a) Systole
  - (b) First one-third of diastole
  - (c) Second one-third of diastole
  - (d) Last one-third of diastole
- 4. Deficiency of Vitamin B<sub>12</sub> leads to:
  - (a) Microcytic anemia
  - (b) Megaloblastic anemia
  - (c) Hypochromic anemia
  - (d) Aplastic anemia
- Lack of Vitamin K results in poor coagulation due to:
  - (a) Decreased synthesis of fibrinogen

- (b) Decreased formation of prothrombin
- (c) Decreased formation of platelets
- (d) Due to precipitation of calcium ions
- 6. When RBC is suspended in isoosmotic fluid, it results in :
  - (a) Swelling
  - (b) Shrinkage
  - (c) Lysis
  - (d) No change
- 7. Which among the given is an excitatory neurotransmitter?
  - (a) Dopamine
  - (b) Glycine
  - (c) Seratonin
  - (d) Glutamate
- 8. Rhodopsin is made up of
  - (a) Il cis retinal
  - (b) Il cis retinol
  - (c) All trans retinal
  - (d) All trans retinol
- 9. The VFA which is capable of being used for gluconeogenesis:
  - (a) Acetate
  - (b) Propionate
  - (c) Butyrate
  - (d) Valarate



- 10. HCl is produced by: 15. Which of the following compound Peptic cells stimulates N-M Junction by inactivating (b) Parietal cells cholinesterase?
  - Carbachol (a)
  - (b) Neostigmine
  - Curariforms (c)
  - **Nicotine** (d)
  - 16. When a muscle is stimulated with rapidly succeeding stimuli (20/sec) the result response is:
    - (a) Tetanus
    - (b) Treppe
    - (c) Recruitment
    - (d) Fatigue
  - Which of the following shifts the Oxygen-Hb dissociation curve to right?
    - (a) When blood becomes slightly acidic
    - Decreased CO<sub>2</sub> concentration (b)
    - Decrease in blood temperature (c)
    - None of the above
  - Evaporative heat loss by sweating is important in:
    - (a) Dog
    - (b) Sheep
    - (c) Pig
    - (d) Man

- - (c) Zymogen cells
  - (d) Chief cells
- Rumination is stimulated by:
  - Anesthetics
  - (b) Hay diet
  - (c) Fever
  - (d) Concentrate diet
- At proximal convoluted tubule, Hydrogen ion is secreted into lumen by:
  - (a) Active transport
  - (b) Counter co-transport
  - Simple diffusion (c)
  - Co-transport (d)
- 13. The term used for describing incordination of speech:
  - Dysarthria (a)
  - (b) Dysmetria
  - Dysdiadokinesia (c)
  - (d) Ataxia
- 14. The part of hypothalamus that regulates body temperature:
  - Supra optic unclei
  - Preoptic area (b)
  - (c) Mamillary body
  - Paraventricular nuclei

JG-2A/20





- 19. The rate and pattern of breathing is controlled by:
  - (a) Dorsal respiratory group
  - (b) Pneumotaxic centre
  - (c) Ventral respiratory group
  - (d) Both (a) and (c)
- 20. The mean thickness of respiratory membrane in bird is:
- (a) More than that in mammals
  - (b) Equal to that in mammals
  - (c) Less than that in mammals
  - (d) Thinner at corner points and thicker at another
- 21. Mitochondria which generate power necessary for the motility of sperm are in this part of spermatozoa:
  - (a) Head
  - (b) Mid piece
  - (c) Principal piece
  - (d) End piece
- 22. Development of alveoli in the mammary gland is influenced by:
  - (a) Prolactin
  - (b) Oxytocin
  - (c) Progesterone
  - (d) Estrogen
- 23. Ovulation fossa is in the ovary of:
  - (a) Cow

- (b) Bitch
- (c) Sheep
- (d) Mare
- 24. Which of the following inhibits release of ADH?
  - (a) Hyperosmotic ECF
  - (b) Low blood volume
  - (c) Anxiety
  - (d) Alcohol
- 25. Tropical animals have:
  - (a) Small loops of Henle
  - (b) Long loops of Henle
  - (c) Less sensitivity to ADH
  - (d) More water turnover rate
- 26. Which amongst the following are structurally not similar?
  - (a) Growth Hormone and Prolactin
  - (b) Oxytocin and ADH
  - (c) Cortisol and Cortisone
  - (d) Thyroid and Parathyroid Hormone
- 27. ADH is responsible for :
  - (a) Diabetes mellitus
  - (b) Diabetes insipidus
  - (c) Pituitary diabetes
  - (d) Steroid diabetes
- 28. Second messenger formed during the protein hormone action on target is:
  - (a) Ca<sup>+2</sup>





- (b) Phospholipase
- (c) cAMP
- (d) Phosphodiesterase
- 29. Testosterone is produced by:
  - (a) Leydig cells
  - (b) Sertoli cells
  - (c) Germinal cells
  - (d) Granulosa cells
- 30. The word Extension derived from Latin roots 'tensio' means:
- (a) Informal education
  - (b) Stretching
  - (c) Out of school system
  - (d) None of the above
  - 31. According to use, Method Demonstration can be classified under:
- (a) Group contact method
  - (b) Individual contact method
  - (c) Mass contact method
- (d) Both (a) and (b)
- 32. Association of unlimited number of persons formed on the basis of equality for the promotion of members interest is called as:
  - (a) Co-operative Societies
  - (b) Association
  - (c) Federation
  - (d) Community

- 33. Representing the voice of the people is one of the functions of :
  - (a) Gram Panchayat
  - (b) Panchayat Samiti
  - (c) Zila Parishad
  - (d) State Government
- 34. Extreme form of closed class system is:
  - (a) Community
  - (b) Society
  - (c) Religion
  - (d) Caste
- 35. The end product of Extension Teaching is :
  - (a) Action
  - (b) Adoption
  - (c) Satisfaction
  - (d) Knowledge
- 36. Widow marriage is a classical example of :
  - (a) Social transformation
  - (b) Social change
  - (c) Cultural change
  - (d) Both (b) and (c)
- 37. In Anand pattern of Co-operative structure, state level apex body is called as:
  - (a) State Co-operative Federation

JG - 2A/20

(5)





- (b) State Co-operative Society
- (c) State Co-operative Union
- (d) None of the above
- 38. Extension Teaching Methods are classified by:
  - (a) Wilson and Gallup
- (b) Adivi Reddy
  - (c) Chitambar
  - (d) Edgar Gale
- 39. Two dimensional projected visual aid is:
  - (a) Models
  - (b) Specimen
  - (c) Film strip
  - (d) All of the above
- 40. Urban community has:
  - (a) Greater density
  - (b) Less literacy
  - (c) Less social contact
  - (d) All of the above
- 41. Intensive teaching activity undertaken at an opportune time for a brief period :
  - (a) Campaign
  - (b) Tour
  - (c) Field Trip
  - (d) Exhibition

- 42. Play group can be classified under:
  - (a) Formal group
  - (b) Involuntary group
  - (c) Voluntary group
  - (d) All of the above
- 43. Extension programme deals with:
  - (a) Situation
  - (b) Objectives
  - (c) Solution
  - (d) All of the above
- 44. The Committee on Panchayati Raj headed by:
  - (a) S. L. Mehta
  - (b) B. R. Mehta
  - (c) V. Kurien
  - (d) M. S. Swaminathan
- 45. Collective ownership and operatorship are seen in:
  - (a) Co-operative joint farming
  - (b) Co-operative collective farming
  - (c) Peasant farming
  - (d) Co-operative better farming
- 46. Consumer society is:
  - (a) Credit Co-operative Society
  - (b) Non Credit Co-operative Society
  - (c) Marketing Society
  - (d) None of the above

JG - 2A/20

(6)

Contd.



- 47. Greater risk is involved in:
  - (a) Specialised farming
  - (b) Diversified farming
  - (c) Mixed farming
  - (d) Dry farming
- 48. A reward for the entrepreneurial function of decision making and uncertainty bearing is:
  - (a) Interest
  - (b) Profit
  - (c) Wages
  - (d) Rent
- 49. In distribution of wealth, rent can be paid to the services of :
  - (a) Labour
  - (b) Organisation
  - (c) Land
  - (d) Capital
- 50. The temporary equilibrium between demand and supply determines :
  - (a) Secular price
  - (b) Normal price
  - (c) Market price
  - (d) None of the above
- 51. Cross demand refers to change in demand due to change in :
  - (a) Income of the consumer

- (b) Prices of related goods
  - (c) Price of a commodity
  - (d) All of the above
- 52. Additional milk obtained by feeding an additional unit of feed to a cow is known as :
  - (a) Average product
  - (b) Total product
  - (c) Marginal product
  - (d) None of the above
- 53. In the production function, Zone II is:
  - (a) Irrational
  - (b) Semi rational
  - (c) Rational
  - (d) All of the above
- 54. Best system of bookkeeping is:
  - (a) Single Entry System
  - (b) Cost Accountancy
  - (c) Double Entry System
  - (d) Classified Cost Accountancy
- 55. Perfectly inelastic demand curve will be:
  - (a) Horizontal to x-axis
  - (b) Vertical to x-axis
  - (c) Downward sloping
  - (d) Upward raising

JG-2A/20

(7)





- 56. The repayment of loan for the purchase of a Tractor on a firm is a:
  - (a) Long term liability
  - (b) Medium term liability
  - (c) Current liability
  - (d) None of the above
- 57. When two enterprises are competing with each other for the farmers limited resources, it is called as:
  - (a) Joint enterprise
  - (b) Complementary enterprise
  - (c) Supplementary enterprise
  - (d) Competitive enterprise
- 58. When two products are produced in the same production process, such relationship is called as:
  - (a) Competitive
  - (b) Complementary
  - (c) Supplementary
  - (d) Joint
- 59. Inserted DNA fragments with multiple recognition sequences for restriction endonucleases used for inserting additional DNA by cleavage and ligation are called:
  - (a) Plasmid
  - (b) rec DNA
  - (c) Polylinkers
  - (d) Chimera

- 60. Which among the following triggers directly the movement of GLUT-4 glucose transporters to the plasma membrane?
  - (a) Epinephrine
  - (b) Cortisol
  - (c) Glucagon
  - (d) Insulin
- 61. Peptide hormones that carry information about the adequacy of the energy reserves in adipose tissue to other tissues and brain:
  - (a) Leptin
  - (b) Lecithin
  - (c) Lysine
  - (d) Lectin
- 62. The restriction endonuclease and the corresponding methylase are sometimes referred to as:
  - (a) Endonuclease system
  - (b) Host protection
  - (c) Restriction guest protection
  - (d) Restriction modification system
- 63. Which among the following blocks the de novo pathway of DNA synthesis?
  - (a) Hypoxanthine
  - (b) Aminopterin
  - (c) Thymidine
  - (d) PEG





- 64. Peptide growth factor that increases the success of establishing and maintain ES cell lines:
  - (a) ESF
  - (b)  $PGF_{2\alpha}$
  - (c) FSH
  - (d) LIF samura ni ts
- 65. One of the reasons for ketone body formation is:
  - (a) Drop in OAA
  - (b) Excess glucose metabolism
  - (c) Excess blood glucose
  - (d) Increase in Glucagon
- 66. Molecules that help in correct folding of improperly folded polypeptides are:
  - (a) Histones
  - (b) Chaperones
  - (c) Amyloid fibres
  - (d) Protomers
- 67. Carriers in ETC function in order of:
  - (a) Increasing reduction potential
  - (b) Decreasing reduction potential
  - (c) Based on their position in mitochondrion
  - (d) Based on order of enzymes
- Treatment with proteolytic enzymes cuts
   a 323 residue piece containing the 5' –
   3' exonuclease from DNA polymerase I

leaving a larger C-terminal piece known as:

- (a) Replisome
- (b) Okazaki fragments
- (c) Klenow fragment
- (d) DNA polymerase II
- 69. Which one of the following lipoproteins is responsible for picking-up excess cholesterol in peripheral tissue capillary bed?
  - (a) Chylomicrons
  - (b) LDL
  - (c) HDL
  - (d) VLDL
- 70. The principle behind chloridebicarbonate shift is:
  - (a) Diffusion
  - (b) Osmosis
  - (c) Donnan's equilibrium
  - (d) Ex-osmosis
- 71. The phenomenon of  $\beta$ - $\gamma$  bridging suggests:
  - (a) Chronic active hepatitis
  - (b) Acute mild hepatitis
  - (c) Mild hapatitis
  - (d) Gl disorder
- In which type and stage of Leptospirosis, there is normal BUN

JG-2A/20

(9)



levels initially and marked increase in BUN levels at later stages?

- (a) Hemorrhagic
- (b) Haemolytic
- (c) Icteric immuniti wonstal
- (d) Uraemic
- 73. Intrahepatic cholestasis is indicated by elevated serum levels of which of the following?
  - (a) ALT
  - (b) Glutamate dehydrogenase
  - (c) GGT
  - (d) Sorbitol dehydrogenase
- 74. Which among the following will not lead to respiratory acidosis?
  - (a) Damage to respiratory centre in Medulla Oblongata
  - (b) Pneumonia
  - (c) Psychoneurosis
  - (d) Emphysema
- 75. The following diuretic inhibit water and solute reabsorption by increasing osmolarity of tubular fluid at proximal tubules:
  - (a) Mannitol
  - (b) Furosemide
  - (c) Spironolactone
  - (d) Acetazolamide

- 76. The plasma pH is best correlated with which of the ratio?
  - (a)  $H_2PO_4^-: HPO_4^{-2}$
  - (b) NH<sub>4</sub>+: NH<sub>3</sub>
  - (c)  $H_2CO_3:HCO_3^-$
  - (d) HHb: Hb-
- 77. Most neutral fat in ruminant animal is synthesized from:
  - (a) Glucose
  - (b) Acetate
  - (c) Propionate
  - (d) Mannose
- 78. The activity of which enzyme below in the HMP shunt would be non-affected by thiamin deficiency?
  - (a) Glucose 6-phosphate dehydrogenase
  - (b) 6-phosphoglucanate dehydrogenase
  - (c) Transketolase
  - (d) Tansaldolase
- 79. A deficiency of which one of the following B-complex vitamin would make it m ore deficient to convert Trp to NMN and therefore potentiate a niacin deficiency?
  - (a) Pyridoxine
  - (b) Folic acid
  - (c) Biotin
  - (d) Riboflavin





- 80. The –OH group attached to the 2'-carbon atom of ribose is replaced by what in deoxyribose?
  - (a) Sulph-hydryl group
  - (b) Oxygen
  - (c) Phosphate
  - (d) Hydrogen
- 81. The initiating (5') AUG is guided to its correct position by:
  - (a) DNA
- (b) Shine-Dalgarno sequence
  - (c) fMet-tRNAfMet
  - (d) Initiation complex
- 82. Which among the following is 4-O-β-D-glucopyranosyl-D-glucopyranose?
  - (a) Cellobiose
- (b) Isomaltose
  - (c) Maltose
  - (d) Lactose
- 83. While degradation which of the following amino acid does not get converted to α-ketoglutarate?
  - (a) Proline
  - (b) Glutamine
  - (c) Threonine
  - (d) Arginine
- 84. Genetic code is the arrangement pattern of nucleotides in which of the following?
  - (a) DNA
  - (b) mRNA

- (c) tRNA
- (d) rRNA
- 85. The catalytic subunit of protein kinase A, released when cAMP level rise, enters the nucleus and phosphorylates a nuclear protein called:
  - (a) CRE
  - (b) CREB STATE OF THE A STATE OF THE
  - (c) SRA
  - (d) siRNA
- 86. Ideal place for insertion of DNA insert into a plasmid with two marker sites :
  - (a) oriC
  - (b) Place outside the markers
  - (c) Inside one marker
  - (d) Inside both markers
- 87. In Vitamin K deficiency:
  - (a) The liver stops its production of prothrombin
  - (b) Warfarin administration would have no effect
  - (c) The liver stops production of fibrinogen
  - (d) The liver continues its production of non-functional prothrombin
- 88. The no. of Protozoa present in one millilitre of rumen liquor is :
  - (a)  $10^{9-10}$
  - (b) 10<sup>16</sup>–17
  - (c)  $10^{6-7}$
  - (d)  $10^{2-4}$





- According to thumb rule, 1 kg of concentrate mixture is required for every
   kg of milk yield in cows.
  - (a) 2.0
  - (b) 2.5
  - (c) 3.0
  - (d) 1.5
- 90. As the age of animal/human advances the following nutrient decreases:
  - (a) Carbohydrate
  - (b) Protein
  - (c) Fat
  - (d) Vitamins
- 91. Wolff-Lehman feeding standard developed in the year:
  - (a) 1903
  - (b) 1897
  - (c) 1884
  - (d) 1907
- 92. Dry matter content (%) in green para grass will be:
  - (a) 20
  - (b) 25
  - (c) 10
  - (d) 15
- 93. Endogenous Urinary Nitrogen (EUN) is analogous to:
  - (a) MFN
  - (b) Basal metabolism
  - (c) ME
  - (d) DE

- 94. Grinding of grains increases the digestibility, because of:
  - (a) Slower rate of passage in digestive tract
  - (b) Faster rate of passage in digestive tract
  - (c) Increased surface area for enzymatic action
  - (d) Decreased surface area for enzymatic action
- 95. As the plant matures, following nutrient increases:
  - (a) Hemicellulose
  - (b) Cellulose
  - (c) Lignin
  - (d) Fat
- 96. The following factor will not affect the chemical composition of forage crop:
  - (a) Soil composition
  - (b) Manuring and fertilization
  - (c) Stage of maturity of the plant
  - (d) Method of harvesting of the forage crop
- 97. For determining the digestibility of a feed by conducting digestion trial in ruminants, the optimum length of 'preliminary period' followed is:
  - (a) One week
  - (b) Two weeks
  - (c) Three weeks
  - (d) 60 days





98. When we subtract fecal energy from gross energy (GE) we will get?		n 103.	The most important measure to assess the quality of protein in monogastric			
	(a)	GPD a year emean. (a)			mals is :	
	(b)			(a)	Biological value	
	(c)	ME vs/r sasta boxil/i		(b)	Protein equivalent	
	(d)	DE Chargin senso.		(c)	NPU	
99.	In r	uminants, DE is multiplied with	a	(d)	DCP & SSS (B)	
factor to get ME :			In poultry nutrition, in addition to			
	(a)	0.92			AA's another AA required is :	
	(b)	0.96		(a)	Lysine (b)	
	(c)	0.82	edio)	(b)	Tryptophan	
	(d)	0.51	· .arelio	(c)	Glycine	
100.	In In	dia, energy requirement of cattle i	S	(d)	Threonine (s)	
grim.		ressed in terms of :		Ure	a (NPN compound) is included in the	
	(a)	DE Turispasi pri srota)		complete rations for ruminants at the rate of :		
	(b)	ME THE TO SOURCE (SI				
	(c)	TDN and a second		(a)	0.5%	
	(d)	SE Mes tunbration (a)		(b)	1-2.0%	
101.	Follo	owing mineral element is essentia	1	(c)	4%	
bewell		vool growth in sheep:		(d)	5%	
	(a)	Calcium Pagaranta and mi	106.	Calc	cium and Phosphorus ratio of 12 : 1	
	(b)	Phosphorus		is fo	llowed in :	
	(c)	Manganese		(a)	Layer chicks	
	(d)	Sulphur		(b)	Broiler growers (b)	
102,	Qua	lity of protein is not important in the	pared	(c)	Layers Mathon Hilliam (FC)	
	follo	wing species:		(d)	Broilers and applie exism.	
101 101	(a)	Cattle Following a privated att	107.	In r	uminants, following mineral is	
beet s	(b)	Pig ago to notesimately core		esse	ential for synthesis of Vit B <sub>12</sub> in the	
	(c)	Poultry		rume	en:	
	(d)	Duck ships of mondo (s)		(a)	Se 37 (b)	
JG-	2A/2	20	(13)		(Turn over)	



.002. The most experience of Zn = (b) as the	112. Following is the 'best quality hay' for
districted (c) Cu deloted to wheup and	feeding of sheep:
(d) Co	(a) Lucerne hay
109 Calaium contant Oveter shalls/shall arit	(b) Grass hay
108. Calcium content Oyster shells/shell grit is:	(c) Mixed grass hay
(a) 32%	(d) Guinea grass hay
(a) 22% (b) 18%	113. Anti-nutritional factor present in the Subabul leaves is:
(c) 38%	
(d) 42%	80 O 760
109. Yellow color of broiler skin is due to the addition of in the diet of broilers.	(b) Lucine (c) Gossipol
(a) Carotenoids	(d) Nimbidin
(b) Xanthophils	114. Aflatoxin is most commonly found in the following feedstuff:
(c) Flavonoids	(a) Maize grain
(d) Both (a) and (b)	(b) Rice bran
110. Feeding of lonophore antibiotics in	(c) Groundnut cake
ruminants cause to increase in the production of:	(d) Til cake/sawflower cake
(a) Acetic acid	115. Collection period (no. of days) followed in conducting digestibility trial by direct
(b) Propionic acid	invivo method in ruminants are :
(c) Citric acid	(a) 21 (a) (b)
(d) Butyric acid	(b) 7
111. Dry matter content (%) in well prepared	(c) 2
maize silage should be:	(d) 60
(a) 35	116. Following is the internal indicator for
(b) 65	determination of digestibility of a feed
(c) 25	in cattle:
(d) 75	(a) Chromic oxide
JG-2A/20 (1	4) Contd.



(b) Lignin

(a) is correct

(d) (b) is correct

(b) Toda

Nili Ravi

Godawari

(c)

(d)

117.	Fen	nale co-twin of male which is sterile	122.	The	most critical amino acid in the	diet
24. D.	is ca	alled as:		of w	vool producing sheep is:	
	(a)	Bull calf		(a)	Lucine martoM (s)	
	(b)	Free martin		(b)	Cystine	
	(c)	Heifer		(c)	Isolucine	
	(d)	Nymphomania		(d)	Valine	
118.	A co	ow apparently always in oestrus is	123.	The	cattle breed of India well know	n for
	knov	wn as:		swa	nichal type of gait is:	
A PERSONAL PROPERTY OF THE PERSON NAMED IN PROPERTY OF THE PER	(a)	Buller		(a)	Hallikar	
	(b)	Heifer		(b)	Red sindhi	
	(c)	Dry cow		(c)	Gir (a)	
	(d)	Down calves		(d)	Kankrej	
119.	The	DCP% of an ideal calf starter is:	124.	Milk	ting before calving is known as	100
	(a)	30		(a)	Stripping Apple 04 (a)	
ioffs '	(b)	ibacami bacacido (am feira (M.) 10		(b)	Prenating	
	(c)	20		(c)	Knucling (0)	
	(d)	15 (F)		(d)	Pre handling meses (b)	
120.	1	nest milk producing cattle breed in a is:	125.		sheep breed having long ches upto fetlock is:	tail
	(a)	Ongle (8)		(a)	Nali bao (6)	
	(b)	Sahiwall		(b)	Deccani piglismo (d)	
	(c)	Hallikar Ing Islumines men		(c)	Patanwadi (1997)	
	(d)	Haryana		(d)	Muzzafarnagri (A)	
121.		following is known as copper colour alo breed :	126.		eding a dry cow specially paration for calving is termed a	
	(a)	Badawari		(a)	Flushing day tend (e)	
JG-	2A/2	(15	)		(Turn o	ver)





- (b) Steaming up
- (c) Balanced ration
- (d) Additional ration
- 127. The fibre obtained from Kashmiri goat

is:

- (a) Mohair
- (b) Pelt
- (c) Wool
- (d) Pashmina
- 128. The milk queen of Goat world is:
  - (a) Sannen
  - (b) Surti
  - (c) Chigu
  - (d) Ganjam
- 129. Average daily feed requirement of guinea pig is:
  - (a) 40-60g/day
  - (b) 20-50g/day
  - (c) 10-15g/day
  - (d) 23-30g/day
- 130. The smallest pig of a litter usually last to be farrowed is called:
  - (a) Cad
  - (b) Small pig
  - (c) Free martin
  - (d) Burrow
- 131. In swine, the carcass length is measured from the front of 1st rib to the point of:
  - (a) Last rib

- (b) Aitch bone
- (c) 1st Lumbar vertebra
- (d) 1st Coccygeal vertebrae
- 132. Farming method that carried out without use of artificial fertilizers and pesticides is called:
  - (a) Organic farming
  - (b) Mixed farming
  - (c) Diversified farming
  - (d) Backyard farming
- 133. Main feature of germ free animal is:
  - (a) Made free from particular pathogen
  - (b) Having known microflora
  - (c) Not having any microorganism
  - (d) Having all types of microorganisms
- 134. First milk obtained immediately after calving is known as:
  - (a) Colustrum
  - (b) Muconium
  - (c) Whole milk
  - (d) Normal milk
- 135. The particular animal that is made free from particular pathogen is known as:
  - (a) Specific pathogen free animal
  - (b) Conventional animal
  - (c) Germ free animal
  - (d) Gnotobiotic animal



136.	AIC	RP on	fora	ge	crops	located	at	
	(a)	Karn	al					

- Jhansi (b)
- Hyderabad beams and (c)
- (d) Hissar
- 137. The acid required for good quality silage
  - (a) Acetic acid
  - **Butyric** acid (b)
  - Propionic acid (c)
  - (d) Lactic acid
- 138. Moisture content of chopped hay is:
  - 19-22% (a)
  - 25-28% (b)
  - 20-25% (c)
  - (d) 25-30%
- 139. The pH of good silage is:

  - (b)
  - (c)
  - 3.5 (d)
- 140. The toxic substance present in subabool
  - is:
  - Mimosin (a)
  - **Oxalates** (b)
  - HCN (c)
  - Saponin
- 141. Which of the following is an example for leguminous perennial fodder variety?
  - (a) Hybrid Napier

- (b) Lucerne
- Colonial grass
- (d) Para grass
- 142. Scientific name of Fowl is:
  - Gallus domesticus
  - **Pavocristatus** (b)
  - Meliagris gallopava
  - (d) Conturix japonica
- 143. Curled toe in chicks resulting from deficiency of:
  - Nicotinic acid (a)
  - Riboflavin
  - **Thiamine** (c)
  - Manganese (d)
- 144. The practice of cannibalism is very common in:
  - Poultry (a)
  - Cattle (b)
  - Sheep (c)
  - (d) Horse
- 145. The main difference between zebu cattle and exotic cattle is:
  - Colour (a)
  - Height
  - Presence of hump (c)
  - Shape of horns
- 146. The correct order of the stages of first meiotic prophase is:
  - Leptotene, pachytene, zygotene, diplotene

JG - 2A/20

(17)



- (b) Leptotene, zygotene, pachytene, diplotene
- (c) Heptotene, diplotene, zygotene, pachytene
- (d) Leptotene, zygotene, diplotene, pachytene
- 147. The individual of Ablood group contains:
  - (a) A antigen and a xnumo O
  - (b) Bantigen
  - (c) No antigen
  - (d) A and B antigens
- 148. When a non barred cock is crossed with barred hen, it results in :
  - (a) Barred males and females
  - (b) Non-barred males and females
  - (c) Barred males and non barred females
  - (d) Barred females and non barred males
- 149. Sex linkage in drosophila discovered by:
  - (a) Bateson
  - (b) T. H. Morgan
  - (c) J. D. Watson
  - (d) Charles Darwin
- 150. The concept of linkage was put forth by:
  - (a) C. B. Bridges
  - (b) Bateson and Punnet
  - (c) Galton
  - (d) C. Correns

- 151. The inheritance that is passed through the X chromosome is known as:
  - (a) Sex-linked
  - (b) Sex limited
  - (c) Sex influenced
  - (d) Extra chromosomal
- 152. Inter allelic interaction is known as:
  - (a) Dominance
  - (b) Over dominance
  - (c) Epistasis
  - (d) Recessive
- 153. The heritable component of phenotypic variance is:
  - (a)  $V_A$
  - (b) V<sub>D</sub>
  - (c) V<sub>E</sub>
  - (a)  $V_D + V_E$  as a second of  $V_D + V_D$
- 154. The word gene was coined by the Scientist:
  - (a) Johannsen
  - (b) Bateson
  - (c) H. J. Muller
  - (d) V. Nageli
- 155. The number of linkage groups in cattle are:
  - (a) 20
  - (b) 30
  - (c) 18
  - (d) 25





- 156. Differential response of same genotype in different environments is known as:
  - (a) Genotype X Phenotype interaction
  - (b) Genotype X Environment interaction
  - (c) Genotype X Heredity interaction
  - (d) Environment X Environment interaction
- 157. Maximum recombination frequency (%) is:
  - (a) 40
  - (b) 30
  - (c) 50
  - eas (d) nt75 sies themuser isoorgise?
- 158. Genetic correlations among traits occur due to:
  - (a) Linkage of genes
  - (b) Pleotropy of genes
- (c) Both (a) and (b)
  - (d) None of the above
- 159. The theory of 'acquired characters are inherited' was given by:
  - (a) Charles Darwin
  - (b) A. Weissman
  - (c) J. B. Lamarck
  - (d) R.A. Fisher
- 160. Regression of breeding value on phenotypic value gives:
  - (a) Fitness value

- (b) Heritability
- (c) Repeatability
- (d) Genetic gain
- 161. Inbreeding in a population:
  - (a) Reduces variance
  - (b) Increases heritability
  - (c) Increases the fitness
  - (d) Reduces the genetic abnorma-
- 162. The selection aid preferred when the heritability of the trait is high in :
  - (a) Individual selection
  - (b) Family selection
  - (c) Sib selection
  - (d) Progeny testing
- 163. Wall eye is the characteristic feature of the following breed:
  - (a) Murrah
  - (b) Surti
  - (c) Pandarpuri
  - (d) Nili Ravi
- 164. Lyre horns are the characteristics of the following breed of cattle:
  - (a) Amrithmahal
  - (b) Deoni
  - (c) Tharparker
  - (d) Kankrej

JG-2A/20

(19)



(b)

(c)

JG - 2A/20

Sonadi

Bannur

Deccani



170. Observed superiority of out breeds and 165. The gene which kills an individual before birth is called as: cross breeds over the parental breeds is: Semi lethal (a) Heterosis Savione Sub vital (b) Transgressive variation (b) Lethal (c) Fitness value (c) Sub lethal (d) Breedable value (d) 166. 2n-2 chromosome complement is 171. General combining ability occurs due to: termed as: (a) **Nullisomic** Additive gene action (a) **Dominance** Monosomic (b) (b) (c) Trisomic Over dominance (c) **Tetrasomic** (d) **Epistasis** 167. One of the following is a nonionizing 172. Reciprocal recurrent selection utilizes: radiation: General combining ability (a) X-ravs (b) Specific combining ability **UV** rays Both combining ability (c) (c) Gamma rays None of the above (d) Cosmic rays 173. Mean deviation of progeny from the 168. Fur pelts are produced from which sheep? parental population is known as: Selection differential (a) Lincoln (a) Response to selection (b) Suffolk Selection intensity Karakul (c) (c) (d) Realized heritability (d) Dorset 174. The NDRI is located at: 169. One of the following is a fine wool sheep: (a) Delhi Ramboullet (a)

(b)

(C)

(d)

(20)

Bombay

Karnal

Hyderabad

Contd.



175. The temperature of churning cream is:

180. Natural activity in milk is due to:

(a) 9-11 (a) (b)	(a) Citrates
(b) 4-6 3 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	(b) Carbonates
(c) 37 (a) muirodzobsk? (b)	(c) Potassium
(d) 20-22 sufficience A (b)	(d) Sodium
176. The most variable constituent of milk	181. The cream with highest level of fat% is:
(a) Protein	(a) Light Cream and a short ask
(b) Fat	(b) Coffee Cream
(c) Kip	(c) Plastic Cream
(c) Ash Anula (b)	(d) Whipping Cream
(d) None of the above	
177. Rossogolla is prepared by using :	temperature of :
(a) Channasooonsboded (a)	187. Most commonly used numeriant is:  (a) 0°C
(b) Pindi khoa speumental	(b) +0.5°C
(c) Dhap khoa (baurmain) (b)	(c) -0.5°C
(d) None of the above	(d) -1.5°C (a) ons (s) dos (o)
178. Ice cream without hardening process	is 183. In freezing dried meat the moisture level
called : nuoqmoo pinoponesso	is reduced to%.
(a) Kulfi	(a) Europeans 06 (a)
(b) Softy (5)	(b) 2 annoitA (d)
(c) Irish cream	(c) 65 englishauA (o) 1919
(d) None of the above	(d) 10 enalbal (b)
(d) Benzypynn	184. When fat content of meat is increases,
179. Milk boiling temperature is:	
(a) 100°C sinetos8 (s)	(a) Water (a)
(b) < 100°C	(b) Protein 8-4 (d)
(c) > 100°C (a) (b)	(c) Ash SN-8 (c)
(d) 90°C ne avonegoba (b)	(d) Vitamins
JG-2A/20	(21) (Turn over)



ppm.	(a) Proteus
(a) 10	(b) Pseudomonas
(b) 50	(c) Cladosporium
(c) 100	(d) Aspergillus
(d) 150	191. Skin in pig is called :
186. Pork is rich in vitamin :	(a) Hide
(a) Niacin	(b) Rind
(b) Thiamine	(c) Kip
(c) Riboflavin	(d) Slunk
(d) B2	192. Latest originated fat is found in this
187. Most commonly used humectant is:	region:
(a) NaCl	(a) Subcutaneous
(b) Glycerol	(b) Intramuscular (b)
(c) Both (a) and (b)	(c) Intermuscular (c)
(d) None of the above	(d) Caul fat
183. In tride sing fired risest in a molecure level	193. Liquid smoke used to avoid the
188. Horse meat is commonly consumed by:	carcinogenic compound present in
(a) Europeans	smoke is:
(b) Africans	(a) Hydrocarbons
(c) Australians	(b) Acetic acid
(d) Indians	(c) Phenol
189. Rigor mortis in fowl is seen in	(d) Benzypyrin
hours.	194. Irradiation is ineffective in destroying:
(a) 2-4	(a) Bacteria
(b) 4-8	(b) Parasite
(c) 8-12	(c) Both (a) and (b)
(d) 12-24	(d) Endogenous enzymes
JG – 2A/20 (1	22) Contd.

185. Nitrates act as flavouring agent at \_\_\_\_\_ 190. Green rod in egg is caused by:



- 195. Callipyge lamb contains:
  - (a) More calpastatin
  - (b) Less calpastatin
  - (c) More calpain
  - (d) Less calpain
- 196. D value is more important in preservation method:
  - (a) Chilling
  - (b) Freezing
  - (c) Drying
  - (d) Canning
- 197. The unique amino acid present in elastin
  - is:
  - (a) Glycin
  - (b) Proline
  - (c) Demosine
  - (d) Lysine

- 198. The shelf life of mechanically recovered meat is short due to:
  - (a) Excess fat
  - (b) Excess metal residues
  - (c) Microbial load
  - (d) All of the above
- 199. Meat is poor source of:
  - (a) Vitamin A
  - (b) Vitamin B complex
  - (c) Vitamin C
  - (d) Vitamin D
- 200. Efficiency of pasteurization is measured by:
  - (a) pH Test
  - (b) Lipase Test
  - (c) Amylase Test
  - (d) Phosphatase Test







## SPACE FOR ROUGH WORK

(a) Excess fat

(a) Excess metal residiles

o) Microbial load

di Ali of the above

8. Meat is poor source of : ...

velnem Barner V

, Vilamin C

Ci simetiV (b

200 Efficiency of pasteurization is n

tooThic (a)

(b) Lipage Test

Phocphalase Test

Jest essishusori

(a) Amyla (b) Phosp