



DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

Test Booklet Series

T. B. C.: VS - 1-21/22



TEST BOOKLET

(VETERINARY ASSISTANT SURGEON)

PAPER - I

SI. No. . 11

(VETERINARY SCIENCE)

Time Allowed: 2½ Hours

Maximum Marks: 400

: INSTRUCTIONS TO CANDIDATES :

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
- 2. ENCODE CLEARLY THE TEST BOOKLET SERIES A, B, C OR D, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
- 3. You have to enter your Roll No. on the Test Booklet in the Box provided alongside. DO NOT write anything else on the Test Booklet.
- 4. YOU ARE REQUIRED TO FILL UP & DARKEN ROLL NO., TEST BOOKLET / QUESTION BOOKLET SERIES IN THE ANSWER SHEET AS WELL AS FILL UP TEST BOOKLET / QUESTION BOOKLET SERIES AND SERIAL NO. AND ANSWER SHEET SERIAL NO. IN THE ATTENDANCE SHEET CAREFULLY. WRONGLY FILLED UP ANSWER SHEETS ARE LIABLE FOR REJECTION AT THE RISK OF THE CANDIDATE.
- 5. This Test Booklet contains 200 items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose ONLY ONE response (answer) for each item (question).
- You have to mark (darken) all your responses (answers) ONLY on the separate Answer Sheet provided by using BALL POINT PEN (BLUE OR BLACK). See instructions in the Answer Sheet.
- All items (questions) carry equal marks. All items (questions) are compulsory. Your total
 marks will depend only on the number of correct responses (answers) marked by you in
 the Answer Sheet.
- 8. Before you proceed to mark (darken) in the Answer Sheet the responses (answers) to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
- 9. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the Answer Sheet issued to you. You are allowed to take with you the candidate's copy / second page of the Answer Sheet along with the Test Booklet, after completion of the examination, for your reference.
- 10. Sheets for rough work are appended in the Test Booklet at the end.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO



Adda 247

Test Prime

ALL EXAMS, ONE SUBSCRIPTION



80,000+ Mock Tests



600+ Exam Covered



Personalised Report Card



20,000 + Previous Year Papers



Unlimited Re-Attempt



500% Refund















ATTEMPT FREE MOCK NOW



- 1. Which of the following is the smallest compartment of the ruminant stomach?
 - (A) Rumen
 - (B) Reticulum
 - (C) Omasum
 - (D) Abomasum
- Which of the following is a tendineous linear sheet present at the abdominal floor?
 - (A) Linea alba
 - (B) Rectus abdominis
 - (C) Fascia
 - (D) Tendoachillis
- 3. The typical sign of ripened abscess

is:

- (A) Swelling
- (B) Pain
- (C) Fluctuation
- (D) Pointing

- 4. Which among the following causes inhibition of the aggregation of platelets?
 - (A) Aspirin
 - (B) Urokinase
 - (C) Thromboxane A2
 - (D) Streptokinase
- 5. Punched out ulcers in the abomasum of cattle are characteristic of:
 - (A) Theileria annulata
 - (B) Babesia bigemina
 - (C) Haemonchus contortus
 - (D) Ostertagia Ostertagi
- 6. Blood is added in blood medium agar at the following concentration:
 - (A) 5-10 %
 - (B) 15 %
 - (C) 20 %
 - (D) 2 %





- 7. The test used for diagnosis of Equine infectious anemia is:
 - (A) Coombs test
- (B) Straus's test
 - (C) Casoni test
 - (D) Coggins test
 - 8. Which is the largest foramen in the skull?
 - (A) Foramen magnum
 - (B) Supraorbital foramen
 - (C) Infra orbital foramen
 - (D) Mantel foramen
 - 9. Following artificial insemination in the cow, the increased retrograde flow will occur if semen is placed in which of the following locations?
 - (A) Cervix
 - (B) Uterine body
 - (C) Uterine horn, at the greater curvature (half way up the uterine horn)
 - (D) At the distal tip of the uterine horn

- 10. The acquisition of DNA molecule by bacterial cells from environment is called:
 - (A) Transformation
 - (B) Transduction
 - (C) Conjugation
 - (D) None of these
- 11. Coughing up of blood is termed as:
 - (A) Haematemesis
 - (B) Epistaxis
 - (C) Metrorrhagia
 - (D) Haemoptysis
- 12. A hematocrit value of 80 in a dog would be considered :
 - (A) Polycythemia
 - (B) Anemia
 - (C) Thrombocytopenia
 - (D) Leukemia
- 13. Meckel's diverticulum is an anomaly seen in the development of:
 - (A) Respiratory system
 - (B) Urinary system
 - (C) Digestive system
 - (D) Genital system





- 14. Bacteria that grow at 50-55° C are known as :
 - (A) Psychrophiles
 - (B) Mesophiles
 - (C) Thermophiles
 - (D) Halophiles
- 15. Fragmentation of nucleus in a cell is termed as :
 - (A) Pyknosis
 - (B) Karyorrhexis
 - (C) Karyolysis
 - (D) Chromatolysis
- 16. Triangular and pyriform apparatus
 like cooked rice grain present in the
 egg of:
 - (A) Moniezia sp.
 - (B) Hymenolepsis sp.
 - (C) Dipylidium sp.
 - (D) Taenia sp.
- 17. Sodium pentothal is:
 - (A) Rapid short-acting barbiturate
 - (B) Long-acting barbiturate

- (C) Short-acting barbiturate
 - (D) Intermediate acting barbiturate
 - 18. Which of the following is an unpaired skeletal muscle present in the animal body?
 - (A) Diaphragm
 - (B) Bicepbrachii
 - (C) Popliteus
 - (D) Quadriceps femoris
- 19. Spherical bodies, weighing 0.45-0.9 kg, attached to the placenta of a normal calf comprising of an outer skin enclosing a mass of adipose connective tissue is known as:
 - (A) Perosomus elumbis
 - (B) Amorphus globosus
 - (C) Otter calf
 - (D) Schistosomus reflexus
- 20. Which one of the following is the longest nerve in the animal body?
 - (A) Vagus
 - (B) Sciatic
 - (C) Femoral (G)
 - (D) Median





- 21. The first bacterial genome sequenced was of:
 - (A) Salmonella typimurium
 - (B) Bacillus anthracis
 - (C) Pseudomonas aeruginosa
 - (D) Haemophilus influenza
- 22. Medusa head colonies are characteristics features of :
 - (A) Rickettsia spp.
 - (B) Bacillus anthracis
 - (C) Clostridium botulinm
 - (D) Listeria spp.
- 23. Haemoglobinuria is seen in :
 - (A) Theileriosis
 - (B) Leptospirosis
 - (C) Salmonellosis
 - (D) Pasturellosis
- 24. Who is the father of Cellular Pathology?
 - (A) John Hunter
 - (B) Robert Koch
 - (C) Rudolph Virchow
 - (D) Julius Cohnhiem

- 25. Pseudorabies is caused by:
 - (A) Lyssa virus
 - (B) Picorna virus
 - (C) Paramyxo virus
 - (D) Herpes virus
- 26. The causative agent for Pulpy Kidney disease is:
 - (A) Clostridium perfringens
 - (B) Clostridium septicum
 - (C) Clostridium novyi
 - (D) Clostridium tetani
 - 7. Which of the following cells is primarily responsible for the production of collagen and the amorphous ground substance in loose connective tissue?
 - (A) Adipocyte
 - (B) Fibroblast
 - (C) Mast cell
 - (D) Plasma cell





- 28. Which among the following is an osmotic diuretic?
 - (A) Magnesium sulphate
 - (B) Ethacrynic acid
 - (C) Spironolactone
 - (D) None of these
- 29. Androgen Binding protein is secreted by:
 - (A) Leydig cells
 - (B) Spermatogonia
 - (C) Sertoli cells
 - (D) Efferent ducts
- 30. Sertoli cell tumors in dog secretes :
 - (A) Testosterone
 - (B) Estrogen
 - (C) Androgen
 - (D) Prolactin
- 31. Large number of primary sperm abnormalities are indicative of :
 - (A) Ectopic testes
 - (B) Testicular degeneration

- (C) Testicular neoplasm
- (D) Testicular fibrosis
- 32. Well established protozoan disease transmitted through milk:
 - (A) Cysticercosis
 - (B) Toxoplasmosis
 - (C) Giardiasis
 - (D) Salmonellosis
- 33. Garlic like odour of gastrointestinal contents is suggestive of poisoning with:
 - (A) Nitrate
 - (B) HCN
 - (C) Alkali
 - (D) Phosphorus
- 34. Gape worm of poultry is:
 - (A) Ascaridia galli
 - (B) Heterakis gallinarum
 - (C) Syngamus trachea
 - (D) Subulura brumpti





- 35. Epithelial Pearls are seen in :(A) Sebaceous gland adenoma
 - (B) Squamous cell carcinoma
 - (C) Melanoma
 - (D) Papillary adenocarcinoma
- 36. Blue Tongue in sheep is caused by:
 - (A) Herpes virus
 - (B) Birna virus
 - (C) Picorna virus
 - (D) Orbi virus
- 37. Typical radiographic sign of osteoarthritis is:
 - (A) Increased joint space
 - (B) Decreased joint space
 - (C) Irregular joint space
 - (D) Irregular joint space with new bony growth
- 38. The following is not an indication of PGF2 alpha:
 - (A) Synchronization of oestrus
 - (B) Cystic ovaries

- (C) Persistent corpus luteum
- (D) Induction of abortion
- 39. Clinical manifestation of canine parvovirus infection is / are :
 - (A) Mycocarditis in pups
 - (B) Haemorrhagic diarrhoea
 - (C) Leukopenia
 - (D) All of these
- 40. The smooth muscle around the spermatic cord that helps in thermoregulation of tests is:
 - (A) Tunica dartos
 - (B) Cremester muscle
 - (C) Pampiniform plexus
 - (D) Gubernaculum
- 41. The terminology used for the high per cent of abnormal sperms :
 - (A) Teratozoospermia
 - (B) Aspermia
 - (C) Asthenozoospermia
 - (D) Necrozoospermia





- 42. Tigroid heart is seen in calves affected with:
 - (A) Bovine malignant catarrhal
 - (B) Botulism
 - (C) Bovine viral diarrhoea
 - (D) Foot and mouth disease
- 43. Docking in an adult dog is performed under:
 - (A) Epidural
 - (B) Local infiltration
 - (C) Ring block
 - (D) General anaesthesia
- 44. The type of necrosis that occurs in an abscess is:
 - (A) Coagulative necrosis
 - (B) Liquefactive necrosis
 - (C) Caseative necrosis
 - (D) Fat necrosis
- 45. Tuberculin test is based on:
 - (A) Delayed hypersensitivity
 - (B) Arthus reaction

- (C) Anaphylactic reaction
- (D) Type III hypersensitivity
- 46. A common term for myiasis caused by members of calliphoridae is:
 - (A) Blowfly strike
 - (B) Pediculosis
 - (C) Mange
 - (D) None of these
- 47. Manganese deficiency may predispose chicks to develop:
 - (A) Pica
 - (B) Star grazing condition
 - (C) Crazy chick disease
 - (D) Slipped Tendon
- 48. Which is the space present between the vertebral canal and spinal duramater?
 - (A) Subarachnoid space
 - (B) Subdural space
 - (C) Epidural space
 - (D) Dural space





Example of metazoonoses is: (C) Inclusion bodies in neurons Cutaneous larva migrans (D) Encephalitis (B) Listeriosis Antihypertensive drug with angiotensin Brucellosis converting enzyme inhibiting Plague (D) action: Ingestion of Lantana foliage causes: Prazosin Verapamil Hepatotoxicity and Photosensitization (C) Frusemide **Acute Enteritis** (D) Captopril (C) Pulmonary haemorrhage Brooder pneumonia is caused (D) Nephrotoxicity by: 51. Deaths among clinically affected (A) Aspergillus flavus animals indicate: Aspergillus ochraceous Incident Rate (A) (C) Aspergillus parasiticus (B) Morbidity Rate (D) Aspergillus fumigatus (C) Case Fatality Rate Paralysis of the hindquarter is termed (D) Prevalence Rate as: 52. The lesion in the brain of cow affected Hemiplegia by mad cow disease: (B) Monoplegia Neuronal degeneration (C) Quadriplegia

Neuronal vacuolation

(D)

Paraplegia





- 56. The toxic principle present in cottonseed is:
 - (A) Sinigrin
 - (B) Gossypol
 - (C) Tannin
 - (D) Mimosin
- 57. Microglia cells are present in the:
 - (A) Blood
 - (B) Bone Marrow
 - (C) Pancreas
 - (D) Brain
- 58. Surgical operation for providing drainage from the middle ear is known as:
 - (A) Zepps Operation
 - (B) Hyovertebrotomy
 - (C) Ventriculectomy
 - (D) Bulla osteotomy
- 59. Bronze discolouration of the liver is a characteristic feature of :
 - (A) Pullorum Disease

- (B) Fowl Cholera
- (C) Fowl Typhoid
- (D) Spirochaetosis
- 60. Chocolates are toxic to dogs due to the presence of :
 - (A) Aminophylline
 - (B) Terbutaline
 - (C) Theobromine
 - (D) Caffeine
- 61. An estrogenic mycotoxin affecting pigs :
 - (A) Zearalenone
 - (B) Aflatoxin
 - (C) T-2 toxin
 - (D) Ochratoxin
- 62. In horses, stertorous sounds due to laryngeal paralysis is caused by poisoning with:
 - (A) Arsenic
 - (B) Lead
 - (C) Selenium
 - (D) Molybdenum





Which among these is also known 67. Which antibiotic causes Vitamin K deficiency? as Bang's disease? Oxytetracycline (A) (A) Trichomoniasis Quinolones (B) (B) Brucellosis (C) Penicillin (C) Leptospirosis (D) Sulphaquinoxalin (D) Vibriosis The presence of epithelial casts in 68. 64. Milk vein in cattle is: urine is indicative of: Subcutaneous abdominal **Nephritis** (A) Hepatic vein (B) Hepatitis (B) (C) Pudendal vein Cystitis (C) Mammary vein (D) Urethritis 65. Plaster of Paris is a powder of: 69. Humoral immunity is mediated by (A) Calcium carbonate circulating antibodies produced by: Magnesium sulphate (A) Plasma cells Zinc sulphate (C) Hapatic cells (B) (D) Calcium sulphate Kupffer cells (C) (D) T Helper cells The term frog is associated with the 70. Anaesthetic contraindicated in cats: hoof of: (A) Amobarbital (A) Cow (B) Propofol Horse (B) Diazepam (A) (C) Buffalo (C) (D) Ketamine (D) Pig





- 71. Which is the most common rapid and sensitive diagnostic test for Rabies ?
 - (A) ELISA
 - (B) Direct Fluorescent Assay
 - (C) Dot blot immunoassay
 - (D) Negri body detection
- 72. A sedative and an analgesic of choice for use in horses:
 - (A) Acepromazine
 - (B) Dipyrone
 - (C) Detomidine
 - (D) Trifluopromazine
- 73. Sterilisation of operation theatre is done by:
 - (A) Nitrous oxide gas
 - (B) Steaming
 - (C) Ethylene oxide gas
 - (D) UV irradiation
- 74. Maternal Recognition of Pregnancy
 - (M. R. P) is responsible for :
 - (A) Fetal growth
 - (B) Implantation

- (C) Maternal circulation
 - (D) Fertilization
 - 75. In the testes, testosterone secreting cells are:
 - (A) Germinal epithelium
 - (B) Leydig cells
 - (C) Sertoli cells
 - (D) Seminiferous epithelium
 - 76. Triclabendazole is a drug of choice

for: mey viscomsM ((a)

- (A) Liver fluke
- (B) Haemonchus
- (C) Lungworm
 - (D) Tapeworms
- 77. The larvae of **Oestrus ovis** are commonly referred to as:
 - (A) Gnats
 - (B) Warble
 - (C) Bots
 - (D) None of these





- 78. **Taenia mutliceps** is tapeworm of dog and its larval stage present in sheep / cattle is known as:
 - (A) Cysticercosis
 - (B) Hydatid
 - (C) Coenurus cerebralis
 - (D) Taeniasis
- 79. Circling disease in cattle is caused by:
 - (A) Listeria monocytogenes
 - (B) Erysipelothrix rhusiopathiae
 - (C) Streptococcus equi
 - (D) Chlamydia psittacii
- 80. The most important cause of vagal indigestion in cattle is :
 - (A) Oesophageal choke
 - (B) Abomasitis
 - (C) Traumatic Reticuloperitonitis
 - (D) Liver dysfunction
- 81. Which of the following cells is reponsible for myelin formation in the peripheral nervous system?
 - (A) Astrocyte

- (B) Oligodendrocyte
- (C) Schwann cell
- (D) Microglial cell
- 82. The general steps in the viral multiplication cycle are:
 - (A) Attachment, penetration, uncoating, replication, maturation and release
 - (B) Endocytosis, penetration, replication, assembly and lysis
 - (C) Attachment, uncoating, replication, assembly and budding
 - (D) Endocytosis, penetration, replication, maturation and exocytosis
- 83. The growth of Brucella organisms is favoured due to:
 - (A) Erythritol
 - (B) Sorbitol
 - (C) Glucose
 - (D) Protein (D)





- 84. Virus having RNA dependent DNA polymerase :
 - (A) Retrovirus
 - (B) Reovirus
 - (C) Rabies virus
 - (D) Rubella
- 85. The following suture is used to narrow and constrict the lumen of a hollow organ:
 - (A) Eversion Suture
 - (B) Inversion Suture
 - (C) Purse-string Suture
 - (D) Apposition Suture
- 86. Which one of the following ligaments is of great importance for the treatment of upward fixation of the patella in the bullock?
 - (A) Medial patellar ligament
 - (B) Middle patellar ligament
 - (C) Lateral patellar ligament
 - (D) Cruciate ligament

- 87. Which type of placenta is present in cows?
 - (A) Syndesmochorial
 - (B) Epitheliochorial
 - (C) Endotheliochorial
 - (D) Haemochorial
- 88. Postmortem findings suggestive death by drowning:
 - (A) White froths in mouth and
 - (B) Early rigor mortis
 - (C) Oedematous lungs
 - (D) All of these
- 89. The antiseptic activity of Dettol is due to the presence of :
 - (A) Chlorhexidine
 - (B) Chloroxylenol
 - (C) Chlorophores
 - (D) All of these





- 90. Ribotyping is extensively used for identifying pathogens:
 - (A) Bacteria
 - (B) Fungus
 - (C) Virus
 - (D) Parasites
- 91. Sucralfate promotes healing of duodenal ulcers by:
 - (A) Enhancing gastric mucus and bicabonate secretion
 - (B) Forming a protective layer on the ulcer and preventing the action of acid-pepsin on ulcer base
 - (C) Promote regeneration of
 - (D) Both (A) and (B)
- 92. Which of the following substances characteristically increases in abundance with increasing age in terminally differentiated cells such as neurons and muscle?
- (A) Cyclin

- (B) Desmin
- (C) Lipofuscin
- (D) Amyloid
- 93. Glycogen is the major storage form of:
 - (A) Protein
 - (B) Lipid
 - (C) Carbohydrate
 - (D) Nucleoprotein
- 94. The epithelium having secretary function is called :
 - (A) Simple epithelium
 - (B) Stratified epithelium
 - (C) Glandular epithelium
 - (D) None of these
- 95. Staining of tissue with haemoglobin after death of the animal is referred as:
 - (A) Algor mortis
 - (B) Livor mortis
 - (C) Rigor mortis
 - (D) Pseudomelanosis





- 96. A differential cell count of a blood smear from a patient with endoparasitic infection is likely to reveal an increase in the circulating numbers of which of the following cell types?
 - (A) Basophils
 - (B) Eosinophils
 - (C) Lymphocytes
 - (D) Monocytes
- 97. Which of the following terms refers
 to the percentage of packed
 erythrocytes per unit volume of
 blood?
 - (A) Haemoglobin
 - (B) Hematocrit
 - (C) Buffy coat
 - (D) Poikilocytosis
- 98. The temperature of a cow suffering from milk fever is:
 - (A) 96°F
 - (B) 102°F

- (C) 104°F
- (D) 106°F
- 99. Scrotal sac temperature of a bull compared to body temperature is :
 - (A) Less
 - (B) Variable
 - (C) More
 - (D) Equal
- 100. The earliest pregnancy diagnosis test for bovine is :
 - (A) Rectal Examination
 - (B) Progesterone Assay
 - (C) Ultrasound
 - (D) Radiography
- 101. The suture pattern is comonly used to close the skin of cattle following a rumenotomy:
 - (A) Simple interrupted
 - (B) Simple continuous
 - (C) Interrupted horizontal mattress
 - (D) Continuous horizontal mattress





- 102. Which of the following is an absorbable suture material?
 - (A) Polydioxanone
 - (B) Prolene
 - (C) Silk
 - (D) Cotton
- 103. The type of wound healing in which granulation tissue forms, filling of the defect, is known as:
 - (A) First intention
 - (B) Second intention
 - (C) Third intention
 - (D) Fourth intention
- anaesthesia, the anaesthetic solution is injected into:
 - (A) Subarachnoid space
 - (B) Extradural space
 - (C) Spinal cord
 - (D) Subdural space

- 105. In a dog showing abdominal breathing, short gasping breaths and tucked up abdomen, the most logical thing to suspect would be:
 - (A) Diaphragmatic hernia
 - (B) Interstitial pneumonia
 - (C) Bronchopneumonia
 - (D) Pneumothorax
- 106. Once under anaesthesia, dilated pupils indicate :
 - (A) An adequate plane of anaesthesia
 - (B) Inadequate plane of anaesthesia
 - (C) Excitatory stage
 - (D) Impending respiratory arrest
- 107. Infectious disease can spread from farm through inanimate objects called as:
 - (A) Reservoirs
 - (B) Carriers
 - (C) Fomites
 - (D) Machines





- 108. The exposed and non-exposed groups are compared for the causation of a disease in which studies?
 - (A) Case-control
 - (B) Experimental
 - (C) Cross-sectional
 - (D) None of these
- 109. Which of the following is not an immuno-diagnostic test?
 - (A) PCR
 - (B) HA&HI
 - (C) ELISA
 - (D) Serum plate agglutination test
- 110. In cohort epidemiological studies, the word "cohort" means :
 - (A) Population
 - (B) Group
 - (C) Risk
 - (D) Variable

- 111. The occasional occurrence of a disease in a population is called as:
 - (A) Epidemic
 - (B) Outbreak
 - (C) Pandemic
 - (D) Sporadic
- 112. The nosocomial infections are acquired from:
 - (A) Plants
 - (B) Hospital
 - (C) Animals
 - (D) Doctors
- incidence of disease in females is more than that of males but the prevalence is equal in both. It indicates:
 - (A) Case fatality is more in female
 - (B) Mortality in males is higher
 - (C) The disease is of less duration in males
 - (D) Females harbour disease for a longer duration





(Turn over)

114.	14. The antibody that is first formed aft		er 118.	Exa	imples for cell-mediated immunity	
i	infection is an:			are	oe il adi la noticul lucitori al loci li adi	
((A)	IgG (Height Extrapel (C))	•	(A)	Tuberculin type	
E (11)	(B)	IgM as easily of sub-mean a		(B)	Contact dermatitis	
((C)	lgD wraub		(C)	Granulomatous	
((D)	IgE security of expos		(D)	All of these	
115. N	Monoclonal antibodies are produce		119. ed	119. Which antibody class is majorly involved in mucosal immunity?		
b	oy: use is vibrated (8)				lgY at metal at a value map	
(A)	Hybridoma technology	\triangle	(A) (B)		
000	B)	Biotechnology	AA	(C)	IgD biselgay (8)	
(C)	Fermentation Technology			lgE casequa•A (0)	
(1	D)	None of these	120.	Infe	ction by Coxiella results in a	
116. Antibody present in colostrums is :			disease called :			
(/	A)	lgG		(A)	Q fever	
(E	B)	lgA .		(B)	Coxiellosis	
((C)	IgM		(C)	Brucellosis	
([D)	lgE .		(D)	None of these	
117. A	Anthrax vaccine is prepared by :		121.	121. Prokaryotes are distinguished from		
(/	A)	An Attenuated bacilli			Phoentalisidale	
(E	B)	Killing the bacilli	09	(A) (B)	Phospholipid plasma membrane Cytoplasm with ribosomes	
(0	C)	Live bacilli	*	(C)	Nucleoid instead of the nucleus	
(0	D)	None of these		(D)	Membrane bound organelles	
XB - 1A/26		(19)		(Turn over)		





- 122. Which of the following is not included in internal fixation of the fractures?
 - (A) Plaster cast application
 - (B) Application of screws
 - (C) Intramedullary Pinning
 - (D) Bone plating
- 123. Transformation of one cell type to another cell type within the same germ layer is known as:
 - (A) Hyperplasia
 - (B) Dysplasia
 - (C) Anaplasia
 - (D) Metaplasia
- 124. The simple fracture of midshaft of the radius bone in a pup can be treated by:
 - (A) Velpaue sling
 - (B) Ehmer sling
 - (C) Robert-Jones bandage
 - (D) Bone plating
- 125. Bunny hopping of hind limbs is seen in dogs affected with :
 - (A) Fracture

- (B) Arthritis
- (C) Luxation
- (D) Ligament injury
- 126. Death due to cobra envenomation is due to :
 - (A) Acute nephrosis
 - (B) Hemolysis
 - (C) Respiratory arrest
 - (D) Hypotension
- 127. Deficiency of following in sheep predisposes to copper toxicity:
 - (A) Lead
 - (B) Molybdenum
 - (C) Mercury
 - (D) Zinc
- 128. Consumption of raw or improperly cooked fish can lead to infection with:
 - (A) Fasciolopsis buski
 - (B) Paragonimus westermanii
 - (C) Diphyllobothrium latum
 - (D) Eurytrema pancreaticum





- the bile ducts as the site of predilection is:
 - (A) Gastrothylax
 - (B) Fischoederius
 - (C) Cotylophoron
 - (D) Gigantocotyle
- 130. Goose stepping in pigs is related to deficiency of :
 - (A) Pyridoxine
 - (B) Biotin
 - (C) Pantothenic acid
 - (D) Manganese
- 131. Which of the following does not allow observation of living cells?
 - (A) Brightfield Microscope
 - (B) Darkfield Microscope
 - (C) Phase contrast microscope
 - (D) Fluorescent microscope
- 132. Which of the following drug is used to treat fungal infections?
 - (A) Erythromycin

- (B) Penicillin
- (C) Amphotericin
- (D) Quinine
- 133. Which organism is considered an index of faecal pollution of drinking water supplies?
 - (A) Rota Virus
 - (B) E. coli
 - (C) Salmonella spp.
 - (D) Hepatitis E virus
- 134. Protective mechanisms used by Staphylococcus bacteria to survive in the host may be:
 - (A) Capsule
 - (B) M protein
 - (C) Various enzymes
 - (D) All of these
- 135. The drug of choice for the treatment of babesiosis in crossbred cattle is :
 - (A) Imidocarb dipropionate
 - (B) Ciprofloxacin
 - (C) Oxytetracycline
 - (D) Metronidazole





- 136. Which of the following organisms gain access to bovine udder during milking?
 - (A) Staphylococcus aureus
 - (B) E. coli
 - (C) Pseudomonas
 - (D) Klebsiella
- 137. Signs of equine infectious anemia include:
 - of the ventral abdomen and legs
 - (B) Severe, persistent diarrhoea
 - (C) Frequent urination and urine containing large quantities of blood
 - (D) Bleeding from the body orifices
- 138. Equine glanders is caused by:
 - (A) Burkholderia mallei
 - (B) Burkholderia pseudomallei
 - (C) Burkoldera capaciae
 - (D) Burkholderia tialendesis

- 139. The most likely diagnosis for paresis immediately the following calving in a Nilli Ravi buffalo is:
 - (A) Ketosis
 - (B) Hypomagnesemia
 - (C) Milk fever
 - (D) Endotoxaemia
- 140. The drug of choice in paracetamol (acetaminophen) toxicity is:
 - (A) Adrenaline
 - (B) N-acetylcysteine
 - (C) Dexamethasone
 - (D) Physostigmine
- 141. Which among the following is the best indicator of active muscle damage?
 - (A) Creatine Kinase (CK)
 - (B) Aspartate amino-transferase (AST)
 - (C) Lactate dehydrogenase (LDH)
 - (D) Alanine amino-transferase (ALT)





- 142. Which of the following antimicrobial is effective against beta-lactamase producing anaerobic bacteria?
 - (A) Penicillin
 - (B) Cephalexin
 - (C) Ceftiofur
 - (D) Metronidazole
- 143. The capacity of an agent to cause disease in a susceptible host defines its:
 - (A) Virulence
 - (B) Pathogenicity
 - (C) Infectivity
 - (D) Aggressiveness
- 144. Which of the following is an infectious but not a contagious disease?
 - (A) Leptospirosis
 - (B) Tetanus
 - (C) Brucellosis
 - (D) Mucosal disease complex
- 145. A scald is an injury caused by:
 - (A) Hot liquids

Steam

(B)

- (C) Both (A) and (B)
- (D) None of these
- 146. Which of the following is an example of cestodes?
 - (A) Trichuris vulpis
 - (B) Isospora felis
 - (C) Ancylostoma caninum
 - (D) Dipylidium caninum
- 147. Commonly used abbreviation in prescription writing 'BID' means :
 - (A) Give as required
 - (B) Give thrice a day
 - (C) Give twice a day
 - (D) Mix well before giving
- 148. A complete blood count include:
 - (A) WBC, RBC, HB, HCT and DLC
 - (B) RBC, WBC, Total solids and clotting time
 - (C) WBC, DLC and clot retraction time
 - (D) WBC, DLC and BUN

XB – 1A/26 (23)

(Turn over)





- 149. Which antibiotic is the best treatment for canine ehrlichiosis?
 - (A) Penicillin G
 - (B) Erythromycin
 - (C) Ceftiofur
 - (D) Doxycycline
- 150. Treatment of choice for the transmissible canine venereal tumour is:
 - (A) Vincristine sulphate
 - (B) Adriamycin
 - (C) Cyclophosphamide
 - (D) Vinblastine
- 151. A month-old rotrottweiler pup is presented to you with protracted vomiting, dehydration, bloody diarrhoea of a day old standing. The vaccination status of the pup was not current. Your most likely diagnosis is:
 - (A) Canine parvovirus infection
 - (B) Garbage poisoning

- (C) Canine hepatitis
- (D) Canine herpes virus infection
- 152. The major cause of hypochromic microcytic anaemia is :
 - (A) Iron and copper deficiency
 - (B) Thiamine and manganese
 - (C) Selenium and folic acid
 - (D) Folic acid and B₁₂ deficiency
- 153. A deficiency of which of the following vitamins most likely would cause central nervous signs in cats?
 - (A) Riboflavin
 - (B) Niacin
 - (C) Thiamine
 - (D) Pantothenic acid
- 154. The best site for the collection of CSF in canine is:
 - (A) Sub-occipital puncture
 - (B) Lumbo-sacral puncture
 - (C) Sacro-coccygeal puncture
 - (D) Thoraco-lumbar puncture





- 155. Which of the following cells are diagnostic hallmarks of immunemediated hemolytic anaemia?
 - (A) Leptocytes
 - (B) Spherocytes
 - (C) Histiocytes
 - (D) Schizocytes
 - Shephard is presented to you for jaundice and ascities. Laboratory investigations revealed: SGPT (ALT)

 792 mg/dL; SAP, 1500 mg/dL; Total
 Bilirubin 9 mg/dL; Albumin,
 1.6 mg/dL; globulin, 4.9 mg/dL. The most likely diagnosis is:
 - (A) Hepatic lymphosarcoma
 - (B) Carcinomatosis
- (C) Liver lobe torsion
 - (D) Hepatic cirrhosis
 - 157. What of the following is the most common skin tumor affecting horses?
 - (A) Squamous cell carcinoma

- (B) Viral papilomatosis
- (C) Basal cell carcinoma
- (D) Melanoma
- 158. Enucleation may be required to correct:
 - (A) Third eyelid prolapsed
 - (B) Penile prolapsed
 - (C) Proptosis of the eye
 - (D) Aural hematoma
- 159. Which of the following is not completely removed in an ovariohysterectomy?
 - (A) Broad ligament
 - (B) Ovaries
 - (C) Uterine horns
 - (D) Oviducts
- 160. X-rays have their greatest harmful effects upon:
 - (A) Gonadal tissue
 - (B) Skin (plane) band (B)
 - (C) Lung Damomel (O)
 - (D) Bone and to IA (d)





- 161. The probable outcome of a disease is known as :
 - (A) Recovery
 - (B) Prognosis
 - (C) Tentative diagnosis
 - (D) Sequelae
- 162. Equine herpes virus infection is also termed as :
 - (A) Equine abortion virus
 - (B) Equine arteritis
 - (C) Equine rhinopneumonitis
 - (D) None of these
- 163. Major lungworms of the horses are:
 - (A) Anoplocephala species
 - (B) Gastrophilus species
 - (C) Parascaris equorum
 - (D) Dictyocaulus arnfieldi
- 164. Epidural anesthesia is contra indicated in :
 - (A) Infection
 - (B) Hypotension
 - (C) Hemorrhages
 - (D) All of these

- 165. Which of the following agents can be used as both an antiseptic as well as a disinfectant?
 - (A) Quaternary ammonium compounds
 - (B) Mercurial compounds
 - (C) Isopropyl alcohol
 - (D) Formaldehyde
 - 166. Why is it important to minimize the amount of dead space when suturing?
 - (A) To decrease the chance of infection
 - (B) To decrease the chance of seroma formation
 - (C) To improve hemostasis
 - (D) To minimize necrosis
 - 167. Which of the following is not a factor influencing the formation of exuberant granulation tissue?
 - (A) Presence of infection
 - (B) Amount of missing tissue
 - (C) Depth of the wound
 - (D) Location of the wound





- 168. The most important cause of allotriphagia in animals is:
 - (A) Calcium deficiency
 - (B) Protein deficiency
 - (C) Phosphorus deficiency
 - (D) Vitamin D deficiency
- 169. The nonsteroidal anti-inflammatory drug(NSAID) that is extremely toxic to cats is:
 - (A) Aspirin
 - (B) Acetaminophen
 - (C) Carprofen
 - (D) Flunixin
- 170. Puppies born via a cesarean section that is not breathing well may benefit from ______ drops administered sublingually.
 - (A) Dobutamine
 - (B) Digitalis
 - (C) Doxapram
 - (D) Diazepam
- 171. Loop diuretics such as furosemide:
 - (A) Cause dehydration in normal animals

- (B) Cannot be used simultaneously with ACE inhibitors
- (C) Are unsafe for use in animals with pulmonary edema
- (D) May cause hypokalemia with chronic use
- 172. Which reproductive hormone can produce pyometra in dogs? It is also used in the pregnant mare in an attempt to keep it from prematurely aborting its fetus.
 - (A) Estrogen
 - (B) Progesterone
 - (C) Gonadotropin
 - (D) Prostaglandin
- 173. A client calls to say that his horse is sweated up, keeps looking at his belly, and is trying to roll; the veterinarian will most likely find that the horse is suffering from:
 - (A) Tetanus
 - (B) Colic
 - (C) Strangles
 - (D) Epistaxis





- 174. What drug readily penetrates the blood-brain barrier and achieves therapeutic concentrations of antibiotics in the central nervous system?
 - (A) Amoxicillin
 - (B) Enrofloxacin
 - (C) Oxytetracycline
 - (D) Chloramphenicol
- 175. A wet-to-dry bandage is best for what type of wounds?
 - (A) Deep lacerations
 - (B) Contaminated wounds that need to be debrided
 - (C) Abscesses
 - (D) Healing wounds with good granulation tissue
- 176. Which of these compounds is not found in lactated Ringer solution?
 - (A) Sodium chloride
 - (B) Potassium chloride
 - (C) Magnesium chloride
 - (D) Calcium chloride

- 177. The common drug used for epidural anaesthesia is:
 - (A) Thiopental
 - (B) Ketamine
 - (C) Propofol
 - (D) Lidocaine
- 178. The fracture is called compound one if:
 - (A) The bone is broken into two pieces
 - (B) The bone is broken into more than two pieces
 - (C) A fractured bone is exposed to the external environment
 - (D) Along with bone, there is also damage to muscles
- 179. Besides skin tenting, one of the best physical signs to acess fluid status is:
 - (A) Heart rate
 - (B) Respiration
 - (C) Pulse
 - (D) Weight





- 180. The disease caused by Parvovirus causes in cats?
 - (A) Panleukopenia
 - (B) Rhinotracheitis
 - (C) Infectious peritonitis
 - (D) Infectious anaemia

191 Agrantillar fear copyle in the blood is

- 181. What clinical condition is often mistaken for obesity and may conceal malnutrition?
 - (A) Diarrhoea
 - (B) Ascites
 - (C) Anaemia
 - (D) Pancreatitis
- 182. Currant jelly clot indicates:
 - (A) Sudden death
 - (B) Slow death
 - (C) Cannot predict
 - (D) None of these
- 183. Tetrathionate broth is an example for:
 - (A) Enriched media

- (B) Enrichment media
- (C) Sugar media
- (D) Indicator media
 - 184. "Hepatitis cysticercosa" in sheep is a condition associated with:
 - (A) Cysticercus bovis
 - (B) Cysticercus cellulosae
 - (C) Cysticercus tenuicollis
 - (D) Cysticercus fasciolaris
 - 185. The drug of choice for coccidiosis in poultry:
 - (A) Sulphaguanidine
 - (B) Sulphaquinoxaline
 - (C) Phthalyl sulpha thiazole
 - (D) Sulphamethyl phenazole
- 186. The sequel of 'Broken wind / chronic alveolar emphysema':
 - (A) Hypertrophy of left auricle
 - (B) Hypertrophy of right auricle
 - (C) Hypertrophy of left ventricle
 - (D) Hypertrophy of right ventricle





- 187. The ability of a screening test to correctly identify individuals in a population that are truely free of the disease is a measure of the tests:
 - (A) Specificity
 - (B) Sensitivity
 - (C) Realiability
 - (D) None of these
- 188. The gastrocnemius muscle is innervated by:
 - (A) Peroneal nerve
 - (B) Gluteal nerve
 - (C) Sciatic nerve
 - (D) Tibial nerve
- 189. Cranial drawer sign is characteristic

of

- (A) Elbow dysplasia
- (B) Hip dysplasia
- (C) Cranial Cruciate ligament
- (D) Patellar luxation

Hypertrophy of right ventrols

- 190. Measley beef is caused by the larval stages of:
 - (A) Cysticercus cellulosae
 - (B) Taenia solium
 - (C) Taenia sagginata
 - (D) Cysticercus bovis
- 191. Agranular leucocyte in the blood is:
 - (A) Eosinophil
 - (B) Neutrophil
 - (C) Lymphocyte
 - (D) Basophil
- 192. Which among the following is not occupational zoonoses?
 - (A) Wool sorter's disease
 - (B) Toxoplasmosis
 - (C) Sugar cane workers disease
 - (D) Rice field workers disease
- 193. Which among the animals are highly susceptible to salt poisoning?
 - (A) Cattle and Buffaloes
 - (B) Sheep and Goat
 - (C) Pigs and Poultry
 - (D) Dog and Cat





- 194. Epithelioid cells within granulomas are derived from which of the following?
 - (A) Plasma cells
 - (B) Macrophages
 - (C) Lymphocytes
 - (D) Eosinophils
- 195. Which among the following diseases is vertically transmitted to newly hatched chicks?
 - (A) Fowl pox
 - (B) Mycoplasmosis
 - (C) Aflatoxicosis
 - (D) Caecal coccidiosis
- 196. Tension band wiring technique is used for treatment of:
 - (A) Simple fracture
 - (B) Compound fracture
 - (C) Slab fracture
 - (D) Avulsion fracture
- 197. Lumpy skin diseaes virus belongs to the genus:
 - (A) Leporipoxvirus

- (B) Orthopoxvirus
- (C) Suipoxvirus
- (D) Capripoxvirus
- 198. Type-I hypersensitivity reaction is mediated by :
 - (A) IgG
 - (B) Ig E
 - (C) IgM
 - (D) Ig D
- 199. The space between the duramater and arachanoid is called:
 - (A) Epidural
 - (B) Subdural
 - (C) Subarachnoid
 - (D) Cisterna magna
- 200. The characteristic convulsion caused by strychnine is:
 - (A) Myoclonic
 - (B) Tonic-clonic convulsion
 - (C) Atonic
 - (D) D. Tonic



SEAL



表示的自己的表示。更多是有要求。

CONTROL CONCRETE MEDICAL STATE OF STATE

antiving to 1914, AAL, and sugar, to

SPACE FOR ROUGH WORK

AND TO TORK WITH DOUBLE AND

CONTRACTOR SOLES

Appl (C)

Appl (C)

Cipt. (C)

Application on the power of explain a field of the power of explain a field of the power of the properties of the power of the properties of th

а візіння ула уд в

najalavnos enois enois (49)

sinolA (O)

aind (I) (II)

XB – 1A/26 VS – 1-21/22
