



JKPSC AP

Previous Year Paper (Computer Applications) 17 Mar, 2024



Test Prime

ALL EXAMS, ONE SUBSCRIPTION



1,00,000+Mock Tests



Personalised Report Card



Unlimited Re-Attempt



600+ Exam Covered



25,000+ Previous Year Papers



500% Refund

















ATTEMPT FREE MOCK NOW





DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE TOLD TO DO SO

Booklet Serial No.

216953

Test Booklet Series

TEST BOOKLET COMPUTER APPLICATIONS

Written Test - 2023

(36)



Time Allowed: Two Hours

Maximum Marks: 120

INSTRUCTIONS

- IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS, ETC. IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET.
- Please note that it is the candidate's responsibility to encode and fill in the Roll Number and Test Booklet Series Code A, B, C or D carefully and without any omission or discrepancy at the appropriate places in the OMR Answer /Response Sheet. Any omission/discrepancy will render the Response Sheet liable for rejection.
- You have to enter your Roll Number on the Test Booklet in the Box provided alongside.

DO NOT write anything else on the Test Booklet.

- 4. This Test booklet contains 120 items (questions). Each item comprises of four responses (answers). You will select the response which you want to mark on the Answer Sheet/Response Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each item.
- You have to mark all your responses ONLY on the separate Answer /Response Sheet provided. See directions in the Response Sheet.
- 6. All items carry equal marks.
- Before you proceed to mark in the Answer /Response Sheet, the response to various items in the Test Booklet, you have to fill in some particulars in the Answer /Response Sheet as per instructions sent to you with your Admission Certificate.
- 8. After you have completed filling in all your responses on the Response Sheet and the examination has concluded, you should hand over to the Invigilator only the Answer /Response Sheet. You are permitted to take away with you the Test Booklet and Candidate's Copy of the Response Sheet.
- Sheets for rough work are appended in the Test Booklet at the end.
- While writing Centre, Subject and Roll No. on the top of the Answer Sheet/Response Sheet in appropriate boxes use "ONLY BALL POINT PEN".
- 11. Penalty for wrong answers:

THERE WILL BE PENALTY FOR WRONG ANSWERS MARKED BY THE CANDIDATE IN THE WRITTEN TEST (OBJECTIVE TYPE QUESTIONS PAPERS).

- (i) There are four alternatives for the answer to every question. For each question for which a wrong answer has been given by the candidate, (0.25) of the marks assigned to that question will be deducted as penalty.
- (ii) If a candidate gives more than one answer, it will be treated as a wrong answer even if one of the given answers happens to be correct and there will be same penalty as above for that question.
- (iii) If a question is left blank, i.e., no answer is given by the candidate, there will be no penalty for that question.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE TOLD TO DO SO

SE

P.T.O.









	15	
1.		npute the result of arithmetic addition of -7 and -11 using signed 2's Complement resentation and 8 bit representation?
	A)	00010010
	B)	11101110
	C)	00010001
	D)	11110101
2.	Wh	at will be the Gray Code of (01110110)
	A)	10001001
	B)	10011010
	C)	01001101
	D)	10001010
3.	An	Index is Clustered if
	A)	It is on a set of fields that form a candidate key
	B)	It is on a set of fields that include the primary key
	C)	The data records of the file are organized in the same order as the data entries of the Index
	D)	The data records of the file are not organized in the same order as the data entries of the Index
4.	Stuc	dent and Courses enrolled is an example of
	A)	One-to-One Relationship
	B)	One-to-Many Relationship
	C)	Many-to-One Relationship
	D)	Many-to-Many Relationship
5.	Wri	te the instruction in the Basic Computer in order to set the Z Flip Flop to 1?
	A)	Z<-1
	B)	Z = I

CLZ, CMZ

CMZ





- Convert the following arithmetic expression from Infix to Reverse Polish Notation. A*[B+C*(D+E)] F*(G+H)
 - A) ABCDE *+*+FGH+*/
 - B) ABCDE+*+*FGH+*/
 - C) ABCDE+*+*FGH*+/
 - D) ABCDE * + *+ FGH */+
- 7. The Memory Unit of Computer has 256K words of 32 bits each. The computer has an instruction format with four fields: An operation code field, A mode field to specify one of seven addressing modes, A register address field to specify one of 60 processor registers and a memory address. State the instruction format and the number of bits in each field if the instruction is in one Memory Word.
 - A) Address bits: 3, Addressing Mode bits: 18, Register address field bits: 5, op code bits: 6
 - Address bits: 17, Addressing Mode bits: 5, Register address field bits: 5, op code bits: 5
 - C) Address bits: 5, Addressing Mode bits: 17, Register address field bits: 5, op code bits: 5
 - D) Address bits: 18, Addressing Mode bits: 3, Register address field bits: 6, op code bits: 5
- Any given Boolean Expression can be implemented by using
 - A) Only NAND gates
 - B) Only NOR gates
 - C) Only OR gates
 - Only AND gates
- The Instruction is stored at location 300 with its address field at location 301. The address
 field has the value 400. An index Register R1 contains number 200. Evaluate the effective
 address when the addressing mode of the instruction is Direct, Immediate, Relative,

Register Indirect

- A) Direct: 400, Immediate:301, Relative:702, Register indirect:200
- B) Direct: 400, Immediate:301, Relative:701, Register indirect:200
- C) Direct: 400, Immediate:301, Relative:300, Register indirect:500
- D) Direct: 301, Immediate:300, relative:700, Register Indirect:400





10.	Which of the following statement a	about Binary	Tree is Not	True
-----	------------------------------------	--------------	-------------	------

- A) Degree of any given must not exceed two.
- B) Binary tree cannot contain zero nodes.
- Subtree of binary tree is called left subtree and right subtree
- D) None of the Above

	Consider a computer with eight floating point pipeline Processors. Suppose that each
	Processor uses a Cycle Time of 80 ns. How long will it take to perform 800 floating
	point operations?

- A) 800 ns
- B) 640 ns
- C) 8000 ns
- D) 6400 ns

 What does the SQL statement SELECT SUBSTR ('abcdefghij' INSTR ('123321234', '2',3,2),2) FROM DUAL Print?

- A) gh
- B) 23
- C) bc
- D) ab

13. In an entity relationship, y is the dominant entity and x is a subordinate entity. Which of the following is/are correct?

- A) operationally, if y is deleted, so is x
- x is existence dependent on y
- Operationally, if x is deleted, so is y
- operationally, if x is deleted, y remains the same

The Direct Memory Access is technique used to transfer data

between:

- A) CPU and Fast storage device
- B) CPU and I/O device
- LO device and fast storage device
- D) None of these





15.	How many 64*8 RAM chips are needed to provide a memory capacity of 2048 bytes?					
	A)	8				
	B)	16				

D) 4

32

- 16. The Access time of a Cache memory is 100 ns and that of Main memory is 1000 ns. It is estimated that 70% of memory request are for read and the remaining 30% for write. The hit ratio for read access only is 0.8. A write through procedure is used then what is the average access time of the system considering only memory read cycle and for both read and write requests?
 - A) 200 ns and 360 ns
 - B) 300 ns and 510 ns
 - C) 400 ns and 720 ns
 - D) None of these
- 17. What is the transfer rate of an eight track magnetic tape whose speed is 120 inches per second and whose density is 1600 bits per inch?
 - A) 1,92,000 character
 - B) 15,36,000 character
 - C) 24,000 characters
 - D) None of these.
- For the sequence ABCDBEDACECE count the number of miss if the LRU Algorithm is used for a four way set associative Cache Memory has four words in each set.

Start ABCE as the initial four words, with word A being the least recently used.

- A) 7
- B) 3
- C) 4
- D) (
- 19. An address space is specified by 24 bits and the corresponding memory space by 16 bits. How many words are there in address space and memory space? If the page consists of 2 K words, how many pages and blocks are there in the system
 - A) 16M, 64K, 8K, 32
 - B) 16K, 64M, 8, 32K
 - C) 16K, 64K, 8K, 32
 - D) None of these



```
20. What would be the output of following program in C?
     main()
     (
           int x = 50;
                     int x = 10;
                     printf("\n%d",x)
     A)
           50
           10
     B)
           Garbage Value
     C)
           None of the above
21. Find the error in the below code
     main()
     1
           extern int i;
           i = 20;
          printf("%d",sizeof(i));
     }
          The value of i is not defined
     A)
          Syntax of print f is incorrect
     B)
          Type of compiler has not been mentioned
     C)
          extern variable cannot be declared inside main
     D)
22. What will be the output of following code in C?
     main()
     1
          int a[5] = {20,30};
          printf("\n %d
     %d",a[2],a[3])
     A)
          Garbage value
     B)
          30 30
          20 30
     C)
     D)
          0 0
```



23.	If a	=9, b=5 and c=3, then the expression (a- a/b * b % c) > a % b % c
	A)	True
	B)	False
	C)	Invalid
	D)	0
24.	The	body of the following for loop
	For	(putchar('a'); putchar(0);
	pute	char('c'))
	pute	char('b'); will be executed
	A)	0 times
	B)	1 time
	C)	infinitely many times
	D)	will not be executed because of syntax error
25.	Wh	ich two files are used during operation of the DBMS?
	A)	Query language and utilities
	B)	Data manipulation language and query language
	C)	Data dictionary and transaction log
	D)	Data dictionary and query language
26.	The	following statement printf("%f", 9/5); prints
	A)	1.8
	B)	1.0
	C)	2.0
3000	D)	None of the above
(36)	(A)	(8)



27. What would be the output of following program?

```
main()
{
int *p1, x=10;
void *p2;
p1 = &x;
p2 = &x;
p1 = p2;
p2 = p1;
}
```

- A) Warning: Suspicious assignment of x to p2
- B) Warning: Variable and Pointer type should be same
- C) Error
- D) No error

28. The maximum number of temporary variables needed to swap the contents of two variables

is

- A) 1
- B) 2
- C) 3
- D) 0

29. Which of the following syntax is used to overload post increment ++ operator in C++?

- A) class_name operator++()
 - ()
- B) class name operator++(int)
 - {}
- C) None of these
- D) All of the above

30. Which of the following statement is not true in C++?

- A) Constructors should be always public.
- B) Constructor must not return the value
- C) Constructors cannot be overloaded.
- D) Constructors can be inherited.

(36) (A) (9)

P.T.O.





What would be the output of following program in c++? #include<iostream.h>class A

```
private:
           int x;
     public:
           A(ints)
                x = s;
     void display()
                 cout<<"
value of x = " << x;
};
void main()
           A obj1(10);
           A obj2;
           obj1.display();
           obj2.display();
}
     value of x = 10 value of x = 0
A)
     value of x = 10
B)
     Error
C)
```

- - value of x = 10 value of x = 10
- 32. Which of the following types of inheritance can suffer from ambiguity problem?
 - Single Inheritance A)
 - Multiple inheritance B)
 - Multilevel inheritance C)
 - Hierarchical Inheritance D)
- 33. Which of the following statement is true in C++?
 - Creating a derived class from a base class does not requires fundamental change to the base class
 - B) It is illegal to make objects of one class as members of another class
 - The size of the derived class object is equal to the sum of sizes of data members in base class and the derived class.
 - D) If a base class and a derived class each include a member function with the same name, the member function of the base class will be called by an object of the derived class.





34. What would be the output of following program in C++? #include<iostream.h> class base protected: void print() cout << "JKPSC";); class derived: public base public: void show() 1 print(); } }; void main() base b1; b1.print(); derived d1; d1.show(); JKPSC JKPSC B) JKPSC C) warning protected cannot be inherited. Error D)

(36) (A)

(11)

[P.T.O.





35.	beir	the page fault service time be 10 ms in a computer with average memory access time ag 20 ns. If one page fault is generated for every 106 memory accesses, what is the active access time for the memory?			
	A)	21 ns			
	B)	30 ns			
	C)	23 ns			
	D)	35 ns			
36.		rocess that is based on IPC mechanism which executes on different systems and can imunicate with other processes using message-based communication, is called			
	A)	Local Procedure Call			
	B)	Inter Process Communication			
	C)	Remote Procedure Call			
	D)	Remote Machine Invocation			
37.	An Operating System contains 3 user processes each requiring 2 units of resource R. The minimum number of required units of R such that no deadlock will ever occur is				
	A)	3			
	B)	4			
	C)	5			
	D)	6			
38.	Ata	particular time, the value of counting semaphore is 10. It will become 7 after			
	A)	3 V operations			
	B)	3 P operations			
	C)	5 V operations and 2 P operations			
	D)	13 P operations and 10 V operations			
39.	The	best-fit, first-fit and worst-fit algorithms can be used for			
	A)	Contiguous allocation of memory			
	B)	linked allocation of memory			
	C)	indexed allocation of memory			
(36)	D) (A)	all of the above (12)			





- In round-robin CPU scheduling, as the time quantum is increased, the average turnaround time
 - A) Increases
 - B) Decreases
 - C) remains constant
 - D) varies irregularly
- 41. What is the correct matching for the following pairs?
 - a) Disk Scheduling

Round Robin

b) Batch Processing

SCAN

c) Time Sharing

- LIFO
- d) Interrupt Processing
- FIFO

- A) a-3, b-4, c-2, d-1
- B) a-4, b-3, c-2, d-1
- C) a-2, b-4, c-1, d-3
- D) a-2, b-1, c-4, d-3
- 42. Thrashing
 - A) Reduces page I/O
 - B) Decreases the degree of multiprogramming
 - C) Implies excessive page I/O
 - Improves the system performance
- 43. What is the disk bandwidth?
 - A) the total number of bytes transferred
 - B) total time between the first request for service and the completion on the last transfer
 - C) the total number of bytes transferred divided by the total time between the first request for service and the completion on the last transfer
 - D) none of the mentioned





44.	Wh	ich of the following instruction is not valid?			
	A)	MOVAX, BX			
	B)	MOV DS, 5000H			
	C)	MOVAX, 5000H			
	D)	PUSHAX			
45.	If e	very non-key attribute is functionally dependent on the primary key, then the relation be in			
	A)	1NF			
	B)	2NF			
	C)	3NF			
	D)	4NF			
46.	Working set model for page replacement is based on the assumption of				
	A)	globalization			
	B)	random access			
	C)	modularity			
	D)	locality			
4 7.	The	computational technique used to compute the disk storage address of individual ords is called			
	A)	Bubble memory			
	B)	Key fielding			
	C)	Dynamic reallocation			
	D)	Hashing			
18.	McC	Call proposed which of the following quality factors?			
	A)	Correctness, reliability, usability, integrity, efficiency			
	B)	Maintainability, testability, flexibility			
	C)	Portability, reusability, interoperability			
	D)	None of the above			
36)	(A)	(14)			





49.	RAI	D level 3 supports a lower number of I/O s per second, because	
	A)	Every disk has to participate in every I/O request	
	B)	Only one disk participates per I/O request	
	C)	I/O cycle consumes a lot of CPU time	
	D)	All of the mentioned	
50.	The	segment base contains the	
	A)	starting logical address of the segment /process	
	B)	starting physical address of the segment in memory	
	C)	segment length	
	D)	none of the above	
51.		are often used where very rapid access is required, where	e fixed length
Yorkin.	reco	ords are used, and where records are always accessed one at a time.	
	A)	Direct files	
	B)	Indexed Sequential files	
	C)	Indexed files	
	D)	Sequential files	
52.	Ifth	ne kernel is single threaded, then any user level thread performing a bl	ocking system
		will	
	A)	cause the entire process to run along with the other threads	
	B)	cause the thread to block with the other threads running	
	C)	cause the entire process to block even if the other threads are avail-	able to run
	D)	none of the mentioned	
53.	Mul	ltithreading on a multi - CPU machine	
8000	A)	decreases concurrency	
	B)	increases concurrency	
	C)	doesn't affect the concurrency	
	D)	can increase or decrease the concurrency	
54.	With	th limit registers and relocation, each logical address must be	the limit
	regi	ister.	
	A)	Not equal to	
	B)	Equal to	
	C)	Greater than	
	D)	less than	
55.	Tim	ne Complexity of a computer program includes-	
	A)	Compile Time Only	
	B)	Run Time Only	
	C)	Both compile time and run time	
	D)	None of the Above	
(36)	(A)	(15)	[P.T.O.
100	10.01	SNC-56.1	



56. Consider the following set of functional dependencies on the schema

(A,B,C)

- $a \rightarrow bc$
- $b \rightarrow c$
- $a \rightarrow b$
- $ab \rightarrow c$

The canonical cover for this set is

- A) $a \rightarrow bc$ and $b \rightarrow c$
- B) $a \rightarrow bc$ and $ab \rightarrow c$
- C) $a \rightarrow bc$ and $a \rightarrow b$
- D) $a \rightarrow b$ and $b \rightarrow c$
- 57. Which of the following statement about singly linked list is not true
 - A) The nodes of the list dose not reside in sequential location.
 - Insertion and Deletion of ordered lists in singly linked list are less time consuming compare to array
 - The location of the nodes of linked list will not change on different runs of the program.
 - D) None of the Above
- 58. A weather forecasting computation requires 240 billion floating point operations. The problem is process in a super computer that can perform 100 mega flops. How long it take to do these calculations.
 - A) 32 minutes
 - B) 40 minutes
 - C) 42 minutes
 - D) 48 minutes
- 59. Which of the Following Statement is False with respect to tree traversal
 - A) In postorder, we visit a node after we have traversed its left and right subtree
 - B) In preorder the visit of a node is done before the traversal of left and right subtrees
 - In Inorder, we traverse left subtree then node and then right subtree.
 - D) None of the Above
- 60. For a complete directed and undirected graph with 'n' vertices, maximum number of edges respectively will be-
 - A) n(n-1)/2 and n(n-1)
 - B) n(n-1) and n(n-1)/2
 - C) n(n-1) and n(n-1)
 - D) None of the above





14	499	4	PR	ili.	
61.	Tree is	pest det	inec	28	đ

- A) Cyclic graph
- B) Acyclic graph
- C) Connected acyclic graph
- D) None of the above
- Find the correct sentence with respect to the Sequential search and Binary search-
 - Order of the key fields required is relevant in case of sequential search but not binary search.
 - Order of the key fields required is relevant in case of binary search but not sequential search.
 - C) Both of the above
 - D) None of the above
- 63. The average time complexity of the Quick Sort Algorithm is
 - A) O(N)
 - B) O(N log N)
 - C) O(log N)
 - D) None of the above
- 64. While construction a data dictionary, the analyst considers:
 - A) Each data flow in the DFD has one data dictionary entry
 - B) Definitions must be readily accessible by name
 - There should be no redundancy in the data definition
 - D) None of the above
- 65. In unit testing of a module, it is found for a set of test data at the maximum 90% of the code alone were tested with the probability of success 0.9. The reliability of the module is
 - A) Atleast greater than 0.9
 - B) Atmost 0.81
 - C) Equal to 0.9
 - D) Atleast 1/0.81



66.	A*:	algorithm is based on				
	A)	Breadth-First-Search				
	B)	Depth-First-Search				
	C)	Best-First-Search				
	D)	Hill climbing				
67.	Wh	at is the hash function used in the division method?				
	A)	Hash(k) = k/m				
	B)	$Hash(k) = k \mod m$				
	C)	Hash(k) = m/k				
	D)	$Hash(k) = m \mod k$				
68.	An	Eulerian path is a path in a graph that visits every exactly once.				
	A)	vertex				
	B)	edge				
	C)	path				
	D)	circuit				
69.	Poir	nters can be dangerous-				
	A)	It may access out of range memory.				
	B)	It may reference to a NULL memory location.				
	C)	Both A and B				
	D)	None of the above				
70.	Wh	at is the primary objective of the Traveling Salesman Problem (TSP)?				
	A)	Maximizing profit while travelling				
	B)	Finding the shortest path that visits all cities exactly once and returns to the starting city				
	C)	Finding the longest path that visits all cities				
	D)	Minimizing travel time				
7I.	Wh	What are the necessary condition for a Tree to be a heap?				
	A)	The tree is a complete tree				
	B)	Value at the root must be greater or smaller than the value of the root				
	C)	Both A and B				
	D)	None of the Above				
(36)	(A)	(18)				





(36)	(A)	(19)	[P.T.O.
	D)	none of the above	
	C)	MAN	
	B)	WAN	
	A)	LAN	n n
76.		provides long-distance transmission of data, image, a a large geographic areas.	udio, and video information
	D)	Half-Simplex	MAN TOURS AND A SECOND
	C)	Full Duplex	
	A) B)	Half-Duplex	
		Simplex	
75.	In_	transmission, the channel capacity is shared by both li times.	the communicating devices
	D)	FDMA (Frequency Division Multiple Access)	
	C)	Token Passing	
	B)	HDLC (High-Level Data Link Control)	
	A)	Sliding Window Protocol	
74.		ich of the following protocols are commonly used nmunication? (Select all that apply)	for flow control in data
	D)	Tree	
	C)	Linked list	
	B)	Queue	
	A)	Stack	
73.		ich of the following data types is used internally when ction-	implementing a recursive
	D)	cannot be determined	
	C)	Partially true	
	B)	False	
	A)	True	

72. Stack data structure follows First In First Out (FIFO)-





77.		is designed to use the high bandwidth capability of fibre- optic cable.
	A)	FDM
	B)	TDM
	C)	WDM
	D)	None of the above
78.	Trai	nsmission media are usually categorized as
	i)	Fixed
	ii)	Guided
	iii)	Metallic
	iv)	Unguided
	A)	i) and ii) are correct
	B)	ii) and iv) are correct
	C)	i) and iv) are correct
	D)	ii) and iii) are correct
79.		ich of the following protocols is commonly used for secure data transfer and file ing over a network?
	A)	SMTP (Simple Mail Transfer Protocol)
	B)	POP (Post Office Protocol)
	C)	TELNET (Telecommunication Network)
	D)	FTP (File Transfer Protocol) over FTPS or SFTP
80.	In co	omputer networks, what is the primary role of a firewall?
	A)	To establish secure connections between devices.
	B)	To manage network configuration settings.
	C)	To filter and block malicious network traffic.
	D)	To map logical addresses to physical addresses.
81.	Wha	at is the primary advantage of using IPv6 (Internet Protocol version 6) over IPv4?
	A)	Smaller address space
	B)	Use of classful addressing
	C)	More efficient routing
	D)	Limited support for multicast
(36)	(A)	(20)





- 82. Which of the following wireless networking standards operates in the 5 GHz frequency band and offers higher data rates with better resistance to interference?
 - A) 802.11a
 - B) 802.11b
 - C) 802.11g
 - D) 802.11n
- 83. In computer networking, what is the purpose of a VLAN (Virtual LAN)?
 - A) To establish secure connections between remote networks.
 - B) To segment a physical network into multiple logical networks.
 - To map logical addresses to physical addresses.
 - To provide encryption for data transmission
- 84. Which multiplexing technique combines multiple low-speed signals into a single highspeed signal for transmission over a shared medium?
 - A) FDM (Frequency Division Multiplexing)
 - B) TDM (Time Division Multiplexing)
 - C) CDM (Code Division Multiplexing)
 - D) WDM (Wavelength Division Multiplexing)
- 85. Which network protocol is primarily responsible for the dynamic allocation of IP addresses to devices on a network?
 - A) HTTP (Hypertext Transfer Protocol)
 - B) DNS (Domain Name System)
 - C) DHCP (Dynamic Host Configuration Protocol)
 - D) FTP (File Transfer Protocol)
- 86. Which type of transmission media is most susceptible to electromagnetic interference and signal attenuation?
 - A) Coaxial cable
 - B) Fiber-optic cable
 - C) Twisted-pair cable
 - D) Wireless transmission

(36) (A)





87.		ich of the following network topologies connects all devices in a linear fashion, ere each device is connected to exactly two other devices, except for the endpoints?
	A)	Star
	B)	Bus
	C)-	Ring
	D)	Mesh
88.		ich OSI layer(s) is/are responsible for error detection and correction in data smission?
	A)	Physical Layer
	B)	Data Link Layer
	C)	Transport Layer
	D)	Network Layer
89.		ich of the following terms describes the process of converting analog data into digital n for transmission?
	A)	Modulation
	B)	Multiplexing
	C)	Demodulation
	D)	Encoding
90.	Тое	evaluate any arithmetic operation compilers generally use
	A)	Infix notation
	B)	Prefix notation
	C)	Postfix notation
	D)	None of the above





- 91. Which of the following protocols is commonly used for secure remote login to network devices and servers?
 - A) HTTP (Hypertext Transfer Protocol)
 - B) SMTP (Simple Mail Transfer Protocol)
 - TELNET (Telecommunication Network)
 - D) FTP (File Transfer Protocol)
- 92. Choose the Correct option
 - 1. Broadband Transmission
- Managing the flow of data between sender and receiver
- 2. OSI Reference Model
- High- speed data transmission using multiple frequencies

ARP

- c. Seven-layer framework for network design
- 4. Sliding Window Protocol -
- Mapping logical addresses to physical addresses

- A) 1-b 2-c 3-d 4-a
- B) 1-b 2-d 3-c 4-a
- C) 1-c 2-d 3-a 4-b
- D) 1-c 2-a 3-d 4-b
- Assertion: TCP Flow Control and Congestion Control serve similar purposes in network communication.

Reasoning: Both TCP Flow Control and Congestion Control mechanisms aim to regulate the flow of data within a network to ensure efficient and reliable data transmission.

- A) The assertion is true, reasoning is also true.
- B) The assertion is true, but the reasoning is false.
- The assertion is false, but the reasoning is true.
- The assertion is false, reasoning is also false.





94.	Which of the following is a characteristic of analog signals?

- A) They are continuous.
- B) They can take on any value within a range.
- They are commonly used in digital communication.
- They are less susceptible to noise than digital signals.

95. In the context of the theory of computation, which of the following problems is considered non-computational?

- A) Solving systems of linear equations
- B) Calculating the factorial of a number
- C) Sorting a list of integers
- D) Determining if an arbitrary program halts on all inputs

96. Choose the statements that apply to the Pumping Lemma for regular languages:

- A) It is used to prove that a language is regular.
- B) It is used to prove that a language is not regular.
- It applies only to context-free languages.
- D) It involves breaking a string into three parts.

97. Which of the following is a characteristic of a context-free grammar in Chomsky Normal Form (CNF)?

- A) It allows left-recursion.
- B) Every production has the form A → BC.
- C) It can generate regular languages.
- D) It is ambiguous.

(36) (A)





					A CONTRACTOR OF THE PARTY OF TH
0.00	COST	40 0 0		and the second second second	and the second second second
ux	Lote I mumber /	of edges in	o complete	graph with n	MERTICES IS
98.	Total number of	AL COMPOSITI	acompiece	BUT CITATI AN UPTER UT	Verticed in

- A) n²
- B) n(n-1)
- C) $(n \times (n-1))/2$
- D) (n-1)2

99. In the context of Turing Machines (TMs), what is the significance of a Universal Turing Machine (UTM)?

- A) It can simulate the behavior of any other TM.
- B) It is a TM that accepts only prime numbers.
- It can solve NP-complete problems in polynomial time.
- It is a TM that recognizes context-sensitive languages

100. Match the letters (A, B, C, D) with the corresponding descriptions (1, 2, 3, 4). Formal Languages:

- a. Regular Language
- b. Context-Free Language
- Context-Sensitive Language
- d. Recursively Enumerable Language

Descriptions:

- Languages that can be recognized by a deterministic pushdown automaton (DPDA).
- Languages generated by context- free grammars.
- Languages that can be recognized by a linear-bounded automaton.
- Languages that can be recognized by a Turing machine.
- A) a. 1 b. 2 c. 3 d. 4
- B) a. 2 b. 3 c. 1 d. 4
- C) a. 3 b. 1 c. 4 d. 2
- D) a. 4 b. 3 c. 2 d. 1





101. What are the characteristics of LL(1) parsing?

- A) It uses leftmost derivation.
- B) It allows arbitrary lookahead tokens.
- It is suitable for all types of grammars.
- D) It uses a parse table.

102. Which of the following statements are correct:

- The sum of degrees of all vertices in a graph G is equal to twice the number of edges in G.
- ii) In a graph the number of vertices of odd degree is even.
- iii) Maximum degree of any vertex in a simple graph having n vertices is n-1.
- A) Only (i) and (ii) are correct
- B) Only (ii) and (iii) are correct
- C) Ony (i) and (iii) are correct
- D) (i), (ii) and (iii) are correct

103. In the context of context-free grammars, what does the term "ambiguity" refer to?

- A) The presence of multiple possible parse trees for a given string
- B) The use of left recursion
- The inability to derive ε (the empty string)
- D) The presence of ε-productions

104. What is the primary function of an attribute grammar in semantic analysis?

- A) Parsing the input source code
- B) Handling syntax errors
- C) Defining the language grammar
- Annotating the parse tree with additional information





105. Which of the following is a property of a Regular Language?

- A) It can be recognized by a context-sensitive grammar.
- B) It can be ambiguous.
- C) It can be infinite.
- It can be recognized by a Finite Automaton.

106. What is the significance of Russel's Paradox in set theory and formal logic?

- A) It proves the existence of a universal set.
- B) It demonstrates the limitations of formal systems.
- It establishes the foundation for recursive languages.
- It defines the Chomsky hierarchy.

107. In the context of regular expressions, what does the Kleene star (*) operator signify?

- A) Concatenation of two regular expressions.
- B) Zero or more occurrences of the preceding expression.
- The start symbol of a context- free grammar.
- D) The negation of an expression

108. Match Column A with Column B.

Column A Column B minimum spanning (a) Kruskal's and Prim's Algorithm tree of a weighted graph (ii) All pair shortest path algorithm (b) Dijkstra's Algorithm (iii) Single-source shortest path (c) Bellman-Ford Algorithm where edge weight may be negative (iv) Single-source shortest path (d) Floyd-Warshall Algorithm where edge weight is non-negative i a ii d iii c iv b B) i b ii d iii c iv a i a ii c iii d iv b i d ii a iii c iv b D)





109.	. Wh	ich class of languages is recogn	nized by a Turing	machine with an unrestricted grammar?		
	A)	Context-sensitive languages				
	B)	Regular languages				
	C)	Context-free languages				
-	D)	Unsolvable languages				
110.	The	Halting Problem is an examp	ole of a problem	that is:		
	A)	Solvable for all programs.				
	B)	Decidable for all inputs.				
	C)	Unsolvable for some progra	ms and inputs.			
	D)	Solvable in polynomial time) ,			
	Method in which the previously calculated probabilities are revised with values of new probability is called					
	A)	Revision theorem	B)	Bayes theorem		
	C)	Dependent theorem	D)	Updation theorem		
112.	Whi	ich of the following statemen gn?	ts are true rega	rding attribute grammars in compiler		
	A)	Synthesized attributes deper	nd on inherited a	attributes.		
	B)	Inherited attributes depend of	on synthesized a	ttributes.		
	C)	 Dependency graphs are used to represent attribute dependencies. 				
	D)	Type-checking is not a part of	of semantic anal	ysis.		
113.		ertion: A Universal Turing Ma ng machine.	achine (UTM) c	an simulate the behavior of any other		
	Reas and	soning: The UTM can take the simulate the execution of that	e description of machine on tha	another Turing machine and its input tinput.		
	A) The assertion is true, reasoning is also true.					
	B)	The assertion is true, but the	reasoning is fal	se.		
	C)	The assertion is false, but the	e reasoning is tr	ue.		
	D)	The assertion is false, the rea	asoning is also i	false.		





- 114. Assertion: A context-free language can always be recognized by a deterministic pushdown automaton (DPDA). Reasoning: A deterministic pushdown automaton (DPDA) is capable of recognizing context-free languages because it can process context-free grammars without ambiguity.
 - A) The assertion is true, the reasoning is also true.
 - B) The assertion is true, but the reasoning is false.
 - C) The assertion is false, but the reasoning is true.
 - The assertion is false, the reasoning is also false.
- 115. What is the name given to the Database Management System which is able to handle full Text, Image data, Audio and Video?
 - A) Full Media
 - B) Graphics
 - C) Multimedia
 - D) Hypertext
- 116. In which addressing mode the operand is given explicitly in the instruction?
 - A) Absolute Mode
 - B) Immediate Mode
 - C) Indirect Mode
 - D) Index Mode
- 117. What are the Potential Problems when a DBMS executes multiple transactions concurrently
 - A) The Lost Update Problem
 - B) The dirty Read Problem
 - C) The unrepeatable Problem
 - The Phantom Problem
- 118. The Employee Salary should not be greater than Rs 2000, this is
 - A) Integrity Constraint
 - B) Referential Constraint
 - C) Entity Contstraint
 - D) Domain Constraint

(36) (A) (29) [P.T.O.





119. PERT and CPM are

- A) Assignment Techniques
- B) Network Techniques
- C) Project Evaluation Techniques
- Programming Techniques
- 120. Which of the following testing methods is normally used as the acceptance test for a Software System
 - A) Regression Testing
 - B) Integration Testing
 - C) Unit Testing
 - D) Functional Testing





ROUGH WORK





ROUGH WORK







Provisional Answer Key

Assistant Professor (Computer Application)

Test Booklet Question No (Series A)		
Q1	В	
Q2	С	
Q3	С	
Q4	D	
Q5	c	
Q6	В	
Q7	D	
Q8	Α	
Q9	Α	
Q10	В	
Q11	С	
Q12	D	
Q13	С	
Q14	С	
Q15	С	
Q16	В	
Q17	Α	
Q18	В	
Q19	A	
Q20	В	
Q21	D	
Q22	D	
Q23	A	
Q24	D	
Q25	С	
Q26	D	
Q27	D	
Q28	D	
Q29	В	
Q30	С	
Q31	С	
Q32	В	
Q33	С	
Q34	D	
Q35	В	
Q36	С	
Q37	В	
Q38	В	
Q39	A	
Q40	D	

Test Booklet C	
(Serie	Charte.
Q41	С
Q42	С
Q43	c
Q44	В
Q45	С
Q46	D
Q47	D
Q48	A
Q49	A
Q50	В
Q51	Α
Q52	С
Q53	В
Q54	D
Q55	С
Q56	Α
Q57	С
Q58	С
Q59	D
Q60	Α
Q61	С
Q62	В
Q63	В
Q64	D
Q65	В
Q66	С
Q67	В
Q68	В
Q69	С
Q70	В
Q71	С
Q72	В
Q73	A
Q74	Α
Q75	С
Q76	В
Q77	С
Q78	В
Q79	D
Q80	С

Test Booklet C (Serie	
Q81	С
Q82	Α
Q83	В
Q84	В
Q85	С
Q86	D
Q87	С
Q88	С
Q89	А
Q90	c
Q91	С
Q92	А
Q93	В
Q94	Α
Q95	D
Q96	В
Q97	В
Q98	С
Q99	А
Q100	А
Q101	A
Q102	D
Q103	A
Q104	D
Q105	D
Q106	В
Q107	В
Q108	А
Q109	Α
Q110	С
Q111	В
Q112	С
Q113	Α
Q114	Α
Q115	С
Q116	В
Q117	Α
Q118	Α
Q119	С
Q120	D

Page 3 of 8