

OPSC ASO

Previous Year Paper

Paper-I

18 Dec, 2022





Adda247

Test Prime

ALL EXAMS, ONE SUBSCRIPTION



1,00,000+
Mock Tests



Personalised
Report Card



Unlimited
Re-Attempt



600+
Exam Covered



25,000+ Previous
Year Papers



500%
Refund




ATTEMPT FREE MOCK NOW

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

T. B. C. : AAO - 1/22

Test Booklet Series

**TEST BOOKLET**
ASSISTANT AGRICULTURE OFFICER
PAPER - I

SI. No.

13565**Time Allowed : 2 Hours****Maximum Marks : 100****: INSTRUCTIONS TO CANDIDATES :**

1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET **DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS ETC.** IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET OF THE SAME SERIES ISSUED TO YOU.
2. ENCODE CLEARLY THE TEST BOOKLET SERIES **A, B, C OR D**, AS THE CASE MAY BE, IN THE APPROPRIATE PLACE IN THE ANSWER SHEET USING BALL POINT PEN (BLUE OR BLACK).
3. You have to enter your **Roll No.** on the Test Booklet in the Box provided alongside. **DO NOT** write anything else on the Test Booklet.
4. **YOU ARE REQUIRED TO FILL UP & DARKEN ROLL NO., TEST BOOKLET / QUESTION BOOKLET SERIES IN THE ANSWER SHEET AS WELL AS FILL UP TEST BOOKLET / QUESTION BOOKLET SERIES AND SERIAL NO. AND ANSWER SHEET SERIAL NO. IN THE ATTENDANCE SHEET CAREFULLY. WRONGLY FILLED UP ANSWER SHEETS ARE LIABLE FOR REJECTION AT THE RISK OF THE CANDIDATE.**
5. This Test Booklet contains **100** items (questions). Each item (question) comprises four responses (answers). You have to select the correct response (answer) which you want to mark (darken) on the Answer Sheet. In case, you feel that there is more than one correct response (answer), you should mark (darken) the response (answer) which you consider the best. In any case, choose **ONLY ONE** response (answer) for each item (question).
6. You have to mark (darken) all your responses (answers) **ONLY** on the **separate Answer Sheet** provided, by **using BALL POINT PEN (BLUE OR BLACK)**. See instructions in the Answer Sheet.
7. All items (questions) carry equal marks. All items (questions) are compulsory. Your total marks will depend only on the number of correct responses (answers) marked by you in the Answer Sheet. There shall be negative marking for wrong answers (responses) with a deduction of 0.25 marks for every wrong answer (response).
8. Before you proceed to mark (darken) in the Answer Sheet the responses (answers) to various items (questions) in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per the instructions sent to you with your **Admission Certificate**.
9. After you have completed filling in all your responses (answers) on the Answer Sheet and after conclusion of the examination, you should hand over to the Invigilator the **Answer Sheet** issued to you. You are allowed to take with you the candidate's copy / second page of the Answer Sheet along with the **Test Booklet**, after completion of the examination, for your reference.
10. Sheets for rough work are appended in the Test Booklet at the end.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE ASKED TO DO SO

1. The Rice Inflorescence is known as :
(A) Panicle
(B) Spikelets
(C) Ear
(D) Siliqua
2. The Kresek phase occurs in early stage of plant growth of rice in :
(A) BLB
(B) Bacterial leaf streak
(C) Tungrovirus
(D) False smut
3. Wheat is originated in :
(A) South America
(B) Central Asia
(C) South Eastern Asia
(D) Europe
4. First irrigation to the wheat crop should be given at :
(A) CRI stage
(B) Tillering stage
(C) Jointing stage
(D) Dough stage
5. The Inflorescence of sugarcane is known as :
(A) Arrow
(B) Panicle
(C) Capitulum
(D) Racemose
6. Most common herbicides used for weed control in sugarcane is / are :
(A) Simazine
(B) Atrazine
(C) Alachlor
(D) All of these
7. Triticale is the cross between :
(A) Wheat x Rye
(B) Oat x Barley
(C) Wheat x Barley
(D) None of these
8. The fruit of rapeseed and mustard is known as :
(A) Pod
(B) Grain
(C) Siliqua
(D) Caryopsis

9. The Criteria of essentiality of nutrients in plant was given by :

- (A) DJ Nicholas
- (B) Arnon and Stout
- (C) JS Kanwar
- (D) Rajendra Prasad

10. Potato is the :

- (A) Modified stem
- (B) Modified root
- (C) Modified leaf
- (D) Modified flower

11. The type of germination in mung bean is known as :

- (A) Epigeal
- (B) Hypogean
- (C) Hypoepigeal
- (D) Epihypogean

12. Sesamum belongs to the family :

- (A) Chenopodiaceae
- (B) Papilionaceae
- (C) Leguminosae
- (D) Pedaliaceae

13. What is the importance of vertical farming in sustainable agriculture ?

- (A) Year around production
- (B) Less land requirement

(C) Efficient use of water

(D) Less fertilizer requirement

14. Which is the main problem of sustainable agriculture ?

- (A) Lack of benefits
- (B) International rules and regulations
- (C) Market acceptance
- (D) All of these

15. Stem nodulation occurs in green manure crop of :

- (A) **Sesbania aculeata**
- (B) **Sesbania cannabina**
- (C) **Crotalaria juncea**
- (D) **Aeschynomene afraspera**

16. Crop logging is used in :

- (A) Sugarcane
- (B) Sugarbeet
- (C) Maize
- (D) Tea

17. In which crop the use of BGA as a biofertilizer, will be most useful ?

- (A) Maize
- (B) Potato
- (C) Rice
- (D) Sugarcane

18. National center of organic farming in India is located in :
(A) Ghaziabad
(B) Hyderabad
(C) Kochi
(D) Pune

19. An example of companion cropping is :
(A) Sugarcane + Potato
(B) Potato + Mustard
(C) Potato + Radish
(D) Wheat + Mustard

20. Arrowing is known as :
(A) Tilling of sugarcane
(B) Emergence of inflorescence in sugarcane
(C) Arrow like shape of sugarcane
(D) None of these

21. LEISA is related to :
(A) Organic farming
(B) Inorganic farming
(C) Natural farming
(D) All of these

22. Organic carbon is a measure of :
(A) Available N in soil
(B) Available P in soil
(C) Available K in soil
(D) Available Mg in soil

23. Which one of the following is not allowed in organic cultivation ?
(A) Sewage sludge
(B) Crop rotation
(C) Using black soil
(D) Monoculture

24. The ratio between gross and net cropped area is called an index of :
(A) Cropping intensity
(B) Multiple cropping
(C) High intensity cropping
(D) None of these

25. Chipsona is a variety of :
(A) Tapioca
(B) Sweet potato
(C) Elephant foot
(D) Potato

26. Zero-till seed drill is used for sowing of :
(A) Wheat in maize – wheat cropping system
(B) Wheat in Mung – wheat cropping system
(C) Wheat in rice – wheat cropping system
(D) None of these

27. The most concentrated fertilizer used for nutrient supply is :
(A) Urea
(B) DAP
(C) Anhydrous ammonia
(D) SSP

28. Which gas is released from paddy fields ?
(A) CH_4
(B) H_2S
(C) CO_2
(D) NH_3

29. Most common herbicide used in maize is :
(A) Atrazine
(B) Alachlor

(C) Simazine
(D) Metribuzin

30. Soil sickness is caused by :
(A) Maize
(B) Jowar
(C) Linseed
(D) Both (B) and (C)

31. The optimum seed rate for sunflower is (kg / ha) :
(A) 8 – 10
(B) 10 – 15
(C) 18 – 20
(D) 30 – 35

32. The ideal temperature for tuberization in potato is :
(A) 14°C
(B) 18°C
(C) 21°C
(D) 34°C

33. UG – 99 is a stem rust causing fungi in wheat was reported first time from :
(A) Uganda
(B) Pakistan
(C) America
(D) Ukraine

34. Which of the clay minerals are found most in agriculture soils ?

(A) Cyclosilicates
(B) Phyllosilicates
(C) Sorosilicates
(D) Nesosilicates

35. Sorghum crop is considered as camel crop because of :

(A) Deep root system
(B) Resistant to drought
(C) Shallow root system
(D) Nutrient Exhaustiveness

36. The stem above the ground in banana is known as :

(A) Rhizome
(B) Pseudostem
(C) Sucker
(D) None of these

37. Which of the following fruits are botanically called as "Hesperidium" ?

(A) Jackfruit
(B) Orange
(C) Litchi
(D) Apple

38. Which one of the following is not a variety of mango ?

(A) Arka Aruna
(B) Arka Puneet
(C) Arka Anmol
(D) Arka Hans

39. Pruning in ber is done :

(A) During rainy season
(B) During winter
(C) During spring
(D) During summer

40. Fruits are blanched before canning at :

(A) 80°C
(B) 90°C
(C) 100°C
(D) None of these

41. National Horticulture Board was established in :

(A) 1976
(B) 1984
(C) 1987
(D) 1990

42. D-leaf is a best indicator of nutrient status of :

- (A) Pineapple
- (B) Apple
- (C) Banana
- (D) Ber

43. Exhausting temperature of canned fruits and vegetables is :

- (A) 70 – 72° C
- (B) 80 – 82° C
- (C) 90 – 92° C
- (D) 100 – 102° C

44. Varsha upahar is a variety of :

- (A) Okra
- (B) Cabbage
- (C) Chilli
- (D) Cowpea

45. "Pungency" in chilli is due to presence of :

- (A) Capsaicin
- (B) Sulphur
- (C) Amides
- (D) Magnesium

46. Optimum seed rate (g / ha) of cabbage is :

- (A) 200
- (B) 300
- (C) 400
- (D) 500

47. Buttoning is a physiological disorder in :

- (A) Cabbage
- (B) Cauliflower
- (C) Onion
- (D) Garlic

48. The red color in tomato is due to pigment :

- (A) Lycopine
- (B) Capsaicin
- (C) Capsanthin
- (D) None of these

49. Shoot and fruit borer of Okara belongs to :

- (A) **Earias vitella**
- (B) **Amrasca biguttula biguttula**
- (C) **Tetranychus spp**
- (D) **Heliothis armigera**

50. Cluster bean contains mucilaginous substance is :

- (A) Mannogalacton
- (B) Asparagine
- (C) Glutamine
- (D) Galacturonic acid

(B) 1.5

(C) 2.5

(D) 3.5

51. Roses are commonly propagated by :

- (A) 'T' or shield budding
- (B) Grafting
- (C) Stem cutting
- (D) Seeds

55. Which of the statement given below is / are correct ?

- (A) Marigold flower last longer if the field is irrigated before plucking of flower.
- (B) Carnation flowers should always be transported pre-cooled.
- (C) Both (A) and (B)
- (D) Neither (A) nor (B)

52. Gladiolus belongs to :

- (A) Rosaceae
- (B) Compositae
- (C) Solanaceae
- (D) Iridaceae

56. The Downey mildew of bajra is caused by :

- (A) **Sclerospora sorghi**
- (B) **Sclerospora sacchari**
- (C) **S. graminicola**
- (D) **Perenospora parasitica**

53. Gladiolus is generally propagated by :

- (A) Tuber
- (B) Corm
- (C) Rhizome
- (D) Roots

57. Loose smut of wheat is :

- (A) Internally seed borne
- (B) Externally seed borne
- (C) Both (A) and (B)
- (D) Not clearly defined

54. Optimum seed rate for marigold is

(kg / ha) :

(A) 0.5

58. The Karnal bunt of wheat first time reported in Karnal by Mitra in :
(A) 1929
(B) 1931
(C) 1941
(D) 1951

59. In rust cycle the cereal host is infected by :
(A) Uredospores
(B) Aeciospores
(C) Teliospores
(D) Basidiospores

60. The rust of linseed and flax can be completely controlled by spray of :
(A) Borax
(B) Dithane M-45
(C) Vitavax
(D) Agrosan GN

61. Wilt of pigeon pea is caused by :
(A) **Fusarium udum**
(B) **Gibberella indica**
(C) **Rhizopus nigricans**
(D) **Aspergillus flavus**

62. Bunchy top of Banana was first observed in :
(A) Pune
(B) Rome
(C) Fiji
(D) None of these

63. Mango malformation can be reduced by spraying of :
(A) GA
(B) IBA
(C) NAA
(D) ABA

64. The first identified bacterial disease of plant 'fire blight of apple' was discovered by :
(A) Adolf Mayer
(B) E. F. Smith
(C) M. K. Patel
(D) T. J. Burill

65. Panama disease of banana is prevented by :
(A) Spraying zinc carrier
(B) Spraying copper fungicide
(C) Application of lime to the soil
(D) Providing an adequate irrigation

66. Pink bollworm is serious pest of :

- (A) Mustard
- (B) Cotton
- (C) Gram
- (D) Ladies finger

67. Following is an example of Bt transgenic cotton :

- (A) Jayadhar
- (B) Varalaxmi
- (C) NH - 44
- (D) Bollguard

68. IPM relies heavily on :

- (A) Economic threshold level
- (B) Total loss of crops
- (C) Resistant pest
- (D) Susceptible pest

69. The noctuid borer on ragi is :

- (A) **Sesamia inferens**
- (B) **Chilo partellus**
- (C) **Chilo suppressalis**
- (D) **Scirpophaga nivella**

70. The pest which attach both in field and storage of pulses is :

- (A) Pulse beetle
- (B) Gram pod borer
- (C) Red gram pod fly
- (D) Pod borer

71. Grubs which feeds on the inner content of seed in pulses belongs to :

- (A) **Aphis craccivora**
- (B) **Callosobrunchus chinesis**
- (C) **Agrotis ipsilon**
- (D) **Aceria cajani**

72. Eriophid mite (**Aceria cajani**) belongs to family :

- (A) Bruchidae
- (B) Aphididae
- (C) Eriophyidae
- (D) Noctuidae

73. Bt cabbage is developed against :

- (A) Diamond black moth
- (B) Cabbage butterflies
- (C) Aphid
- (D) Painted bug

74. **Bacillus thuringiensis** was discovered by :

- (A) S. Isiwata
- (B) Berliner
- (C) Flacher
- (D) Frisch

75. Juvenile Hormone (JH) is a terpene secreted by :

- (A) Corpora cardiaca
- (B) Corpora allata
- (C) Cuticle
- (D) Accessory glands

76. The term "third generation pesticides" is given for :

- (A) Juvenile hormone
- (B) Moulting hormone
- (C) Brain hormone
- (D) Anti juvenile hormone

77. Silk gland is a modified part of labial gland and _____ in origin.

- (A) Ectodermal
- (B) Mesodermal
- (C) Epidermal
- (D) Endodermal

78. The process of killing pupa without changing the cocoon shell layer is known as :

- (A) Stiffling
- (B) Denier
- (C) Dupion
- (D) Hatching

79. In honey bees, the queen substance is secreted by :

- (A) Mandibular glands
- (B) Acid glands
- (C) Pharyngeal glands
- (D) Wax glands

80. Spreading decline of citrus is caused by :

- (A) **Tylenchulus semipenetrans**
- (B) **Radopholus citrophilus**
- (C) **Criconemoides citri**
- (D) **Criconema civillae**

81. Cauliflower disease of strawberry is caused by :

- (A) Nematode
- (B) Bacteria
- (C) Both (A) and (B)
- (D) Abiotic factor

82. Infection of banana plants by burrowing nematode **Radopholus similis** predisposes the plants to infection of :
(A) **Pentalonia nigronervosa**
(B) **Fusarium oxysporum f. sp. cubense**
(C) **Cercospora musae**
(D) **Banana Bunchy top virus**

83. Trap crop for **Meloidogyne spp.** is :
(A) Cereals
(B) Millets
(C) Marigold
(D) All of these

84. Which one of the following nematodes attack above-ground plant parts ?
(A) **Anguina**
(B) **Aphelenchoides**
(C) **Ditylenchus**
(D) All of these

85. Which one of the following nematodes is an ectoparasite ?
(A) **Radopholus**
(B) **Xiphinema**

86. Major pest of silkworm :
(A) Wasps
(B) Uzi fly
(C) Nysolyns
(D) All of these

87. The silk of silkworm is a :
(A) Separate filament
(B) Continuous filament
(C) Several filament
(D) Discrete filament

88. Which is correct ?
(A) Tassar silkworm : **Antherea mylitta**
(B) Oak tassar silkworm : **Antherea**
(C) Muga resham : **Philosamia ricini**
(D) Eri resham : **Antherea proyeli**

89. Rainfall intensity is generally higher on :
(A) Northern hemisphere
(B) Southern hemisphere
(C) Near the equator
(D) None of these

90. Stevenson screen is related to :
(A) Bacteriology
(B) Biotechnology
(C) Agrometeorology
(D) Remote Sensing

91. How many agroclimatic zones are categorized in India ?
(A) 20
(B) 18
(C) 14
(D) 15

92. Who is related with the classification of climate ?
(A) De Condole
(B) Koppen
(C) Troll
(D) All of these

93. The National Remote Sensing Agency is situated at :
(A) Bangalore
(B) Hyderabad
(C) Jaisalmer
(D) Patna

94. For ripening of rice, temperature should lie between :
(A) 21 – 37°C
(B) 26.5 – 29.5°C
(C) 20 – 25°C
(D) 15 – 20°C

95. Temperature required for proper grain filling of wheat is :
(A) 20 – 25°C
(B) 20 – 23°C
(C) 23 – 25°C
(D) 16 – 20°C

96. Sapwood is rich in :
(A) Starch
(B) Cellulose
(C) Resins
(D) Gums

97. Protected Forest declared under Forest Act of :
(A) 1927
(B) 1928
(C) 1925
(D) 2001

98. Tyloses are present only :

- (A) Hard wood
- (B) Soft wood
- (C) Semi-hard wood
- (D) All of these

99. Red rust in Eucalyptus is caused by :

- (A) Bacteria

(B) Algae

- (C) Virus
- (D) MLO

100. Felling cycle of Bamboo is :

- (A) 3 – 4 years
- (B) 4 – 5 years
- (C) 5 – 6 years
- (D) 5 – 10 years

SPACE FOR ROUGH WORK



SEAL

A
Adda247