

31.12.2025 Second Shift 02.00 pm to 03.00 pm

Anatomy and Physiology

Section Id :	4410091716125
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	5
Number of Questions to be attempted :	5
Section Marks :	10
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724463
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 4410091504793 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which is the primary muscle responsible for inspiration in adults?

Options :

- ✘ Intercostal muscles
- ✔ Diaphragm
- ✘ Abdominal muscles
- ✘ Pectoralis minor

**Test
Prime**

By Adda247

ALL EXAMS, ONE SUBSCRIPTION



Test. Analyze. Improve. Repeat.



Don't just *prepare*. Perform.

Test Prime — built only for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year Papers



800+
Exam Covered



500% Refund
on Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Job Alerts
Stay Updated

- Multilingual
- Detailed Solution
- Strong and Weak Areas



**All India
Rankings**

Compete with lakhs.
Rank. Improve. Repeat.



← Adda247 test prime

Rating ▾

Editors' choice

New



Adda247 Test Prime
Adda Education • Education
Installed



DOWNLOAD THE APP



Question Number : 2 Question Id : 4410091504781 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Where is the spleen located in the human body?

Options :

- ✘ Upper right abdomen, under the diaphragm
- ✔ Upper left abdomen, behind the stomach
- ✘ Lower left abdomen, in front of the kidneys
- ✘ Lower right abdomen, near the liver

Question Number : 3 Question Id : 4410091504834 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What are the primary functions of the vestibulocochlear nerve (cranial nerve VIII)?

Options :

- ✘ Taste and smell
- ✘ Vision and eye movement
- ✔ Hearing and balance
- ✘ Facial sensation and expression

Question Number : 4 Question Id : 4410091497921 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which hormone is responsible for regulating the permeability of the collecting duct to water in the kidneys, thereby allowing more water reabsorption and the production of concentrated urine?

Options :

- ✘ Calcitonin
- ✔ Vasopressin
- ✘ Insulin
- ✘ Thyroxine

Question Number : 5 Question Id : 4410091518945 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which meningeal layer is the tough, outermost protective covering of the brain?

Options :

1. ✘ Pia mater
2. ✘ Arachnoid mater
3. ✔ Dura mater
4. ✘ Ependyma

Microbiology

Section Id :	4410091716126
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724464
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 6 Question Id : 4410091505141 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which specialized staining technique is required to identify bacteria in the genus Mycobacterium, such as M. tuberculosis, due to their waxy cell walls?

Options :

- ✘ Capsule Stain
- ✔ Acid-Fast Stain
- ✘ Negative Stain
- ✘ Flagella Stain

Question Number : 7 Question Id : 4410091523932 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is considered the most reliable method of sterilisation?

Options :

- ✘ Dry heat sterilisation using a hot air oven
- ✘ Boiling at 100°C for 10 minutes
- ✔ Autoclaving with moist heat under pressure
- ✘ Chemical sterilisation using disinfectants

Question Number : 8 Question Id : 4410091523871 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following situations best demonstrates the application of microbiology in preventing HAIs?

Options :

- ✘ Administering vaccines according to schedule
- ✔ Performing hand hygiene before and after patient contact
- ✘ Recording patient vital signs accurately
- ✘ Educating patients on exercise and diet

Nutrition

Section Id :	4410091716127
Section Number :	3
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724465
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 9 Question Id : 4410091524181 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Celiac disease is caused by intolerance to which substance?

Options :

1. ✘ Lactose
2. ✘ Casein
3. ✔ Gluten
4. ✘ Fructose

Question Number : 10 Question Id : 4410091498214 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What does the acronym OAS stand for when discussing a form of food allergy, which is often linked to pollen allergies?

Options :

1. ✘ Oral Acute Swelling
2. ✔ Oral Allergy Syndrome
3. ✘ Organic Allergy Syndrome
4. ✘ Organic Acute Swelling

Question Number : 11 Question Id : 4410091498193 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following types of protein-energy malnutrition is mainly associated with a 'pot-bellied' appearance?

Options :

1. ✘ Marasmus
2. ✔ Kwashiorkor
3. ✘ Scurvy
4. ✘ Pellagra

First Aid, Emergency Management, CPR (BLS & ALS)

Section Id :	4410091716128
Section Number :	4
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724466
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 12 Question Id : 4410091502402 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which type of distributive shock is characterized by an abrupt, massive release of histamine and other inflammatory mediators from mast cells and basophils?

Options :

1. ✘ Neurogenic shock
2. ✘ Hypovolemic shock
3. ✔ Anaphylactic shock
4. ✘ Cardiogenic shock

Question Number : 13 Question Id : 4410091505576 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which time-sensitive medical emergency is most closely associated with the 'Door-to-Needle' time metric, referring to the rapid administration of thrombolytic therapy?

Options :

1. ✘ Acute aortic dissection
2. ✔ ST-elevation myocardial infarction
3. ✘ Traumatic amputation and haemorrhage
4. ✘ Bacterial sepsis and septicaemia

Question Number : 14 Question Id : 4410091521327 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the first priority in first aid on arriving at an emergency scene?

Options :

1. ✘ Control bleeding
2. ✘ Calm bystanders
3. ✔ Check scene safety
4. ✘ Assess breathing

Nursing Foundation

Section Id :	4410091716129
Section Number :	5
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	6
Number of Questions to be attempted :	6
Section Marks :	12
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724467
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 15 Question Id : 4410091506890 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the primary purpose of maintaining a clutter-free hospital environment and installing safety features such as handrails and non-slip mats?

Options :

- ✘ To improve the aesthetics of the ward
- ✔ To reduce the risk of falls for patients with impaired mobility
- ✘ To make cleaning easier for housekeeping staff in the hospital
- ✘ To adhere to basic administrative requirements

Question Number : 16 Question Id : 4410091503099 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the IQ score of a child with a Mental Age of 10 years and a Chronological Age of 8 years?

Options :

1. ✘ 75
2. ✘ 90
3. ✔ 125
4. ✘ 100

Question Number : 17 Question Id : 4410091506936 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the primary factor that leads to disuse osteoporosis in an immobile patient?

Options :

1. ✘ Increased serum calcitonin levels
2. ✔ Lack of weight-bearing stress on the long bones
3. ✘ Rapid buildup of lactic acid in muscle tissue
4. ✘ Decreased vitamin D absorption from the gut

Question Number : 18 Question Id : 4410091506944 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the recommended temperature range for routine storage of the Tetanus Toxoid (TT) vaccine?

Options :

1. ✘ 8°C to 15°C
2. ✘ -15°C to -25°C
3. ✘ 25°C to 34°C
4. ✔ 2°C to 8°C

Question Number : 19 Question Id : 4410091519065 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following statements about end-of-life care is correct?

Options :

1. ✘ The nurse's role is limited to administering medications
2. ✔ The nurse supports physical, emotional, and spiritual needs
3. ✘ Patients should not be informed about prognosis
4. ✘ Only physicians are responsible for palliative care

Question Number : 20 Question Id : 4410091520173 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A nurse gently pinches a fold of skin over the sternum of an adult patient. The skin remains tented for several seconds before returning to its normal position. What is the nurse assessing?

Options :

1. ✘ Edema to evaluate fluid retention
2. ✔ Skin turgor to assess hydration status
3. ✘ Skin colour to detect jaundice
4. ✘ Skin temperature to identify diaphoresis

Medical Surgical Nursing (I & II)

Section Id :	4410091716130
Section Number :	6
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	9
Number of Questions to be attempted :	9
Section Marks :	18
Maximum Instruction Time :	0
Sub-Section Number :	1

Sub-Section Id : 4410091724468
Question Shuffling Allowed : Yes
Is Section Default? : No

Question Number : 21 Question Id : 4410091506689 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Which phase of the disaster management cycle focuses on activities undertaken before a disaster strikes to minimise loss of life and property?

Options :

1. ✘ Recovery
2. ✔ Preparedness
3. ✘ Response
4. ✘ Rehabilitation

Question Number : 22 Question Id : 4410091497979 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Which of the following terms is used to describe inflammation of the mucous membrane of the mouth?

Options :

1. ✔ Stomatitis
2. ✘ Glossitis
3. ✘ Gingivitis
4. ✘ Gastritis

Question Number : 23 Question Id : 4410091506586 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the main protein component that must be eliminated from the diet of an individual with celiac disease?

Options :

1. ✘ Lactose
2. ✘ Albumin
3. ✘ Casein
4. ✔ Gluten

Question Number : 24 Question Id : 4410091506611 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following areas is typically included within the sterile zone of the operating theatre (OT) complex?

Options :

1. ✘ Patient recovery room
2. ✘ Sluice room
3. ✔ Scrubbing station
4. ✘ Disposal zone

Question Number : 25 Question Id : 4410091515839 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Prolonged exposure to hormonal agents is most strongly associated with the development of which type of cancer?

Options :

1. ✘ Lung cancer
2. ✘ Skin cancer
3. ✘ Bladder cancer
4. ✔ Endometrial cancer

Question Number : 26 Question Id : 4410091525258 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which nursing action is most important after cataract surgery?

Options :

- ✘ Allow the patient to rub the operated eye gently
- ✔ Instruct the patient to avoid bending or heavy lifting
- ✘ Cover both eyes with bandage
- ✘ Apply pressure dressing on the eye

Question Number : 27 Question Id : 4410091498066 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the most common sign or symptom of the Ehlers-Danlos Syndrome (EDS)?

Options :

- ✘ Rigid and stiff joints or stiff extremities
- ✔ Very flexible joints and stretchy, fragile skin
- ✘ High blood pressure and pleural effusion
- ✘ Severe hypotonia at birth

Question Number : 28 Question Id : 4410091506637 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following diseases is generally associated with Neurofibrillary tangles?

Options :

- ✘ Parkinson's disease
- ✘ Multiple sclerosis
- ✘ Creutzfeldt-Jakob disease
- ✔ Alzheimer's disease

Question Number : 29 Question Id : 4410091515667 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following homeostatic mechanisms of the kidneys supports the maintenance of normal fluid balance in the body?

Options :

- ✘ Release of atrial natriuretic peptide in response to volume expansion and increased cardiac filling
- ✔ Regulation of extracellular fluid and osmolality by selective retention and excretion of body fluids
- ✘ Release of osmoreceptors and antidiuretic hormone through regulation of osmotic pressure
- ✘ Activation of baroreceptors in response to circulating blood volume and urine output

Child Health Nursing including Essential Newborn Care

Section Id :	4410091716131
Section Number :	7
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	4
Number of Questions to be attempted :	4
Section Marks :	8
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724469
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 30 Question Id : 4410091521201 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

The West Nomogram in pediatrics is primarily used to:

Options :

1. ✘ Determine the child's body mass index (BMI)
2. ✔ Estimate the child's body surface area (BSA) for drug dosing
3. ✘ Measure the child's height and weight percentiles
4. ✘ Calculate the child's basal metabolic rate

Question Number : 31 Question Id : 4410091502294 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is an example of a primary preventive measure in paediatrics?

Options :

1. ✔ Administering a vaccine as per the National Immunization Schedule
2. ✘ Treating an existing infection, injury and disability without any delay
3. ✘ Diagnosing a disease early by invasive laboratory investigations and imaging technology
4. ✘ Rehabilitating a child with a chronic condition, disorders and intellectual disability

Question Number : 32 Question Id : 4410091505068 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

When was the Protection of Children from Sexual Offences (POCSO) Act enacted in India?

Options :

1. ✘ 1992
2. ✘ 1996
3. ✘ 2006
4. ✔ 2012

Question Number : 33 Question Id : 4410091530803 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

An 8-year-old child with a communicable disease is placed in an isolation room and expresses distress due to parental absence. Which nursing intervention would best help the child adjust to separation?

Options :

1. ✘ Disallow child from continuing her school lessons during confinement
2. ✘ Explain to the child the need for hospitalisation using medical jargons
3. ✘ Alter the daily schedules of the child to follow hospital routines
4. ✔ Place the favourite doll and blanket from home with the child

Mental Health Nursing

Section Id :	4410091716132
Section Number :	8
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	4
Number of Questions to be attempted :	4
Section Marks :	8
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724470
Question Shuffling Allowed :	Yes
Is Section Default? :	No



Question Number : 34 Question Id : 4410091499824 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the correct full form of the acronym EMDR in the context of somatic therapy?

Options :

1. ✘ Emotional Management and Distress Resolution
2. ✘ Energetic Meridian Desensitization and Release
3. ✔ Eye Movement Desensitization and Reprocessing
4. ✘ Extended Memory Detection and Regulation

Question Number : 35 Question Id : 4410091499853 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

When did the Narcotic Drugs and Psychotropic Substances (NDPS) Act come into force?

Options :

1. ✘ 1972
2. ✔ 1985
3. ✘ 1998
4. ✘ 2009

Question Number : 36 Question Id : 4410091505007 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the fundamental meaning of the ethical principle of 'veracity' in nursing practice?

Options :

1. ✘ Being fair and just in the distribution of care, irrespective of caste or gender
2. ✘ Being answerable and accountable for one's actions or activities
3. ✔ The commitment to truth-telling and honesty in all professional interactions
4. ✘ The duty to do good and promote the well-being of the patient and family

Question Number : 37 Question Id : 4410091504999 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A 38-year-old male with schizophrenia presents with increasing agitation, pacing, constantly shifting his weight and complaining of an 'unbearable inner restlessness' in his legs. Which drug is most likely associated with these symptoms?

Options :

1. ✓ Haloperidol
2. ✗ Clozapine
3. ✗ Olanzapine
4. ✗ Quetiapine

Community Health Nursing (I & II)

Section Id :	4410091716133
Section Number :	9
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	4
Number of Questions to be attempted :	4
Section Marks :	8
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724471
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 38 Question Id : 4410091506769 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is NOT a core principle of primary health care?

Options :

1. ✓ Differential distribution
2. ✗ Community participation
3. ✗ Inter-sectoral coordination
4. ✗ Appropriate technology

Question Number : 39 Question Id : 4410091521291 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

The WHO STOP TB Programme promotes the Public–Private Mix (PPM) mainly to:

Options :

1. ✗ Shift TB diagnosis and treatment workload away from government facilities
2. ✓ Integrate private providers into standardized national TB control activities
3. ✗ Encourage private hospitals to independently manage TB cases without notification
4. ✗ Reduce reliance on field-level workers by centralizing TB services in hospitals

Question Number : 40 Question Id : 4410091502849 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What are the three main focus areas for restoration in the comprehensive strategy of rehabilitation in tertiary prevention?

Options :

1. ✗ Physiological stability, pharmacological cure, health education and immunisation
2. ✗ Dietary modification, weight loss, exercise training and early screening
3. ✓ Physical function, cognitive abilities, and social or vocational participation
4. ✗ Financial budgeting, early diagnosis, early surgical interventions and procedures

Question Number : 41 Question Id : 4410091521248 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A community health nurse organises a vaccination camp to prevent measles outbreaks. Which level of prevention does this represent?

Options :

1. ✘ Primordial Prevention
2. ✔ Primary Prevention
3. ✘ Secondary Prevention
4. ✘ Teritiary Prevention

Midwifery and Gynaecological Nursing

Section Id :	4410091716134
Section Number :	10
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	7
Number of Questions to be attempted :	7
Section Marks :	14
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724472
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 42 Question Id : 4410091535217 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following conditions is considered as a minor disorder in a newborn?

Options :

1. ✘ Sclerema
2. ✘ Crainotabes
3. ✘ Nevus flammeus
4. ✔ Miliaria

Question Number : 43 Question Id : 4410091502978 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

How is the Glabellar Reflex elicited during a physical examination?

Options :

1. ✘ By stroking the sole of the foot from the heel to the toes rapidly and repeatedly
2. ✘ By tapping the skin rapidly and repeatedly at the corner of the mouth
3. ✔ By rapidly and repeatedly tapping the forehead midline between the eyebrows
4. ✘ By gently touching the cornea of the eye rapidly and repeatedly

Question Number : 44 Question Id : 4410091506363 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A newborn is pink all over, crying loudly, has a heart rate of 140 bpm, moves all four limbs actively, and pulls away from nasal suction. What is the APGAR score?

Options :

1. ✘ 3
2. ✘ 4
3. ✘ 6
4. ✔ 10

Question Number : 45 Question Id : 4410091506368 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which is a primary physiological benefit of rooming-in and early skin-to-skin contact for the newborn?

Options :

1. ✘ Delayed passage of meconium and urine
2. ✔ More stable body temperature and blood glucose levels
3. ✘ Slightly decreased weight gain in the first 24 hours
4. ✘ Increased respiratory rate and increased work of breathing

Question Number : 46 Question Id : 4410091506462 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What does the acronym MNDR stand for in the global health and midwifery initiatives?

Options :

1. ✘ Maternal Nutrition and Drug Regimen
2. ✘ Midwifery Network Development Resource
3. ✘ Maternal and Neonatal Data Registry
4. ✔ Maternal and Neonatal Death Review

Question Number : 47 Question Id : 4410091524027 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A pregnant woman at 32 weeks of gestation develops generalised tonic-clonic seizures, high blood pressure, and proteinuria. What is the drug of choice for controlling seizures in eclampsia?

Options :

1. ✘ Diazepam
2. ✘ Phenytoin
3. ✔ Magnesium Sulphate
4. ✘ Labetalol

Question Number : 48 Question Id : 4410091535289 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A nurse midwife at a Primary Health Centre (PHC) detects cord prolapse after rupture of membranes in a labouring woman. What is the most appropriate immediate intervention?

Options :

1. ✘ Pull down the loop of cord and attempt immediate delivery
2. ✔ Place the woman in exaggerated Sim's position and arrange urgent transfer to a higher centre
3. ✘ Catheterise the woman with a Foley's catheter and empty the bladder
4. ✘ Wrap the cord in cold water-soaked gauze and replace it into the vagina

Nursing Administration and Ward Management

Section Id :	4410091716135
Section Number :	11
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	2
Number of Questions to be attempted :	2
Section Marks :	4
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724473
Question Shuffling Allowed :	Yes
Is Section Default? :	No



Test

Prime

By Adda247

Previous Year Papers PDF

PRACTICE MORE, SCORE HIGHER!



Free
25,000+
PDF's

High-Quality | Exam-Wise | Updated Regularly

ATTEMPT AS
MOCK



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise &
Exam-wise PDFs



Download &
Study Offline



Attempt as Mock
& Track Score



Smart Analysis
& Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD THE APP



Question Number : 49 Question Id : 4410091538744 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Under the Pradhan Mantri Jan Arogya Yojana (PM-JAY), what is the annual health insurance coverage amount provided by the Government of India per family for secondary and tertiary care hospitalization in empanelled public and private hospitals?

Options :

1. ✘ ₹2,00,000
2. ✘ ₹3,00,000
3. ✔ ₹5,00,000
4. ✘ ₹6,00,000

Question Number : 50 Question Id : 4410091502764 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following statements is true regarding Cost-Benefit Analysis (CBA) and Cost-Effectiveness Analysis (CEA)?

Options :

1. ✘ They are interchangeable terms for the same evaluation method.
2. ✘ CEA is used for revenue-generating projects, while CBA is for non-revenue projects.
3. ✔ CBA monetises all outcomes, while CEA measures outcomes in natural units for a fixed cost.
4. ✘ CEA focuses on comparing two different projects, while CBA focuses on only one.