

31.12.2025 Third Shift 05.00 pm to 06.00 pm

Anatomy and Physiology

Section Id :	4410091716125
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	5
Number of Questions to be attempted :	5
Section Marks :	10
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724463
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 1 Question Id : 4410091497883 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following components are primarily used in the major cross-matching blood?

Options :

1. ✓ Donor's red blood cells and recipient's serum
2. ✗ Donor's serum and recipient's red blood cells
3. ✗ Donor's serum and recipient's white blood cells
4. ✗ Recipient's serum and donor's white blood cells

**Test
Prime**

By Adda247

ALL EXAMS, ONE SUBSCRIPTION



Test. Analyze. Improve. Repeat.



Don't just *prepare*. *Perform.*

Test Prime — built only for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year Papers



800+
Exam Covered



500% Refund
on Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Job Alerts
Stay Updated

- Multilingual
- Detailed Solution
- Strong and Weak Areas



**All India
Rankings**

Compete with lakhs.
Rank. Improve. Repeat.



← Adda247 test prime

Rating ▾

Editors' choice

New



Adda247 Test Prime
Adda Education • Education
📌 Installed



DOWNLOAD THE APP



Question Number : 2 Question Id : 4410091515604 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following muscles is non-striated and composed of long, spindle-shaped cells with a broad central region and tapering ends?

Options :

- ✘ Skeletal muscle
- ✘ Cardiac muscle
- ✔ Smooth muscle
- ✘ Voluntary muscle

Question Number : 3 Question Id : 4410091518907 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which structure of the digestive system is primarily responsible for absorption of nutrients into the bloodstream?

Options :

- ✘ Stomach
- ✔ Small Intestine
- ✘ Large Intestine
- ✘ Esophagus

Question Number : 4 Question Id : 4410091504844 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following muscles is characterised by the intercalated discs, and what is their primary function?

Options :

- ✘ Skeletal muscle; to increase the force of contraction by connecting cells
- ✘ Smooth muscle; to allow for involuntary contractions by connecting cells
- ✔ Cardiac muscle; to allow for rhythmic contractions by connecting cells
- ✘ Skeletal muscle; to provide flexibility and elasticity to the muscle

Question Number : 5 Question Id : 4410091515538 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following best explains the physiological basis of central cyanosis in a patient with severe respiratory distress?

Options :

- ✓ Reduced oxygen saturation of haemoglobin in arterial blood below 85%
- ✗ Increased levels of carboxyhaemoglobin in arterial blood
- ✗ Excessive peripheral vasodilation causing blood pooling
- ✗ Elevated levels of methemoglobin with normal oxygen delivery

Microbiology

Section Id :	4410091716126
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724464
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 6 Question Id : 4410091505162 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which type of resistance mechanism involves bacteria synthesizing an enzyme that chemically modifies or destroys the active structure of an antibiotic molecule?

Options :

1. ✓ Enzymatic inactivation
2. ✗ Decreased permeability
3. ✗ Efflux pumps
4. ✗ Target modification

Question Number : 7 Question Id : 4410091505150 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following microorganisms is a common normal vaginal flora in adult females and helps maintain the protective acidic environment?

Options :

1. ✓ Lactobacillus species
2. ✗ Staphylococcus aureus
3. ✗ Candida albicans
4. ✗ Escherichia coli

Question Number : 8 Question Id : 4410091530725 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A 65-year-old patient in the intensive care unit has been on mechanical ventilation for 10 days. He develops fever, purulent tracheal secretions, and new infiltrates on chest X-ray. Which of the following microorganisms is most likely responsible for this late-onset ventilator-associated pneumonia (VAP)?

Options :

1. ✗ Streptococcus faecalis
2. ✗ Staphylococcus epidermidis
3. ✓ Acinetobacter baumannii
4. ✗ Chlamydia trachomatis

Nutrition

Section Id :	4410091716127
Section Number :	3
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724465
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 9 Question Id : 4410091538768 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following disorders occurs due to vitamin D deficiency among adults?

Options :

- ✘ Rickets
- ✘ Achondroplasia
- ✘ Kyphoscoliosis
- ✔ Osteomalacia

Question Number : 10 Question Id : 4410091538778 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following special diets is recommended for a patient with haemorrhoids?

Options :

1. ✘ Clear liquid
2. ✘ Soft diet
3. ✘ Low calorie
4. ✔ High fibre

Question Number : 11 Question Id : 4410091505471 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the main defining characteristic of a Food Swamp?

Options :

1. ✘ Total absence of any food retail within a one-mile radius of an area in a village, municipality or town
2. ✔ High concentration of fast-food outlets and convenience stores relative to the number of healthy food retailers
3. ✘ A climate change in an area that strictly prohibits local food production in an area of the village year-round
4. ✘ High unemployment and low socioeconomic status of the family lead to low purchasing power for all food items

First Aid, Emergency Management, CPR (BLS & ALS)

Section Id :	4410091716128
Section Number :	4
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	3
Number of Questions to be attempted :	3
Section Marks :	6
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724466

Question Shuffling Allowed : Yes
Is Section Default? : No

Question Number : 12 Question Id : 4410091505607 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Which clinical sign is the most characteristic finding of a superficial partial-thickness burn or Second-degree burn?

Options :

1. ✓ Large, fluid-filled blisters and severe pain
2. ✗ White, leathery and insensate (painless) skin
3. ✗ Charring of tissue down to the bone or muscle
4. ✗ Simple redness that blanches with pressure

Question Number : 13 Question Id : 4410091521433 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

A 10-year-old child has a fresh Category III stray dog bite. What is the immediate management?

Options :

1. ✗ Suture the wound
2. ✓ Wash the wound and give rabies vaccine or immunoglobulin
3. ✗ Give oral antibiotics
4. ✗ Give tetanus vaccine

Question Number : 14 Question Id : 4410091520216 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A nurse is passing by a building when she notices smoke coming from inside. On entering the premises, she finds that a person has collapsed in a smoke-filled room. As she prepares to rescue the casualty, which of the following actions would be the most appropriate?

Options :

- ✘ Open all doors and windows to ventilate the room before entering
- ✔ Crawl along the floor with a wet cloth over your face to reach and remove the casualty
- ✘ Enter the room immediately to rescue the casualty before calling for help
- ✘ Pour buckets of water over the room to extinguish the fire before attempting rescue

Nursing Foundation

Section Id :	4410091716129
Section Number :	5
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	6
Number of Questions to be attempted :	6
Section Marks :	12
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724467
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 15 Question Id : 4410091519061 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which parameter is directly measured by a pulse oximeter?

Options :

- ✘ Blood pressure
- ✔ Oxygen saturation
- ✘ Carbon dioxide level
- ✘ Heart rate

Question Number : 16 Question Id : 4410091503104 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Read the given assertion (A) and reason (R) and select the correct option based on the analysis of these statements.

Assertion (A): A GCS score of 8 or less is clinically significant and is often used as a critical threshold indicating a severe head injury and suggesting the immediate need for airway protection (e.g., endotracheal intubation).

Reason (R): The GCS primarily provides a rapid, standardised and objective measure of a patient's level of consciousness, which is a direct reflection of the functional state of the cerebral cortex and brainstem reticular system.

Options :

- ✔ Both A and R are true, and R is the correct explanation of A.
- ✘ Both A and R are true, but R is not the correct explanation of A.
- ✘ A is true, but R is false.
- ✘ A is false, but R is true.

Question Number : 17 Question Id : 4410091503112 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the main purpose of administering the astringent medications?

Options :

- ✘ To increase the discharge of blood serum and mucous secretions
- ✘ To dissolve blood clots
- ✔ To reduce bleeding and excess secretions
- ✘ To promote bacterial growth for wound healing

Question Number : 18 Question Id : 4410091519008 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

The formation of the Indian Nursing Council (INC) in 1947 aimed primarily at:

Options :

- ✘ Recruitment of nurses for military service
- ✔ Uniform standards for nursing education across India
- ✘ Establishing nursing colleges in rural areas
- ✘ Providing financial support to all state councils

Question Number : 19 Question Id : 4410091520193 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

For which of the following purposes is the intradermal route of drug administration most commonly employed?

Options :

- ✔ It is used for allergy testing and tuberculosis screening
- ✘ It is preferred for administering vaccines, insulin, and heparin
- ✘ It is suitable for medications requiring volumes greater than 1 mL
- ✘ It is used to deliver drugs directly into the bloodstream for rapid action

Question Number : 20 Question Id : 4410091521528 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which drug form provides the most rapid onset of action?

Options :

- ✘ Enteric-coated tablet
- ✔ Intravenous drug
- ✘ Sustainable release tablet
- ✘ Subcutaneous drug

Medical Surgical Nursing (I & II)

Section Id :	4410091716130
Section Number :	6
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	9
Number of Questions to be attempted :	9
Section Marks :	18
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724468
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 21 Question Id : 4410091506660 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following organisms causes chickenpox?

Options :

1. ✘ Bacteria
2. ✔ Virus
3. ✘ Fungus
4. ✘ Protozoa

Question Number : 22 Question Id : 4410091498047 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following medications is a nurse expected to administer as the primary treatment for cardiogenic pulmonary edema to remove the accumulated fluid?

Options :

1. ✘ Beta-blockers
2. ✔ Loop diuretics
3. ✘ ACE inhibitors
4. ✘ Inotropic agents

Question Number : 23 Question Id : 4410091506601 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the priority nursing care when a patient undergoing systemic chemotherapy reaches the nadir?

Options :

1. ✘ Assisting the client with eating an adequate amount of food to maintain nutrition
2. ✘ Educating the patient on managing hair loss and fatigue
3. ✔ Monitoring for signs of infection and implementing protective measures
4. ✘ Enhancing the effects of chemotherapy with additional medication

Question Number : 24 Question Id : 4410091506665 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following conditions is generally associated with the Bouchard's node?

Options :

1. ✘ Gouty arthritis
2. ✔ Osteoarthritis
3. ✘ Muscular dystrophy
4. ✘ Osteomyelitis

Question Number : 25 Question Id : 4410091515853 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following principles of emergency care involves sorting patients into categories based on the severity of their condition and the urgency of the treatment required?

Options :

- ✘ Resuscitation
- ✘ Primary survey
- ✔ Triage
- ✘ Stabilisation

Question Number : 26 Question Id : 4410091525240 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which nursing intervention is most important for a patient with extensive burns?

Options :

- ✘ Encourage early ambulation only
- ✔ Maintain airway and fluid balance
- ✘ Apply oil to burn area
- ✘ Delay wound care for 24 hours

Question Number : 27 Question Id : 4410091498029 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the ideal time to conduct the 'Sign In' phase of the WHO's surgical safety checklist?

Options :

- ✘ Before the patient leaves the operating room
- ✘ After induction of anaesthesia, but before skin incision
- ✔ Before the induction of anaesthesia, while the patient is still conscious
- ✘ During wound closure with the presence of the surgeon and anaesthetist

Question Number : 28 Question Id : 4410091498091 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the estimated percentage of the total body surface area (TBSA) burned according to the Rule of Nines if an adult patient suffers a burn in left arm, front of the chest and stomach after a fire?

Options :

- 1. ✘ 9%
- 2. ✘ 18%
- 3. ✔ 27%
- 4. ✘ 36%

Question Number : 29 Question Id : 4410091506678 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is the ideal manner used to deliver the thrusts during a Heimlich manoeuvre?

Options :

- 1. ✘ Slow and gentle, applied only forward (inward)
- 2. ✔ Hard and fast, applied inward and upward (J-shaped motion)
- 3. ✘ Circular motion around the abdomen and umbilicus
- 4. ✘ Hard and fast, applied straight down (inferiorly)

Child Health Nursing including Essential Newborn Care

Section Id :	4410091716131
Section Number :	7
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	4
Number of Questions to be attempted :	4
Section Marks :	8
Maximum Instruction Time :	0
Sub-Section Number :	1

Sub-Section Id : 4410091724469
Question Shuffling Allowed : Yes
Is Section Default? : No

Question Number : 30 Question Id : 4410091505033 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Which is the first of Freud's psychosexual stages, which occurs during infancy?

Options :

1. ✘ Latency Stage
2. ✘ Phallic Stage
3. ✔ Oral Stage
4. ✘ Genital Stage

Question Number : 31 Question Id : 4410091502347 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

What is the main indication for performing a Kasai procedure?

Options :

1. ✘ Choanal atresia
2. ✘ Oesophageal atresia
3. ✔ Biliary atresia
4. ✘ Tricuspid atresia

Question Number : 32 Question Id : 4410091505051 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the standard recommended weight-based single dose of paracetamol for a child?

Options :

- ✘ 20-25 mg/kg per dose
- ✔ 10-15 mg/kg per dose
- ✘ 50 mg/kg per dose
- ✘ 2-5 mg/kg per dose

Question Number : 33 Question Id : 4410091518983 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A 3-year-old child admitted with pneumonia shows signs of anxiety and fear of strangers. The pediatric nurse plans to establish trust with the child before procedures. Which role of the pediatric nurse does this action best demonstrate?

Options :

- ✘ Health educator
- ✘ Counselor
- ✔ Therapeutic care giver
- ✘ Advocate

Section Id :

Section Number :

Section type :

Mandatory or Optional :

Number of Questions :

Number of Questions to be attempted :

Section Marks :

Maximum Instruction Time :

Mental Health Nursing

4410091716132

8

Online

Mandatory

4

4

8

0

Sub-Section Number : 1
Sub-Section Id : 4410091724470
Question Shuffling Allowed : Yes
Is Section Default? : No

Question Number : 34 Question Id : 4410091499780 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Which neurotransmitter imbalance is most commonly associated with schizophrenia?

Options :

1. ✘ Serotonin
2. ✘ Norepinephrine
3. ✔ Dopamine
4. ✘ Acetylcholine

Question Number : 35 Question Id : 4410091505000 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

When was the District Mental Health Programme (DMHP) launched as an integral component of the National Mental Health Programme (NMHP) in India?

Options :

1. ✘ 1986
2. ✔ 1996
3. ✘ 2006
4. ✘ 2016

Question Number : 36 Question Id : 4410091505005 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the meaning of 'catharsis' in crisis intervention?

Options :

1. ✘ The process of developing a concrete action plan to solve the crisis
2. ✔ The release of strong, suppressed emotions by talking about emotionally charged events
3. ✘ The use of medication to calm an anxious patient during a crisis
4. ✘ The clarification of the relationship between different events, stimuli, situations and stressors

Question Number : 37 Question Id : 4410091499839 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which type of psychiatric emergency involves life-threatening symptoms such as muscle rigidity, hyperpyrexia, and autonomic dysfunction, often as a reaction to antipsychotic medication?

Options :

1. ✘ Walking corpse syndrome
2. ✔ Neuroleptic malignant syndrome
3. ✘ Blue diaper syndrome
4. ✘ Wolff Parkinson's White syndrome

Community Health Nursing (I & II)

Section Id :	4410091716133
Section Number :	9
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	4
Number of Questions to be attempted :	4
Section Marks :	8
Maximum Instruction Time :	0
Sub-Section Number :	1

Sub-Section Id : 4410091724471
Question Shuffling Allowed : Yes
Is Section Default? : No

Question Number : 38 Question Id : 4410091525135 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

What does the term 'Agent' refers to in the context of epidemiological triangle of infectious diseases?

Options :

1. ✘ Organism harbouring the disease
2. ✘ External conditions allowing disease transmission
3. ✔ Pathogen responsible for causing disease
4. ✘ Internal conditions allowing disease transmission

Question Number : 39 Question Id : 4410091502886 Question Type : MCQ Option Shuffling : Yes
Correct Marks : 2 Wrong Marks : 0.5

Match the vector-borne disease in Column A with its primary biological vector in Column B, according to the guidelines of the National Vector Borne Disease Control Programme (NVBDCP).

Column A: Disease	Column B: Primary Vector
1. Malaria	a. Aedes mosquito
2. Chikungunya	b. Sandfly
3. Kala-azar	c. Anopheles mosquito

Options :

1. ✔ 1-c, 2-a, 3-b
2. ✘ 1-b, 2-a, 3-c
3. ✘ 1-c, 2-b, 3-a
4. ✘ 1-a, 2-c, 3-b



Question Number : 40 Question Id : 4410091502867 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Match the type of rural health institution in Column A with the corresponding standard Population Norm it is designed to cover in Column B.

Column A: Health Institution	Column B: Population Norm
1. Sub-Centre (SC)	A. 80,000 to 1,20,000
2. Primary Health Centre (PHC)	B. 20,000 to 30,000
3. Community Health Centre (CHC)	C. 3,000 to 5,000

Options :

- 1. ✓ 1-C, 2-B, 3-A
- 2. ✗ 1-A, 2-C, 3-B
- 3. ✗ 1-B, 2-C, 3-A
- 4. ✗ 1-B, 2-A, 3-C

Question Number : 41 Question Id : 4410091525167 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is the most widely available peripheral laboratory network for the diagnosis of tuberculosis under the Revised National Tuberculosis Control Program (RNTCP)?

Options :

- 1. ✗ Intermediate Reference Laboratory (IRL)
- 2. ✗ National Reference Laboratory (NRL)
- 3. ✗ District Reference Laboratory (DRL)
- 4. ✓ Designated Microscopy centre (DMC)

Midwifery and Gynaecological Nursing

Section Id :

4410091716134

Section Number :

10

Section type :

Online

Mandatory or Optional :

Mandatory

Number of Questions :

7

Number of Questions to be attempted :

7

Section Marks :	14
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724472
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Question Number : 42 Question Id : 4410091524007 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is Lochia?

Options :

1. ✘ Vaginal discharge during pregnancy
2. ✔ Vaginal discharge after childbirth
3. ✘ Menstrual bleeding
4. ✘ Urinary incontinence

Question Number : 43 Question Id : 4410091502957 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which bone combines with the pubis and the ilium to form the os coxae?

Options :

1. ✘ Femur
2. ✔ Ischium
3. ✘ Patella
4. ✘ Fibula

Question Number : 44 Question Id : 4410091502969 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following statements correctly describes the cervical changes during the second stage of labor?

Options :

1. ✘ The cervix continues to dilate from 8 cm to 10 cm.
2. ✔ The cervix is already fully dilated and effaced.
3. ✘ The cervix begins to efface as the baby descends.
4. ✘ The cervix closes to prevent the baby from coming out too quickly.

Question Number : 45 Question Id : 4410091523965 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which of the following is the most reliable sign for the diagnosis of pregnancy?

Options :

1. ✘ Amenorrhea
2. ✔ Positive urine pregnancy test
3. ✘ Nausea and vomiting
4. ✘ Breast tenderness

Question Number : 46 Question Id : 4410091502996 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

In the following question, a statement of Assertion (A) is given, followed by a corresponding statement of Reason (R). Select the correct option based on the analysis of these statements.

Assertion (A): The Non-Stress Test (NST) is highly effective in assessing the immediate, acute fetal well-being, but it must be supplemented by an Ultrasound (USG) derived Biometric Profile (BPP) for a complete assessment of chronic fetal status.

Reason (R): The NST primarily evaluates placental reserve by monitoring the fetal heart rate (FHR) accelerations in response to fetal movement, while the USG measures parameters like Amniotic Fluid Index (AFI), which reflects long-term uteroplacental function and fetal renal perfusion.

Options :

1. ✓ Both A and R are true, and R is the correct explanation of A.
2. ✗ Both A and R are true, but R is NOT the correct explanation of A.
3. ✗ A is true, but R is false.
4. ✗ A is false, but R is true.

Question Number : 47 Question Id : 4410091503010 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A 28-year-old primigravida, at 36 weeks of gestation, was admitted to the emergency department with a severe, persistent headache and blurred vision. Her blood pressure is measured at 170/115 mmHg. Urinalysis reveals +3 protein. After 15 minutes, developed generalized tonic-clonic muscle contractions lasting approximately 60 seconds. What may be the most likely diagnosis of the patient?

Options :

1. ✓ Eclampsia
2. ✗ Tetany
3. ✗ Pulmonary embolism
4. ✗ Pulmonary edema

Question Number : 48 Question Id : 4410091506430 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

What is the recommended first-line manoeuvre for managing shoulder dystocia?

Options :

- ✘ Woods corkscrew manoeuvre
- ✘ Zavanelli manoeuvre
- ✔ McRoberts manoeuvre
- ✘ Mauriceau–Smellie–Veit manoeuvre

Nursing Administration and Ward Management

Section Id :	4410091716135
Section Number :	11
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	2
Number of Questions to be attempted :	2
Section Marks :	4
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	4410091724473
Question Shuffling Allowed :	Yes
Is Section Default? :	No

Test

Prime

By Adda247

Previous Year Papers PDF

PRACTICE MORE, SCORE HIGHER!



Free
25,000+
PDF's

High-Quality | Exam-Wise | Updated Regularly

ATTEMPT AS
MOCK



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise & Exam-wise PDFs



Download & Study Offline



Attempt as Mock & Track Score



Smart Analysis & Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD THE APP



Question Number : 49 Question Id : 4410091502728 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

Which administrative principle is mainly concerned with implementing Clinical Practice Guidelines?

Options :

1. ✖ Human Resources management and employee discipline
2. ✖ Financial budgeting and cost control
3. ✖ External marketing and public relations
4. ✔ Quality assurance and standardisation of patient care

Question Number : 50 Question Id : 4410091538722 Question Type : MCQ Option Shuffling : Yes

Correct Marks : 2 Wrong Marks : 0.5

A newly planned 500-bed tertiary care hospital is being designed in an urban area. While planning the nurses' station in each inpatient unit, which of the following considerations is most appropriate to ensure efficiency, safety, and patient monitoring?

Options :

1. ✖ It should have glass wall on one side to continuously observe patients.
2. ✔ It should be located centrally to allow clear view of the entire patient unit.
3. ✖ The adequate size of the nurses' station would be less than 30 square feet.
4. ✖ It should be positioned near the main entrance of the ward to facilitate visitor access.