

APPSC
Horticulture Officer
Previous Year Paper
(Horticulture-II) 20 Oct 2022
Paper III





ALL EXAMS, **ONE** SUBSCRIPTION



Test. Analyze. Improve. Repeat.



*Don't just
prepare.
Perform.*

Test Prime – built only
for mock tests.



1,50,000+
Mock Tests



25,000+
Previous Year
Papers



800+
Exam
Covered



500%
Refund on
Selection



5 lakh+
Free Quizzes



Daily
Free PDFs



Top Alerts
Stay Updated

WHY TEST PRIME?

- ✓ Multilingual
- ✓ Detailed Solution
- ✓ Strong and Weak Areas
- ✓ All India Rankings



Safe & Reliable



Trusted by
Lakhs of Aspirants



Your Success,
Our Mission



**DOWNLOAD
TEST PRIME**

Your Success Partner!



Test

Prime



SUCCESS GALLERY!

MEET THE ACHIEVERS



Shreya, SBI PO



Sahil, SBI PO



Srijita, SBI PO



Vikram, IBPS PO



Neeti, IBPS PO



Arya, IBPS PO



Hasan, SSC CGL



Palak, SSC CGL



Priti, UP TGT



Aniket, Bihar Stet



Shaurya, NTPC



Sarita, CTET



Gourav, NTPC



Sanni, NTPC



Abhishek, CTET



Sapna, IBPS Clerk

THEY DID IT. YOU CAN TOO

READ THEIR STORIES!



Print

APOnline Limited

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✖ icon are incorrect.

Question Paper Name :	Paper III Horticulture II
Subject Name :	Paper III Horticulture II
Creation Date :	2022-10-20 17:43:54
Duration :	150
Total Marks :	150
Display Marks:	Yes
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	Yes
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No
Show Progress Bar :	No

Paper III Horticulture II

Group Number :	1
Group Id :	8277883
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Horticulture II

Section Id :	8277883
Section Number :	1
Section type :	Online
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	8277883
Question Shuffling Allowed :	Yes
Is Section Default? :	null

Question Number : 1 Question Id : 827788301 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Extension literally means:

Options :

- ✓ stretching out
- ✗ talking with
- ✗ communication
- ✗ thinking about

Question Number : 2 Question Id : 827788302 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Extension education is a/an:

Options :

- ✗ formal education
- ✗ informal education
- ✓ non-formal education
- ✗ cyber education

Question Number : 3 Question Id : 827788303 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The word 'communication' originates from:

Options :

- ✓ Latin
- ✗ Spanish
- ✗ Greek

4. ✖ Sanskrit

Question Number : 4 Question Id : 827788304 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The integration of all TOT programmes of ICAR with KVK happened in:

Options :

1. ✔ 1992
2. ✖ 1996
3. ✖ 2001
4. ✖ 2006

Question Number : 5 Question Id : 827788305 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The paradigm shift from 'top-down to bottom-up' concept programme is:

Options :

1. ✔ ATIC
2. ✖ ATMA
3. ✖ SREP
4. ✖ DAATC

Question Number : 6 Question Id : 827788306 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The skill requirement for the members of DWCR was met through:

Options :

1. ✖ SFDA
2. ✖ IRDA
3. ✖ NREP
4. ✔ TRYSEM

Question Number : 7 Question Id : 827788307 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The acronym for the main steps in extension teaching is:

Options :

1. ✖ AIETA
2. ✖ KPDIC

3. ✓ AIDCAS

4. ✗ AIDACS

Question Number : 8 Question Id : 827788308 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is an example of a projected visual aid?

Options :

1. ✗ Chalkboard

2. ✗ Photograph

3. ✗ Poster

4. ✓ Slides

Question Number : 9 Question Id : 827788309 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The word 'extension' is derived from _____ roots.

Options :

1. ✓ Latin

2. ✗ Greek

3. ✗ German

4. ✗ British

Question Number : 10 Question Id : 827788310 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

An agricultural innovator is an example of:

Options :

1. ✗ a traditional leader

2. ✗ a political leader

3. ✓ a functional leader

4. ✗ an opinion leader

Question Number : 11 Question Id : 827788311 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following programmes was launched as part of the golden jubilee celebrations of ICAR?

Options :

1. ✗ National demonstration

2. ✖ Frontline demonstration
3. ✔ LLP
4. ✖ KVK

Question Number : 12 Question Id : 827788312 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first KVK was established in the year:

Options :

1. ✔ 1974
2. ✖ 1975
3. ✖ 1976
4. ✖ 1977

Question Number : 13 Question Id : 827788313 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A puppet show is an example of:

Options :

1. ✖ audio aids
2. ✖ visual aids
3. ✔ non-projected audio-visual aids
4. ✖ projected audio-visual aids

Question Number : 14 Question Id : 827788314 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first step in the extension teaching process is:

Options :

1. ✖ Conviction
2. ✖ Desire
3. ✖ Interest
4. ✔ Attention

Question Number : 15 Question Id : 827788315 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a new form of video-based communication via telephone lines or satellite broadcast.

Options :

1. ✓ Tele-conferencing
2. ✗ Email
3. ✗ Interactive video
4. ✗ Dial access

Question Number : 16 Question Id : 827788316 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Effective teaching and learning is a matter of:

Options :

1. ✗ chance and luck
2. ✓ design and effect
3. ✗ material and non-material
4. ✗ formality and informality

Question Number : 17 Question Id : 827788317 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

National Horticulture Mission was launched in the year:

Options :

1. ✓ 2005-2006
2. ✗ 2003-2004
3. ✗ 2007-2008
4. ✗ 2009-2010

Question Number : 18 Question Id : 827788318 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following amino acids is synthesised in plants under drought stress?

Options :

1. ✗ Glutamine
2. ✓ Proline
3. ✗ Pepsin
4. ✗ Serine

Question Number : 19 Question Id : 827788319 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The metal ion that is associated with chlorophyll molecule is:

Options :

1. ✗ Molybdenum
2. ✗ Cobalt
3. ✓ Magnesium
4. ✗ Phosphorous

Question Number : 20 Question Id : 827788320 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following growth regulators is used to replace chilling requirements?

Options :

1. ✓ Gibberellins
2. ✗ Ethylene
3. ✗ Auxins
4. ✗ ABA

Question Number : 21 Question Id : 827788321 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The standard growth curve of a plant is:

Options :

1. ✗ bell shaped
2. ✓ sigmoidal
3. ✗ pyramidal
4. ✗ straight

Question Number : 22 Question Id : 827788322 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

What emerges first during seed germination?

Options :

1. ✗ Plumule
2. ✓ Radicle
3. ✗ Cotyledons
4. ✗ Hypocotyl

Question Number : 23 Question Id : 827788323 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following elements plays an important role in the biosynthesis of auxin?

Options :

1. ✗ Fe
2. ✗ Co
3. ✓ Zn
4. ✗ Mn

Question Number : 24 Question Id : 827788324 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a natural auxin?

Options :

1. ✗ 2,4-D
2. ✗ GA
3. ✓ IAA
4. ✗ IBA

Question Number : 25 Question Id : 827788325 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

GA acts antagonistically with:

Options :

1. ✗ IAA
2. ✗ zeatin
3. ✓ ABA
4. ✗ florigen

Question Number : 26 Question Id : 827788326 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

$C_{10}H_9O_2N$ is the chemical formula of:

Options :

1. ✗ GA
2. ✓ IAA
3. ✗ zeatin
4. ✗ ABA

Question Number : 27 Question Id : 827788327 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a naturally occurring growth inhibitor.

Options :

1. ✓ ABA
2. ✗ IAA
3. ✗ GA
4. ✗ 2,4-D

Question Number : 28 Question Id : 827788328 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Dormancy in seeds is induced by:

Options :

1. ✓ Pr form of phytochrome
2. ✗ P_{fr} form of phytochrome
3. ✗ GA in cotyledons
4. ✗ cytochrome

Question Number : 29 Question Id : 827788329 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is the hormone involved in phototropism.

Options :

1. ✗ 2,4-D
2. ✗ Cytokinin
3. ✗ GA
4. ✓ Auxin

Question Number : 30 Question Id : 827788330 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Bending of a plant organ towards light is known as:

Options :

1. ✗ phototactism
2. ✗ negative phototropism
3. ✓ positive phototropism
4. ✗ photonasty

Question Number : 31 Question Id : 827788331 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following can act as an anti-transpirant?

Options :

1. ✗ Auxin
2. ✗ GA
3. ✓ ABA
4. ✗ Ethylene

Question Number : 32 Question Id : 827788332 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Phototropism, which is observed in *Avena* coleoptile, is due to the presence of:

Options :

1. ✗ gibberellins
2. ✓ auxin
3. ✗ cytokinin
4. ✗ ethylene

Question Number : 33 Question Id : 827788333 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

‘Etiolation’ is commonly observed when plants are grown under:

Options :

1. ✓ low light
2. ✗ high light
3. ✗ water logging conditions
4. ✗ water deficit conditions

Question Number : 34 Question Id : 827788334 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following are CAM plants that are capable of withstanding extended periods of dry conditions as they have deep-spreading roots and capacity to store water?

Options :

1. ✗ Mesophytes
2. ✗ Hydrophytes
3. ✗ Halophytes
4. ✓ Xerophytes

Question Number : 35 Question Id : 827788335 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Lime induced chlorosis is due to the deficiency of:

Options :

1. ✗ Mo
2. ✓ Fe
3. ✗ Ca
4. ✗ Mn

Question Number : 36 Question Id : 827788336 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The deficiency symptoms of immobile elements are first observed in:

Options :

1. ✗ middle leaves
2. ✓ young leaves
3. ✗ old leaves
4. ✗ all leaves

Question Number : 37 Question Id : 827788337 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Plants that are resistant to salt stress are called:

Options :

1. ✓ glycophytes
2. ✗ halophytes
3. ✗ psamnophytes
4. ✗ saprophytes

Question Number : 38 Question Id : 827788338 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Cyclic photophosphorylation is mostly present in:

Options :

1. ✓ bacteria
2. ✗ higher plants
3. ✗ virus
4. ✗ fungi

Question Number : 39 Question Id : 827788339 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In which of the following plants does carboxylation take place during the night?

Options :

1. ✗ C_4 plants
2. ✓ CAM plants
3. ✗ C_3 plants
4. ✗ C_3 and C_4 plants

Question Number : 40 Question Id : 827788340 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Sodic soil is also known as:

Options :

1. ✓ solonetz
2. ✗ solonchak
3. ✗ usar
4. ✗ regur

Question Number : 41 Question Id : 827788341 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Two elements which are associated with biological nitrogen fixation are:

Options :

1. ✗ Fe and Co
2. ✓ Fe and Mo
3. ✗ Mo and B
4. ✗ Co and Zn

Question Number : 42 Question Id : 827788342 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

An example of slow release nitrogenous fertiliser is:

Options :

1. ✓ N-Serve
2. ✗ urea
3. ✗ CAN

4. ✖ ammonium sulphate

Question Number : 43 Question Id : 827788343 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Favourable pH for Vermicomposting is:

Options :

1. ✔ 6.5-7.5
2. ✖ 7.5-8.5
3. ✖ 8.5-9.5
4. ✖ 10-11

Question Number : 44 Question Id : 827788344 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a slow acting concentrated organic manure mainly supplying phosphorus.

Options :

1. ✔ Bonemeal
2. ✖ Blood meal
3. ✖ Horn meal
4. ✖ Ground nut cake

Question Number : 45 Question Id : 827788345 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

FUE of water soluble p-fertilisers can be increased by

Options :

1. ✖ broad casting
2. ✔ band placement
3. ✖ split applications
4. ✖ foliar application

Question Number : 46 Question Id : 827788346 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In CAN the ratio of $\text{NH}_4\text{-N}$ to $\text{NO}_3\text{-N}$ is:

Options :

1. ✖ 1 : 2
2. ✔ 1 : 1

3. ✖ 1 : 3

4. ✖ 1 : 4

Question Number : 47 Question Id : 827788347 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Study of chemical composition of soil in relation to crop needs is termed as:

Options :

1. ✖ soil taxonomy

2. ✖ soil fertility

3. ✔ soil chemistry

4. ✖ soil dynamics

Question Number : 48 Question Id : 827788348 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The nitrogen percentage in calcium ammonium nitrate (CAN) is:

Options :

1. ✖ 20.6%

2. ✖ 46.0%

3. ✔ 25.0%

4. ✖ 36.0%

Question Number : 49 Question Id : 827788349 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The conservation factor of P_2O_5 to P is:

Options :

1. ✖ 2.24

2. ✔ 2.29

3. ✖ 0.44

4. ✖ 0.49

Question Number : 50 Question Id : 827788350 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Urea is a/an:

Options :

1. ✔ organic fertiliser

2. ✗ inorganic fertiliser
3. ✗ nitrate fertiliser
4. ✗ potassium fertiliser

Question Number : 51 Question Id : 827788351 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first fertiliser produced in India was:

Options :

1. ✗ urea
2. ✗ ammonium sulphate
3. ✗ pelofos
4. ✓ single super phosphate

Question Number : 52 Question Id : 827788352 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The nutrient which is associated with the rate of water absorption and translocation of sugar in plants is:

Options :

1. ✓ B
2. ✗ Fe
3. ✗ Ni
4. ✗ Mo

Question Number : 53 Question Id : 827788353 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The term 'luxury consumption' is related to the nutrient:

Options :

1. ✓ potassium
2. ✗ calcium
3. ✗ sodium
4. ✗ vanadium

Question Number : 54 Question Id : 827788354 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is/are a form of concentrated organic manure.

Options :

1. ✖ Sheep and goat manure
2. ✖ FYM
3. ✔ Oil cakes
4. ✖ Compost

Question Number : 55 Question Id : 827788355 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The proportion of O₂ in earth crust is:

Options :

1. ✔ 46.60%
2. ✖ 27.72%
3. ✖ 74.32%
4. ✖ 92%

Question Number : 56 Question Id : 827788356 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The process of accumulation of soluble salts in soil is termed as:

Options :

1. ✖ podzolisation
2. ✖ laterisation
3. ✖ acidification
4. ✔ salinisation

Question Number : 57 Question Id : 827788357 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The distribution of pollen by wind is known as:

Options :

1. ✖ hydrophily
2. ✖ entomophily
3. ✖ ornithophily
4. ✔ anaemophily

Question Number : 58 Question Id : 827788358 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Indian Institute of Oil Palm Research is located at:

Options :

1. ✓ Pedavegi
2. ✗ Pandirimamidi
3. ✗ Kovvur
4. ✗ Amabajipeta

Question Number : 59 Question Id : 827788359 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a fat-soluble vitamin?

Options :

1. ✓ Tocopherol
2. ✗ Cyanocobalamine
3. ✗ Pyridoxine
4. ✗ Niacin

Question Number : 60 Question Id : 827788360 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The system of planting followed in hilly areas is:

Options :

1. ✗ square system
2. ✗ filler system
3. ✗ quincunx system
4. ✓ contour system

Question Number : 61 Question Id : 827788361 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The study of vegetables is known as:

Options :

1. ✗ pomology
2. ✗ arboriculture
3. ✗ floriculture
4. ✓ olericulture

Question Number : 62 Question Id : 827788362 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Indian Council of Medical Research (ICMR) recommends the intake of _____ vegetables per capita per day.

Options :

1. ✗ 250 g
2. ✓ 300 g
3. ✗ 125 g
4. ✗ 580 g

Question Number : 63 Question Id : 827788363 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The treatment given to plants to get desirable shape and strong framework is known as:

Options :

1. ✗ pruning
2. ✓ training
3. ✗ coppicing
4. ✗ pollarding

Question Number : 64 Question Id : 827788364 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

For distant market which type of vegetable garden is suitable?

Options :

1. ✗ Home garden
2. ✗ Market garden
3. ✓ Truck garden
4. ✗ Kitchen garden

Question Number : 65 Question Id : 827788365 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following types of irrigation has the highest WUE?

Options :

1. ✗ Flooding
2. ✗ Sprinkler
3. ✓ Drip
4. ✗ Furrow

Question Number : 66 Question Id : 827788366 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following places is under the temperate zone?

Options :

1. ✖ Jharkhand
2. ✔ Jammu
3. ✖ Tripura
4. ✖ Andhra Pradesh

Question Number : 67 Question Id : 827788367 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The best training system followed for grapes is:

Options :

1. ✖ central leader system
2. ✖ modified central leader system
3. ✔ pendal system
4. ✖ head system

Question Number : 68 Question Id : 827788368 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The fertiliser solution applied soon after transplanting of vegetables is called:

Options :

1. ✖ foliar application
2. ✔ starter solution
3. ✖ band placement
4. ✖ broadcasting

Question Number : 69 Question Id : 827788369 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following irrigation systems was innovated by a farmer in Rajasthan?

Options :

1. ✖ Drip system
2. ✖ Bubbler system
3. ✔ Funnel system
4. ✖ Pitcher system

Question Number : 70 Question Id : 827788370 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Middlemen are involved in which type of vegetable garden?

Options :

1. ✗ Market garden
2. ✓ Truck garden
3. ✗ Floating garden
4. ✗ Kitchen garden

Question Number : 71 Question Id : 827788371 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The irrigation system involving controlled delivery of water directly to individual plants through a network of pipes is known as:

Options :

1. ✗ flood
2. ✓ drip
3. ✗ check basin
4. ✗ pitcher

Question Number : 72 Question Id : 827788372 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Spraying of fertiliser solutions containing one or more nutrients on the foliage of growing plants is termed as:

Options :

1. ✗ starter solution
2. ✓ foliar application
3. ✗ broadcasting
4. ✗ band placement

Question Number : 73 Question Id : 827788373 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Stooling is also called:

Options :

1. ✗ air layering
2. ✓ mound layering
3. ✗ tip layering
4. ✗ trench layering

Question Number : 74 Question Id : 827788374 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Disease-free plants in micropropagation can be obtained through:

Options :

1. ✖ embryo rescue
2. ✔ meristem culture
3. ✖ micropropagation
4. ✖ anther culture

Question Number : 75 Question Id : 827788375 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The hexagonal system of planting accommodates _____ more plants than the square system.

Options :

1. ✔ 15%
2. ✖ 10%
3. ✖ 20%
4. ✖ 25%

Question Number : 76 Question Id : 827788376 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Hot water treatment of hard seed coat seeds for coat permeability is called:

Options :

1. ✖ seed priming
2. ✖ stratification
3. ✔ scarification
4. ✖ moist chilling

Question Number : 77 Question Id : 827788377 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In grafting, the lower part of the plant is known as:

Options :

1. ✖ bud
2. ✖ apical
3. ✔ stock

4. ✖ scion

Question Number : 78 Question Id : 827788378 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Micro-grafting is used to produce plants free from:

Options :

1. ✔ viruses
2. ✖ bacteria
3. ✖ fungus
4. ✖ nematode

Question Number : 79 Question Id : 827788379 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The conversion of an old orchard by grafting with scions from new improved varieties is called:

Options :

1. ✖ frame working
2. ✖ double working
3. ✔ top working
4. ✖ pollarding

Question Number : 80 Question Id : 827788380 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The terms '*in vitro*' and '*in vivo*' are _____ words.

Options :

1. ✖ Greek
2. ✖ English
3. ✔ Latin
4. ✖ Persian

Question Number : 81 Question Id : 827788381 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Vegetatively propagated plants from a single mother plant, which retain their characters after repeated multiplication, are called:

Options :

1. ✔ clone

2. ✖ strain
3. ✖ variety
4. ✖ cultivars

Question Number : 82 Question Id : 827788382 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The most commonly used root stock for sweet oranges in Andhra Pradesh is:

Options :

1. ✔ Rangapur lime
2. ✖ Rough lime
3. ✖ Trifoliate orange
4. ✖ Sweet lime

Question Number : 83 Question Id : 827788383 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Indian Institute of Horticultural Research headquarters are located at:

Options :

1. ✖ Hyderabad
2. ✖ Kolkata
3. ✔ Bengaluru
4. ✖ Guntur

Question Number : 84 Question Id : 827788384 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is the condition in which the carpels mature before the stamens.

Options :

1. ✖ Protandry
2. ✔ Protogyny
3. ✖ Dichogamy
4. ✖ Duodichogamy

Question Number : 85 Question Id : 827788385 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following vitamins is an anti-sterility vitamin?

Options :

1. ✖ Vitamin B
2. ✖ Vitamin C
3. ✖ Vitamin B6
4. ✔ Vitamin E

Question Number : 86 Question Id : 827788386 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Growing of two or more crops without a definite row pattern is called:

Options :

1. ✔ mixed cropping
2. ✖ mono cropping
3. ✖ inter cropping
4. ✖ relay cropping

Question Number : 87 Question Id : 827788387 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The whiptail disorder of cauliflower is due to the deficiency of:

Options :

1. ✖ calcium
2. ✖ phosphorous
3. ✔ molybdenum
4. ✖ nitrogen

Question Number : 88 Question Id : 827788388 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Banana belongs to the _____ family.

Options :

1. ✖ Anacardiaceae
2. ✖ Moraceae
3. ✔ Musaceae
4. ✖ Myrtaceae

Question Number : 89 Question Id : 827788389 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The physiological disorder known as blackheart in pineapple is due to:

Options :

1. ✖ high temperature
2. ✔ low temperature
3. ✖ high humidity
4. ✖ low humidity

Question Number : 90 Question Id : 827788390 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is/are an insecticide of animal origin.

Options :

1. ✖ IGR
2. ✖ Pyrrole insecticides
3. ✔ Nereistoxin
4. ✖ Diamides

Question Number : 91 Question Id : 827788391 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Imidacloprid is a:

Options :

1. ✖ chitin synthesis inhibitor
2. ✖ juvenile hormone analogue
3. ✖ synthetic pyrethroid
4. ✔ neonicotinoid

Question Number : 92 Question Id : 827788392 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Bagging of pomegranate fruit is followed for the control of which of the following pests?

Options :

1. ✔ Anar butterfly
2. ✖ Aphids
3. ✖ Shot hole borer
4. ✖ Mealybugs

Question Number : 93 Question Id : 827788393 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Bacillus thuringiensis was first isolated from the diseased larvae of:

Options :

1. ✗ American bollworm
2. ✗ corn borer
3. ✗ diamond back moth
4. ✓ silkworm

Question Number : 94 Question Id : 827788394 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The parasitoid which attacks another parasitoid is called:

Options :

1. ✗ super parasitism
2. ✓ hyper parasitism
3. ✗ simple parasitism
4. ✗ multiple parasitism

Question Number : 95 Question Id : 827788395 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Central Insecticides Laboratory (CIL) is located at:

Options :

1. ✓ Faridabad
2. ✗ New Delhi
3. ✗ Pune
4. ✗ Hyderabad

Question Number : 96 Question Id : 827788396 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a monophagous pest of mango?

Options :

1. ✗ Fruit fly
2. ✗ Red ants
3. ✓ Hoppers
4. ✗ Mealy bug

Question Number : 97 Question Id : 827788397 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Malathion belongs to which group of chemical insecticides?

Options :

1. ✗ Chlorinated hydrocarbons
2. ✗ Carbamates
3. ✓ Organophosphate
4. ✗ Synthetic pyrethroids

Question Number : 98 Question Id : 827788398 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is NOT a bio-control agent?

Options :

1. ✗ Pseudomonas
2. ✗ *Bacillus thuriangiensis*
3. ✓ Xanthomonas
4. ✗ Trichogramma

Question Number : 99 Question Id : 827788399 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ pests are pests that occur in a few isolated localities.

Options :

1. ✓ Sporadic
2. ✗ Endemic
3. ✗ Epidemic
4. ✗ Pandemic

Question Number : 100 Question Id : 827788400 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following insecticides is a bacterial fermented product?

Options :

1. ✗ Nereistoxin
2. ✓ Avermectin
3. ✗ Pyrethrum
4. ✗ Rotenone

Question Number : 101 Question Id : 827788401 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Hot water treatment is given to mango fruits to kill:

Options :

1. ✓ fruitfly
2. ✗oppers
3. ✗red ants
4. ✗grey weevil

Question Number : 102 Question Id : 827788402 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Banana bunchy top virus disease is transmitted by:

Options :

1. ✓aphids
2. ✗jassids
3. ✗thrips
4. ✗mites

Question Number : 103 Question Id : 827788403 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

‘Yellow vein mosaic’ in bhendi (okra) is transmitted by:

Options :

1. ✓white fly
2. ✗aphid
3. ✗thrips
4. ✗mites

Question Number : 104 Question Id : 827788404 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The drying of tips of onion leaves shows the symptoms of which of the following pests?

Options :

1. ✗White fly
2. ✗Scales
3. ✓Thrips
4. ✗Mites

Question Number : 105 Question Id : 827788405 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Treating manure pits in and around coconut gardens reduces the infestation of:

Options :

1. ✗ Black-headed caterpillar
2. ✗ Slug caterpillar
3. ✓ Rhinoceros beetle
4. ✗ Red palm weevil

Question Number : 106 Question Id : 827788406 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The main objective of IPM is to keep the pest population below _____.

Options :

1. ✓ EIL
2. ✗ ETL
3. ✗ damage boundary
4. ✗ GEP

Question Number : 107 Question Id : 827788407 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Tannins and gum are obtained from:

Options :

1. ✗ *Cassia fistula*
2. ✗ *Glyricidia sepium*
3. ✗ *Sesbania aegyptica*
4. ✓ *Acacia nilotica*

Question Number : 108 Question Id : 827788408 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The type of agroforestry system wherein food crops are grown in alleys formed by hedge rows of trees or shrubs is known as:

Options :

1. ✗ silvi pastoral
2. ✗ agri horticultural
3. ✗ horti pastoral
4. ✓ alley cropping

Question Number : 109 Question Id : 827788409 Question Type : MCQ Option Shuffling : Yes Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0.33

The practice of forestry outside the farm lands, village waste lands, on canal banks, railway lines, road sides etc. is known as:

Options :

1. ✖ community forestry
2. ✔ extension forestry
3. ✖ farm forestry
4. ✖ urban forestry

Question Number : 110 Question Id : 827788410 Question Type : MCQ Option Shuffling : Yes Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0.33

The Taungya system is reported to have originated in:

Options :

1. ✔ Burma
2. ✖ China
3. ✖ India
4. ✖ Africa

Question Number : 111 Question Id : 827788411 Question Type : MCQ Option Shuffling : Yes Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0.33

Any barrier that obstructs or breaks wind force is called:

Options :

1. ✖ shelter belt
2. ✖ alleys
3. ✔ wind break
4. ✖ alleys and shelter belts

Question Number : 112 Question Id : 827788412 Question Type : MCQ Option Shuffling : Yes Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical
Correct Marks : 1 Wrong Marks : 0.33

Cutting of a grown tree to the ground level is known as:

Options :

1. ✖ lopping
2. ✖ low pruning
3. ✔ coppicing

4. ✖ pollarding

Question Number : 113 Question Id : 827788413 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Teak belongs to the _____ family.

Options :

1. ✔ Verbanaceae
2. ✖ Combretaceae
3. ✖ Myrtaceae
4. ✖ Rhamnaceae

Question Number : 114 Question Id : 827788414 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Neem belongs to the _____ family.

Options :

1. ✖ Verbanaceae
2. ✖ Combretaceae
3. ✔ Meliaceae
4. ✖ Rhamnaceae

Question Number : 115 Question Id : 827788415 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Fruit necrosis in aonla is due to the deficiency of:

Options :

1. ✖ calcium
2. ✔ boron
3. ✖ iron
4. ✖ magnesium

Question Number : 116 Question Id : 827788416 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first modern agroforestry practice designed by the government for reforestration of open lands was:

Options :

1. ✖ swidden system
2. ✔ taungya system

3. ✖ shifting cultivation
4. ✖ podo cultivation

Question Number : 117 Question Id : 827788417 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to the second national forest policy, forest cover should be _____ per cent of the total geographical area.

Options :

1. ✖ 11%
2. ✖ 22%
3. ✔ 33%
4. ✖ 44%

Question Number : 118 Question Id : 827788418 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The International Centre for Research on Agroforestry is located in:

Options :

1. ✖ India
2. ✖ Africa
3. ✔ Kenya
4. ✖ Australia

Question Number : 119 Question Id : 827788419 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The headquarters of the Centre for International Forestry Research are in:

Options :

1. ✖ India
2. ✔ Indonesia
3. ✖ Kenya
4. ✖ Australia

Question Number : 120 Question Id : 827788420 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

National Institute of Organic Farming is located in:

Options :

1. ✓ Ghaziabad
2. ✗ Faridabad
3. ✗ Ahmedabad
4. ✗ Hyderabad

Question Number : 121 Question Id : 827788421 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Lopping is also called:

Options :

1. ✓ branch pruning
2. ✗ brashing
3. ✗ pollarding
4. ✗ coppicing

Question Number : 122 Question Id : 827788422 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Katha is obtained from which part of *Acacia catechu*?

Options :

1. ✗ Leaves
2. ✗ Pods
3. ✗ Roots
4. ✓ Heartwood

Question Number : 123 Question Id : 827788423 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Virescens, stunting and other proliferations are caused by:

Options :

1. ✗ algae
2. ✗ protozoa
3. ✓ phytoplasma
4. ✗ fungi

Question Number : 124 Question Id : 827788424 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Papaya ring spot virus is transmitted by:

Options :

1. ✖ *Bemisia tabaci*
2. ✖ *Nilaparvata lugens*
3. ✖ *Amritodus atkinsoni*
4. ✔ *Myzus persicae*

Question Number : 125 Question Id : 827788425 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The pathogen responsible for Irish famine is:

Options :

1. ✔ *Phytophthora infestans*
2. ✖ *Fusarium udum*
3. ✖ *Rhizoctonia solani*
4. ✖ *Pseudomonas fluorescens*

Question Number : 126 Question Id : 827788426 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is bacterium that induces tumours in plants.

Options :

1. ✖ *Erwinia amylovora*
2. ✔ *Agrobacterium tumefaciens*
3. ✖ *Bacillus subtilis*
4. ✖ *Pseudomonas fluorescens*

Question Number : 127 Question Id : 827788427 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The equipment used for moist heat sterilisation

Options :

1. ✖ laminar air flow chamber
2. ✖ hot air oven
3. ✖ colony counter
4. ✔ autoclave

Question Number : 128 Question Id : 827788428 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The cell wall of oomycetes is made of:

Options :

1. ✖ peptide
2. ✖ chitin
3. ✔ cellulose
4. ✖ amylase

Question Number : 129 Question Id : 827788429 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Black sigatoka of banana is caused by:

Options :

1. ✖ *Mycosphaerella musae*
2. ✖ *Rhizoctonia solani*
3. ✔ *Mycosphaerella fijiensis*
4. ✖ *Verticillium alboatrum*

Question Number : 130 Question Id : 827788430 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a vector for citrus greening.

Options :

1. ✖ *Bemisia tabaci*
2. ✖ *Hishimonas phycitis*
3. ✖ *Myzus persicae*
4. ✔ *Diaphorina citri*

Question Number : 131 Question Id : 827788431 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ are low molecular weight antimicrobial compounds produced by plants in response to infection.

Options :

1. ✖ Antibiotics
2. ✖ Siderophores
3. ✔ Phytoalexins
4. ✖ Auxins

Question Number : 132 Question Id : 827788432 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an example of a stem parasite.

Options :

1. ✗ Broomrape
2. ✗ Bajra
3. ✓ Cuscuta
4. ✗ Cow pea

Question Number : 133 Question Id : 827788433 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an algal disease of mango.

Options :

1. ✗ Wilt
2. ✗ Powdery mildew
3. ✓ Red Rust
4. ✗ Canker

Question Number : 134 Question Id : 827788434 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first reported vivotoxin was:

Options :

1. ✓ fusaric acid
2. ✗ jasmonic acid
3. ✗ salicylic acid
4. ✗ acetic acid

Question Number : 135 Question Id : 827788435 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The environmental factors that make plants more amenable to infection are called:

Options :

1. ✗ pathogenecity
2. ✓ predisposition
3. ✗ disorder
4. ✗ disease

Question Number : 136 Question Id : 827788436 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an example of peritrichous bacteria.

Options :

1. ✖ *Pseudomonas*
2. ✖ *Spiroplasma*
3. ✔ *Erwinia*
4. ✖ *Xanthomonas*

Question Number : 137 Question Id : 827788437 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Temporary locking up of nitrogen in microorganisms is termed as _____.

Options :

1. ✔ Immobilisation
2. ✖ Decomposition
3. ✖ Mineralisation
4. ✖ Ammonification

Question Number : 138 Question Id : 827788438 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Azolla fixes atmospheric nitrogen in association with:

Options :

1. ✔ *Anabaena*
2. ✖ *Azotobacter*
3. ✖ *Casuarina*
4. ✖ *Acetobacter*

Question Number : 139 Question Id : 827788439 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The enzyme responsible for conversion of nitrite to ammonia is:

Options :

1. ✔ nitrite reductase
2. ✖ nitrogenase
3. ✖ glutamine synthase
4. ✖ nitrate reductase

Question Number : 140 Question Id : 827788440 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The pink colour of nodules is due to the presence of:

Options :

1. ✗ nitrogenase
2. ✗ glutamine synthase
3. ✗ nitrate reductase
4. ✓ leg haemoglobin

Question Number : 141 Question Id : 827788441 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an example of a free living nitrogen fixing microbe.

Options :

1. ✗ Frankia
2. ✓ Azotobacter
3. ✗ Rhizobium
4. ✗ Acetobacter

Question Number : 142 Question Id : 827788442 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a stem nodulating green manure crop.

Options :

1. ✗ *Sesbania aculeata*
2. ✗ *Sesbania grandiflora*
3. ✓ *Sesbania rostrata*
4. ✗ *Sesbania speciosa*

Question Number : 143 Question Id : 827788443 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Culturing of earthworms is known as:

Options :

1. ✗ vermicomposting
2. ✓ vermiculture
3. ✗ vermiwash
4. ✗ vermitechnology

Question Number : 144 Question Id : 827788444 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an example of phosphate solubilising fungi.

Options :

1. ✖ *Bacillus* sps
2. ✖ *Pseudomonas* sps
3. ✖ *Nostoc*
4. ✔ *Aspergillus*

Question Number : 145 Question Id : 827788445 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following *Rhizobium* strains is used to inoculate the berseem crop?

Options :

1. ✖ *Rhizobium japonicum*
2. ✖ *Rhizobium meliloti*
3. ✔ *Rhizobium trifoli*
4. ✖ *Rhizobium phaseoli*

Question Number : 146 Question Id : 827788446 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a biocontrol agent used against *Parthenium hysterophorus*?

Options :

1. ✔ *Zygogramma bicolorata*
2. ✖ *Neochetina bruchi*
3. ✖ *Bactra minima*
4. ✖ *Myrothecium rovidium*

Question Number : 147 Question Id : 827788447 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Compost obtained from the excreta and dead bodies of sea birds is known as:

Options :

1. ✖ meat meal
2. ✖ fish meal
3. ✔ guano
4. ✖ horn meal

**Test
Prime**

By Adda247

PREVIOUS YEAR PAPERS PDF



PRACTICE MORE, SCORE HIGHER!



**Free
25,000+
PDF's**


High-Quality | Exam-Wise | Updated Regularly



**ATTEMPT AS
MOCK**



Turn PDFs into real exam experience.
Analyze. Improve. Succeed.



Topic-wise &
Exam-wise PDFs



Download &
Study Offline



Attempt as Mock
& Track Score



Smart Analysis
& Performance

AVAILABLE IN



Banking



SSC



Railway



Teaching



UGC



Agriculture



Nursing



Bihar



UP



Punjab



WB



Odisha



TN



AP & Telangana



Haryana



DOWNLOAD TEST PRIME

Test

Prime



SUCCESS GALLERY!

★ MEET THE ACHIEVERS ★



Kunal, RRB JE



Shivam, UPSSSC AGTA



Priya, ANM



KHALILUR, LDA



Manoj, PWD



Atin, JENPAS



Shatarupa, OPSC



Arpita, JENPAS



Shital, SSC JE (Mech)



Nancy, UGC NET



Atul, SSC JE (ELCT)



Rahul, SSC JE (CIVIL)



Anand, SSC JE (ELCT)



Mohan, SSC JE (ELCT)



Saurabh, UGC NET



Ved, SSC JE (Mech)

★ THEY DID IT. YOU CAN TOO ★

READ THEIR STORIES!



Question Number : 148 Question Id : 827788448 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Manure produced from the dehydration of night soil is known as:

Options :

1. ✓ poudrette
2. ✗ fauno
3. ✗ tankage
4. ✗ sewage

Question Number : 149 Question Id : 827788449 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The solid portion of sewage is known as:

Options :

1. ✗ hay
2. ✓ sludge
3. ✗ silage
4. ✗ pasturage

Question Number : 150 Question Id : 827788450 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The enzyme responsible for the nitrogen fixation in legumes is:

Options :

1. ✗ cellulase
2. ✗ lipase
3. ✓ nitrogenase
4. ✗ peroxidase